

z/VM 7.2 Platform Update, News, and Recommendations

Version 3.24 – see <https://www.vm.ibm.com/library/presentations/> for latest version.

Jacob Gagnon
z/VM Development Lab Client Focus & Care
jpgagnon@us.ibm.com

John Franciscovich
z/VM Development
francisj@us.ibm.com

Abstract

Version 7 of z/VM started the era of a two-year release cadence. z/VM 7.2 is the second release in this era. This presentation will look at what is in the base of z/VM 7.2 as well as all the enhancements that have shipped. We'll look at both the value of these enhancements, but also cover some of the implementation requirements for them.

The following are trademarks of the International Business Machines Corporation in the United States and/or other countries.

Db2*	FlashCopy*	IBM eserver	OMEGAMON*	XIV*	z10 BC	zSecure
DirMaint	FlashSystem	IBM (logo)*	PR/SM	z13*	z10EC	zSeries*
DS8000*	GDPS*	IBM Z*	RACF*	z13s	z/Architecture*	z/VM*
ECKD	ibm.com	LinuxONE*	System z10*	z14	zEnterprise*	z Systems*
FICON*	IBM Cloud*	LinuxONE Emperor	System 390*	z15	zPDT	
		LinuxONE Rockhopper	WebSphere*		z/OS*	

* Registered trademarks of IBM Corporation

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States, and/or other countries.

IT Infrastructure Library is a Registered Trade Mark of AXELOS Limited.

ITIL is a Registered Trade Mark of AXELOS Limited.

Linear Tape-Open, LTO, the LTO Logo, Ultrium, and the Ultrium logo are trademarks of HP, IBM Corp. and Quantum in the U.S. and other countries.

Intel, Intel logo, Intel Inside, Intel Inside logo, Intel Centrino, Intel Centrino logo, Celeron, Intel Xeon, Intel SpeedStep, Itanium, and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

OpenStack is a trademark of OpenStack LLC. The OpenStack trademark policy is available on the OpenStack website.

Java and all Java-based trademarks and logos are trademarks or registered trademarks of Oracle and/or its affiliates.

Cell Broadband Engine is a trademark of Sony Computer Entertainment, Inc. in the United States, other countries, or both and is used under license therefrom.

UNIX is a registered trademark of The Open Group in the United States and other countries.

VMware, the VMware logo, VMware Cloud Foundation, VMware Cloud Foundation Service, VMware vCenter Server, and VMware vSphere are registered trademarks or trademarks of VMware, Inc. or its subsidiaries in the United States and/or other jurisdictions.

Other product and service names might be trademarks of IBM or other companies.

Notes:

Performance is in Internal Throughput Rate (ITR) ratio based on measurements and projections using standard IBM benchmarks in a controlled environment. The actual throughput that any user will experience will vary depending upon considerations such as the amount of multiprocessing in the user's job stream, the I/O configuration, the storage configuration, and the workload processed. Therefore, no assurance can be given that an individual user will achieve throughput improvements equivalent to the performance ratios stated here.

IBM hardware products are manufactured from new parts, or new and serviceable used parts. Regardless, our warranty terms apply.

All customer examples cited or described in this presentation are presented as illustrations of the manner in which some customers have used IBM products and the results they may have achieved. Actual environmental costs and performance characteristics will vary depending on individual customer configurations and conditions.

This publication was produced in the United States. IBM may not offer the products, services or features discussed in this document in other countries, and the information may be subject to change without notice. Consult your local IBM business contact for information on the product or services available in your area.

All statements regarding IBM's future direction and intent are subject to change or withdrawal without notice, and represent goals and objectives only.

Information about non-IBM products is obtained from the manufacturers of those products or their published announcements. IBM has not tested those products and cannot confirm the performance, compatibility, or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

Prices subject to change without notice. Contact your IBM representative or Business Partner for the most current pricing in your geography.

This information provides only general descriptions of the types and portions of workloads that are eligible for execution on Specialty Engines (e.g. zIIPs, zAAPs, and IFLs) ("SEs"). IBM authorizes customers to use IBM SE only to execute the processing of Eligible Workloads of specific Programs expressly authorized by IBM as specified in the "Authorized Use Table for IBM Machines" provided at www.ibm.com/systems/support/machine_warranties/machine_code/aut.html ("AUT"). No other workload processing is authorized for execution on an SE. IBM offers SE at a lower price than General Processors/Central Processors because customers are authorized to use SEs only to process certain types and/or amounts of workloads as specified by IBM in the AUT.

Agenda

- Summary of current releases and cadence
- Overview of z/VM Version 7 Release 2
- Survey of enhancements in various focus areas
 - Scaling and TCO
 - Managing diverse workloads
 - Security
 - Resiliency and RAS
 - System Management improvements
- Other Highlights and News

z/VM Releases and Cadence

z/VM Release Cycle Cadence

For illustrative purposes, not a commitment.

	2020				2021				2022				2023				2024				2025			
	1Q	2Q	3Q	4Q																				
6.4	WFM	SC	SC	R	EOS																			
7.1	R	N	SC	SC	SC	R	SC	SC	WFM	SC	SC	R	EOS											
7.2		R	GA	N	R	N	R	N	R	N	SC	SC	SC	R	SC	SC	WFM	SC	SC	R	EOS			
7.3										R	GA	N	R	N	R	N	R	N	SC	SC	SC	R	SC	SC

z/VM 7.1 WFM – March 7, 2022

z/VM 7.1 EOS – March 31, 2023

1. GA 3rd Quarter of even years
2. In service ~ 4.5 years
3. New Function every quarter until GA of next release, and then service, RSU, processor compatibility
4. Six RSUs for life of a release, One with GA, next 3 are every 6 months

Legend:
 GA: Generally Available
 N: New function APAR PTFs available
 SC: Service and processor compatibility
 R: RSU
 WFM: Withdrawn from Marketing
 EOS: End of Service

z/VM Releases

Release	ProdId	GA	EOM	EOS	Notes
z/VM 7.2	5741-A09	Sept 18, 2020	TBD	TBD	
z/VM 7.1	5741-A09	Sept 21, 2018	Mar 7, 2022	Mar 31, 2023	Start of 2 Year Cadence ¹
z/VM 6.4	5741-A07	Nov 11, 2016	Mar 9, 2020	Mar 31, 2021	
z/VM 6.3	5741-A07	July 26, 2013	Nov 11, 2016	Dec 31, 2017	

Release ³	z15 & LinuxONE III	z14 & LinuxONE II	z13 & LinuxONE Emperor	z13s & LinuxONE Rockhopper	ZEC12	ZBC12	z196	z114	z10 EC	z10 BC
z/VM 7.2	Yes	Yes	Yes	Yes ⁵						
z/VM 7.1	Yes	Yes	Yes	Yes	Yes	Yes				
z/VM 6.4	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes		
z/VM 6.3 ²		Some ⁴	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

- z/VM GA every 2 years with in service for ~4.5 years.
- z/VM 6.3 no longer supported but referenced what machines were supported when it was.
- Service may be required for support of various servers.
- There was support for the enterprise class z14 and Emperor, but not for ZR1 and LR1 (Rockhopper).
- The Rockhopper machine type 2828 does not meet ALS requirements and is not supported, but the rest of the LinuxONE machines are.

z/VM Continuous Delivery Page

- Gives an overview of new function that is under consideration. Allows clients to:
 - Express interest in being a sponsor user for an item.
 - Plan for new support coming out in the future.
 - Understand the value, benefit, and impact of new enhancements.

- <https://www.vm.ibm.com/newfunction/>

- Subscribe for updates via “Notify me” link on left navigation bar.

The screenshot shows the 'z/VM Continuous Delivery News' page. The left navigation bar includes links for News, About z/VM, Events calendar, Products and features, Downloads, Technical resources, Library, How to buy, Install, Service, Support, Education, Site map, Site search, Printer-friendly, and Notify me. The 'Notify me' link is circled in red with an arrow pointing to it from the text below. The main content area features a 'Change Summary' box with two items: 'October 8: Added Environment variable name field. See Characteristics of a New Function APAR for more information. Various content edits.' and 'September 25: Added IPv6 Layer 2 Query VSwitch Support and various content edits.' Below this is an 'Introduction' section and a 'New Function APARs' table.

New function in progress	Target date	Last updated
Active Drain for PAGE Volumes *	TBD	October 14, 2019
AP Crypto Interruption Support *	2Q 2021	September 4, 2020
Automatic STANDBY Memory for Guests	1H 2021	July 29, 2020
CP New Feature Interrogation API *	October 2020	October 8, 2020
CP Query Devices	December 2020	October 8, 2020

z/VM Continuous Delivery Page

- Each item has information as seen in this example.
- The “Target availability” may also be listed as TBD or less granular such as a quarter or month.
- Since this is work in progress, the target availability dates can move multiple times and in different directions.

Encrypted Paging	
Name	Encrypted Paging
Description	Encrypted Paging will improve system security for z/VM 6.4 by exploiting z14 hardware to encrypt guest page data. Ciphering will occur as data moves from active memory onto a paging volume owned by CP (ECKD, SCSI, or native FBA). This will make customer data defensible from attack or breach of volumes, even in cases where a system administrator has unintended access to those volumes.
Status	Available December 11, 2017
Target availability	December 15, 2017
Compatibility	No known incompatibilities.
Enablement	Apply PTFs, re-IPL z/VM, SET ENCRYPT command within CP.
Effect	For the workloads studied, total CPU/tx did not increase more than 5% when compared back to an EP disabled configuration. Compared to a z13, the z14 with EP enabled performed better. As paging rate increases, the total amount of CPU used on EP will increase. Detailed performance report
ISV impact	Some monitor changes are needed. If you have a performance product, please see your vendor.
Linux or hardware interaction	z14 required
Release(s)	z/VM 6.4
Service details	See below for the IBM service information.
APAR	VM65993
PTF	UM35257
RSU	TBD

New to z/VM?

- Welcome new people to the z/VM Community

- Some resources beyond this presentation:
 - The z/VM 7.2 Library Page <https://www.vm.ibm.com/library/720pdfs.html>
 - The z/VM Presentations Page <https://www.vm.ibm.com/library/presentations/index.html>
 - The IBMVM Mailing List, see https://www.vm.ibm.com/techinfo/listserv.html#Section_0.1 for details on subscribing.
 - The z/VM related events calendar <https://www.vm.ibm.com/events/>
 - z/VM Playlist on YouTube <https://ibm.biz/zvmhowto-yt>
 - The VM Workshop
 - Webpage - <http://www.vmworkshop.org/>
 - YouTube Channel - <https://ibm.biz/vmworkshopyoutube>



z/VM Version 7 Release 3 Preview

z/VM 7.3

- Planned GA 3Q22
 - Preview announce April 5, 2022
 - See <https://www.vm.ibm.com/zvm730/> for more details

- New Architecture Level Set of z14 and LinuxONE II or newer processor families

- Includes all new function service shipped for z/VM 7.2 including:
 - 4 TB Real Memory, Dynamic Memory Downgrade, Improved LGR for Shared Crypto, z/Architecture Extended Configuration (z/XC) support, Direct to Host Service Download

- Additionally, includes
 - Eight-Member SSI support
 - NVMe EDEVICE support

z/VM Version 7 Release 2 Overview

z/VM 7.2

- GA September 18, 2020
 - Preview announce April 14, 2020
 - GA Announce August 4, 2020

- New Architecture Level Set of z13 and LinuxONE¹ or newer processor families

- Includes all new function service shipped for z/VM 7.1 including:
 - 80 Logical Processor support, Dynamic Crypto, Virtual Switch Priority Queuing, etc.

¹ – The machine type 2828 Rockhopper does not meet the ALS requirements and is not supported.

z/VM 7.2 Content

- Additionally, includes:
 - Centralized Service Management
 - Multiple Subchannel Set Multi-Target Peer-To-Peer Remote Copy support for the GDPS environment
 - Adjunct virtual machine support
 - Default changes for the interest of
 - Security
 - Performance
 - Dropping function no longer needed
 - Synergy for New Function APARs
 - Changing defaults at a release boundary rather than in service stream
 - Foundational changes (new modules and control blocks) for future new function APARs

z/VM 7.2 – System Default Changes

- TDISK clearing
 - The default has changed to Enabled.
 - Note: the sample system configuration files mistakenly still have TDISK clearing disabled.

- The SRM unparking model
 - The default unparking model has changed from LARGE to MEDIUM.

- System Recovery Boost
 - SRB has been enabled by default
 - Still requires z15 or newer and appropriate configuration.

z/VM 7.2 – Other Default Changes

- z/VM Directory Maintenance (DirMaint)
 - NEEDPASS - the default value has changed to No
 - DVHWAIT BATCH and CLUSTER INTERVAL values have been updated to improve DirMaint's overall processing time in response to directory change requests.

- Telnet Server Certificate Check
 - Changed from CLIENTCERTCHECK NONE to CLIENTCERTCHECK PREFERRED
 - Change made to z/VM 7.1 with APAR PH18435

z/VM 7.2 – Other Changes

- The PAGING63 IPL parameter and associated external interfaces have been removed.
 - Previously available as a chicken-switch.

- The Environmental Record Editing and Printing Program (EREP) functional executables will be preinstalled and delivered as part of the z/VM 7.2 product and serviced via the CP component, simplifying the process for applying EREP service.

IBM-Supplied User IDs

- IBM-Supplied user IDs are identified Appendix N of the *z/VM Installation Guide*
- Lists have been enhanced for z/VM 7.2 to provide descriptive information

User ID	Type	Default password	Owning component	Functional area	Description
ADM	USER	NOLOG	VM	Posix	POSIX group
AUDITOR	IDENTITY	LBYONLY	VM	Operations	SVM monitoring server
AUTOLOG1	IDENTITY	WD5JU8QP	VM	Operations	VM Default system startup user ID
AUTOLOG2	IDENTITY	LBYONLY	RACF	Security	RACF system startup user ID
AVSVM	IDENTITY	LBYONLY	VM	Networking	SNA LU 6.2 comm server
BIN	USER	NOLOG	VM	Posix	POSIX group
BLDCMS	USER	LBYONLY	VM	Service	System maintenance build server
BLDNUC	USER	LBYONLY	VM	Service	System maintenance build server
BLDRACF	USER	LBYONLY	VM	Service	System maintenance build server
BLDSEG	USER	LBYONLY	VM	Service	System maintenance build server
CBDIODSP	IDENTITY	WD5JU8QP	VMHCD	HCD	HCD dispatcher server machine
CMSBATCH	IDENTITY	LBYONLY	VM	CMS Batch	CMS batch facility server
CSMSERVE	IDENTITY	LBYONLY	TCP/IP	Networking	TCP/IP Centralized Service Management (CSM) FTP server
CSMWORK	USER	WD5JU8QP	VM	Service	Centralized Service Management FTP work system
DAEMON	USER	NOLOG	VM	Posix	POSIX group

- New lists have been added:
 - Special "dummy" user IDs to protect CP-defined areas from being overlaid
 - \$ALLOC\$, \$DIRECT\$, \$PAGE\$, etc.
 - User IDs supplied with prior releases that are not included with z/VM 7.2
 - Cannot be changed or deleted if doing an Upgrade Installation

Identify Previous Service Included in z/VM 7.2

- In general, all service for z/VM 7.1 is included in the z/VM 7.2 base product
 - Due to processing time requirements, a few PTFs released just prior to z/VM 7.2 General Availability could not be included in the base

- [z/VM CP and CMS APARs Released Between 7.1 GA and 7.2 GA](#)
 - Tables listing APARs that are
 - Included in the z/VM 7.2 base
 - Not included in the z/VM 7.2 base
 - Required for specific z/VM 7.2 function

- [CP4ZVM72 tool](#) in z/VM Download library
 - Run on your z/VM 7.1 system to create a report that identifies CP APARs:
 - On your z/VM 7.1 system that are already in the base of 7.2
 - On your z/VM 7.1 system that are not in the base of 7.2
 - In the base of z/VM 7.2 that you do not have on z/VM 7.1

Focused Value Areas of Enhancements

Focused Value Areas

- Improved Scaling and TCO
 - More virtual machines in a single z/VM system
 - Lower costs of running a system

- Improved resource management for large diverse workloads
 - Fair and accurate resource control
 - Guest exploitation of IBM Z and LinuxONE hardware

- Enhanced Security
 - Protecting data
 - Policy management

- Improved Resiliency and RAS
 - Scripting and automation frameworks
 - Problem determination

- Improved System Management
 - Including things that make a system programmer happy



Improved Scaling and TCO

IBM z16

- Support availability May 31st, 2022 with z/VM 7.1 and z/VM 7.2
 - See <https://www.vm.ibm.com/service/vmreqz16.html> for details


- z/VM 7.1 and 7.2 PTFs include support for:
 - Imbedded AI Acceleration
 - CPACF Counter Support
 - Breaking Event Address Register Enhancements
 - Enhanced Vector Packed Decimal 2
 - Reset DAT Protection Facility
 - Consolidated Boot Loader (Allows guest IPL from a SCSI LUN)
 - RoCE Express3 Adapter
 - Crypto Express8S Adapter and Cryptographic Enhancements



Guest PCIe Performance Improvement

February 2021

- Improvement to how z/VM simulates an instruction used in driving virtual PCIe functions.
- Benefits guest environments where PCIe devices are used, e.g. RoCE, NVMe, etc.
- Improved response time & decreased Linux steal time.



Guest PCIe Performance Improvement - Reference

February 2021

- For more details, see the z/VM performance article
– <https://www.vm.ibm.com/perf/reports/zvm/html/1Q1rpc.html>

Component	APAR	PTF	Available	RSU
CP	VM66467	z/VM 7.2 UM35834	February 23, 2021	2102

4TB Main Memory Support

March 2021

- Support the definition and use of real memory up to the 4TB line for first level z/VM systems.
- Continue to support over-commitment of total virtual memory.
- Per guest limit of 1 TB of virtual memory would remain unchanged.

4 TB Main Memory Support - Details

March 2021

- New command syntax introduced in support of Dynamic Memory Downgrade
- Increased memory will increase dump space requirements
- Increased memory does not mean less paging space required
- Red Alert – Installing 4 TB Support
 - z/VM 7.2.0 users applying this PTF for 4TB REAL MEMORY SUPPORT will encounter VMSES/E errors if they are using RACF as their External Security Manager.
 - <https://www.vm.ibm.com/service/redalert/#RACF1>
 - Includes VMSES/E steps to address the error messages
 - APAR VM66508 for VMSES/E to automatically handle the scenario
 - Will be on the next 7.2 RSU (~September 2021)

4TB Main Memory Support - Reference

March 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#4tb>
- CP Function Environment Variable
 - **CP.LIMIT.MEMORY.REAL_TOTAL** = 4
 - **CP.FUNCTION.MEMORY.RECLAIM** = 1
 - **CP.LIMIT.MEMORY.RECONFIG** = 0 (will change with Dynamic Memory Management PTF)

Component	APAR	PTF	Available	RSU
CP	VM66173 ¹	z/VM 7.2 UM35834	March 3, 2021	TBD

¹ – Originally this was the APAR for Dynamic Memory Downgrade. Foundational support for DMD is included here.

DirMaint Performance Enhancements

March 2022

- Improvements for multi-member SSI and non-SSI configurations.
 - Improve the throughput of DirMaint when a number of requests are submitted to the server at the same time during...
 - Provision or deprovision of customer virtual machines
 - changes being made to a large number of virtual machines

- Benefits for
 - Large systems
 - Systems that are growing
 - Cloud environments where virtual machine creation/deletion is frequent

- Enhancements include
 - Reducing the types of requests that require DirMaint servers to obtain intersystem locking.
 - Improving throughput of requests that require the DirMaint server to interact with the satellite servers or DATAMOVE servers.

DirMaint Performance Enhancements - Reference

March 2022

- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#dpe>

Component	APAR	PTF	Available	RSU
DirMaint	VM66298	z/VM 7.2 UV99411	March 16, 2022	TBD

Improved Resource Management of Diverse Workloads

Automatic Standby Memory for Guests

- Allow for easier management of virtual machine memory
 - When the maximum memory of a virtual machine is increased, no longer need to issue a new **DEFINE STORAGE** command in order to increase “Standby” memory

Old Approach:

```
USER LINUX21 NOLOG 4G 6G G
COMMAND DEF STOR 4G STANDBY 2G
```



```
USER LINUX21 NOLOG 4G 8G G
COMMAND DEF STOR 4G STANDBY 4G
```



```
USER LINUX21 NOLOG 8G 16G G
COMMAND DEF STOR 8G STANDBY 8G
```

New Approach:

```
USER LINUX21 NOLOG 4G 6G G
COMMAND DEF STOR INITIAL STANDBY REMAINDER
```



```
USER LINUX21 NOLOG 4G 8G G
```



```
USER LINUX21 NOLOG 8G 16G G
```

Automatic Standby Memory for Guests - Reference

March 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#auto-standby>
- CP Function Environment Variable
 - **CP.FUNCTION.MEMORY.RECLAIM = 1**
- Part of the 4TB Support

Component	APAR	PTF	Available	RSU
CP	VM66173 ¹	z/VM 7.2 UM35834	March 3, 2021	TBD

Dynamic Memory Downgrade

- Allows for real memory to be removed from a running z/VM system
- Complements the existing ability to add memory to a system
- Introduces “Perm” and “Reconfigurable”
 - Maximum of 50% reconfigurable.
- Benefits:
 - Add and remove memory for workload shifts and other load balancing
 - Assist in DR scenarios
 - Assist in Live Guest Relocation scenarios

Dynamic Memory Downgrade - Details

August 2021

- Prereqs VM66173 (4 TB), so see red alert <https://www.vm.ibm.com/service/redalert/#RACF1>
- Note: “Reserved” on Logical Partition Activation profile may be different than in z/VM’s view
 - LPAR Profile Reserved: How much memory z/VM could add to “Initial” if the memory is available.
 - z/VM Standby: How much memory z/VM could add right now because it is available
 - z/VM Reserved: How much memory z/VM could add beyond “Standby”, if memory becomes available.

Central Storage

Amount in: Gigabytes (GB) ▾

Initial:

Reserved:

```
query store
16:20:24 STORAGE = 8G CONFIGURED = 8G INC = 128M STANDBY = 2G RESERVED = 0
16:20:24 Permanent = 4G Reconfigurable = 4G Maximum STORAGE = 10G
Ready;
```

- If you dynamically add memory to a system, think about:
 - Paging space
 - Dump space

Dynamic Memory Downgrade - Details

August 2021

- **SET STORAGE RECONF *decrease*** command options
 - **TEST** – a good thing to use
 - **FORCE** – might be a bad thing to use if it results in PGT004 abend
- **SET STORAGE HALT** command just stops the reclamation progress, it doesn't put memory back
- **QUERY STORE IPL** useful new fields

```
q store ipl
STORAGE = 256G CONFIGURED = 256G INC = 1G STANDBY = 0 RESERVED = 0
Permanent = 200G Reconfigurable = 56G Maximum STORAGE = 256G
IPL actual:      Permanent = 200G Reconfigurable = 56G
IPL requested: Permanent = 200G Reconfigurable = 200G
IPL requested data source: STORAGE system configuration statement(s)
Last start was a system restart from SHUTDOWN REIPL
```

Dynamic Memory Downgrade - Reference

August 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#dmd>
- CP Function Environment Variable
 - **CP.LIMIT.MEMORY.RECONFIG** = 50 (Percentage of memory that can be reconfigurable)
 - **CP.FUNCTION.MEMORY.RECLAIM** = 1
- Additional support and usage information
 - <https://www.vm.ibm.com/memman/dmd.html>
- Requires z15, LinuxONE III, z14, LinuxONE Emperor II, LinuxONE Rockhopper II, or newer

Component	APAR	PTF	Available	RSU
CP ¹	VM66271	z/VM 7.2 UM35561	August 6, 2021	TBD
Performance Toolkit	VM66285	z/VM 7.2 UM35562	August 4, 2021	TBD

¹ – Originally the APAR was VM66173, but that was changed to add foundational support as part of the 4TB support enhancement.

z/XC Architecture Support

March 2021

- New virtual machine architecture mode
 - Enables CMS applications running in z/Architecture to take advantage of multiple address spaces
- **z/XC** guests can exploit VM data spaces with z/Architecture
 - the same way that ESA/XC guests can with Enterprise Systems Architecture
- Allows z/CMS to use VM data spaces to access Shared File System (SFS) Directory Control (DIRCONTROL) directories
- Programs can use z/Architecture instructions and registers* and exploit VM data spaces in the same CMS session
 - * (within the limits of z/CMS support)

z/XC Architecture Support...

March 2021

- Performance Toolkit for z/VM is enhanced to display z/XC mode
 - USER, USER *userid*, USERLOG *userid*, and UCONF reports

- To enable z/XC architecture mode:
 - **SET MACHINE XC**
 - initially sets to ESA/XC mode
 - **IPL ZCMS**
 - Changes to z/XC mode

How to Get z/XC Architecture - Reference

March 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#zxc>

- CP Function Environment Variable
 - **CP.FUNCTION.ZXC** = 1

- Available in March 2021 on z/VM 7.2
 - Limited support (for HCD only) on z/VM 7.1

Component	APAR	PTF	Available	RSU
CP	VM66201	z/VM 7.1 UM35770 z/VM 7.2 UM35771	March 19, 2021	TBD
CMS	VM66425	z/VM 7.1 UM35820 z/VM 7.2 UM35821	February 23, 2021	TBD
Performance Toolkit for z/VM	VM66489	z/VM 7.2 UM35816	February 8, 2021	TBD

Improved LGR for Mixed-Level Crypto Environments

August 2021

- Previously an attempt to do Live Guest Relocation (LGR) of a virtual machine between IBM Z or LinuxONE boxes with different Crypto Express Adapter types would **not** be allowed.
 - Example: Crypto Express6 vs. Crypto Express7
 - One could *force* the relocation if you took the risk.
- This enhancement enables successful LGR for virtual machines when the type of the shared crypto resource on the source system does not match the type of shared crypto resource on the target system.
 - The *force* will no longer be needed.
- This is most often needed when upgrading to a new IBM Z or LinuxONE server.
- This extends the concept of relocation domains to usage of shared Crypto Adapter usage (APVIRT).

Shared Crypto Resources in Relocation Domains

August 2021


- APVIRT crypto guests will see the lowest type of Crypto Express (CEX) adapter that is available in the shared pools of all systems in a relocation domain.
 - This is the level of functionality that enables guests to relocate between systems in the relocation domain without using the **FORCE ARCHITECTURE** option.

- **QUERY VIRTUAL CRYPTO**
 - Shows the lowest type of CEX adapter available in a guest's relocation domain
 - Only displays CEX adapters in the guest's relocation domain that have the same shared crypto mode as the current system
 - Shared pools can have adapters with either Accelerator (A) or CCA coprocessor (C) mode

Upgrading APVIRT Guests to a New Server

August 2021

SSI Relocation Domain (default)




- 2 member SSI cluster
 - Both members on **z14** with **CEX6A** Crypto Express adapters
- SSI relocation domain
 - Includes all members of the cluster
- Crypto Express adapter level for APVIRT guests is **CEX6A**

* All systems have Improved LGR for Mixed-level Crypto function installed

Upgrading APVIRT Guests to a New Server...

August 2021

SSI Relocation Domain (default domain)




- Add members 3 and 4
 - On **z15** with **CEX7A** adapters
- All members are in SSI relocation domain

* All systems have Improved LGR for Mixed-level Crypto function installed

Upgrading APVIRT Guests to a New Server...

August 2021

SSI Relocation Domain (default domain)




- Functional level for guests on all members is still
 - **z14**
 - **CEX6A** for APVIRT guests
- This allows relocation of guests among all members without **FORCE ARCHITECTURE**

* All systems have Improved LGR for Mixed-level Crypto function installed

Upgrading APVIRT Guests to a New Server...

August 2021

SSI Relocation Domain (default domain)




- Shutdown Member 1 and Member 2
- Remove them from SSI cluster configuration
 - **SET SSI SLOT 1 AVAILABLE**
 - **SET SSI SLOT 2 AVAILABLE**
- Update SSI statement in system config

* All systems have Improved LGR for Mixed-level Crypto function installed

Upgrading APVIRT Guests to a New Server...

August 2021

SSI Relocation Domain (default domain)



- Functional level for guests changes to
 - **z15**
 - **CEX7A** adapter level for APVIRT guests

* All systems have Improved LGR for Mixed-level Crypto function installed

Improved LGR for Mixed-Level Crypto - Reference

August 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/#lgr-apvirt>
- CP Function Environment Variable
 - **CP.FUNCTION.CRYPTO.MIXED_APVIRT = 1**
- Updated *z/VM: CP Planning and Administration*
 - Chapter 5: Crypto Planning and Management

Component	APAR	PTF	Available	RSU
CP	VM66496	z/VM 7.2 UM35893	August 6, 2021	TBD

Enhanced Security

Security Certifications

- z/VM 7.2 successfully completed its validation to US Federal Information Processing Standard (FIPS) 140-2.
 - August 12, 2021
 - This process does a deep examination of z/VM's cryptographic libraries (System SSL and ICSFLIB, and their interactions with the IBM Z and LinuxONE cryptographic hardware) to assure that they meet modern security requirements.

- You can find a link to the CMVP Certificate and the Security Policy on the z/VM Security News webpage: <https://www.vm.ibm.com/security/news.html>

- z/VM 7.2 completed a Common Criteria evaluation.
 - April 30, 2021
 - This certifies the product in accordance with the Operating System Protection Profile (with Virtualization and Labeled Security extensions) at an assurance level of EAL 4+.
 - The Certification Report can be found at https://ocsi.isticom.it/documenti/certificazioni/ibm/zvm/cr_zvm_v7r2_v1.0_en.pdf

TLS/SSL OCSP/CDP Support

January 2021

- Improved ability to validate certificates and ensure they have not been revoked.

- The SSL server can be configured to determine whether a partner's certificate has been revoked during authentication of an SSL/TLS connection
 - **OCSP** - Online Certificate Status Protocol
 - **CDP** - CRL (Certificate Revocation List) Distribution Point

- The partner's certificate must be built with any combination of:
 - **OCSP** responders, either
 - Identified within the certificate's Authority Information Access (AIA) extension, or
 - Dedicated, identified with the responder's HTTP URL and port
 - An HTTP server identified within the certificate's **CDP** extension

TLS/SSL OCSP/CDP Support - Enablement

January 2021

- Enabled and configured with new **:OCSPParms** DTCPARMS tag for the SSL/TLS server
 - **OCSPENABLE ON**
 - Enable use of the AIA extension
 - **OCSPURL *url***
 - Specifies the HTTP URL and port of a dedicated OCSP responder
 - Only one can be present
 - **CDPENABLE ON**
 - Enables checking for the CDP extension in the certificate
 - Additional operands to specify the order that OCSP responders and/or CDP extensions are checked

 - See the latest version of *z/VM 7.2 TCP/IP Planning and Customization* for details

TLS/SSL OCSP Support...

January 2021

- When OCSP/CDP is enabled, handshake time will increase when a certificate with OCSP and/or CDP extensions is presented
 - A connection must be made to an external server

- TCP/IP applications that use the **CLIENTCERTCHECK** value of **PREFERRED** will conflict with OCSP/CDP revocation checking
 - If OCSP/CDP is enabled, **CLIENTCERTCHECK** will be upgraded to **REQUIRED**
 - A warning message will appear in the SSL console log

How to get TLS/SSL OSCP Support - Reference

January 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#ocsp>

Component	APAR	PTF	Available	RSU
TCP/IP	PH28216	z/VM 7.2 UI72963	January 6, 2021	2102

- Restart of the TCP/IP server is required after applying the PTF
- SSL servers need to be restarted after configuration changes are made to enable this support

Improved Resiliency and RAS

MSS MT PPRC Support for GDPS Environment

z/VM 7.2 Base

- Multiple Subchannel Set (MSS) Multi-Target Peer-To-Peer Remote Copy (MT PPRC) support for the GDPS environment

- Disk device can be the primary for up to three secondary devices in three alternate subchannel sets
 - May be configured in subchannel sets 1, 2 and 3
 - Must have corresponding device in subchannel set zero to be recognized
 - All non-disk devices must still be configured in subchannel set zero

 - ACTIVE configuration – devices currently in use by z/VM
 - Initially DASD in the IPLed subchannel set
 - STANDBY configuration – devices not in the ACTIVE configuration

MSS MT PPRC Support for GDPS Environment ...

z/VM 7.2 Base

- Subset of CP commands now accept and display five-digit device numbers
 - Independent of whether MSS MT PPRC is being exploited
 - Device address is prefixed by the subchannel number (0-3)
 - QUERY 2793
 - Old response: **DASD 2793 CP SYSTEM FR2793 1**
 - New response: **DASD 2793 CP SYSTEM FR2793 1**
 - QUERY 22793
 - New response: **DASD 22793 CP SYSTEM FR2793 1**

- SSI considerations
 - Multi-release SSI clusters are supported when zero or a single alternate subchannel set is exploited
 - All cluster members must be at z/VM 7.2 if two or more alternate subchannel sets are required

- z/VM System Management APIs (SMAPI) do not explicitly support five-digit device numbers
 - Caution is recommended when using SMAPI APIs that return information on device numbers.

MSS MT PPRC Support – Reference

z/VM 7.2 Base

- See *CP Planning and Administration*, Chapter 18: "Multiple Subchannel Set Support"
- If you use z/VM HCD, the following service is required:

Component	APAR	PTF	Available	RSU
z/VM	VM66385	7.1: UM35710 6.4: UM35709	August 13, 2020	TBD
z/OS	OA59720	2.3: UJ03585 2.2: UJ03586 2.1: UJ03587	August 12, 2020	

z/VM Adjunct Support

z/VM 7.2 Base

- Documented in z/VM 7.2

- Adjunct is a second virtual machine configuration for a userid
 - Distinct from the (primary) configuration created when userid is logged on

 - Intended to run CMS to aid in debugging the operating system in the primary configuration:
 - Displaying and modifying the primary's memory
 - Observing and manipulating a guest system running in the primary

- The primary and adjunct configurations each have their own virtual CPU(s), memory, and devices

- Adjuncts are enabled by default
 - Can be modified by
 - **FEATURES** statement in system configuration file
 - **SET ADJUNCTS OFF/ON** command

z/VM Adjunct Support (cont.)

z/VM 7.2 Base

- The **ADJUNCT** *directory statement* authorizes a user to create an adjunct virtual machine
 - For example - **ADJUNCT CMSADJ**
 - **CMSADJ** is an adjunct template defined as a USER in the directory
 - Must have the NOLOG option

- The **ADJUNCT** *command* controls operation of adjunct virtual machines
 - **ADJUNCT START** is analogous to logon
 - **ADJUNCT END** logs off the adjunct
 - Leaves the primary configuration active
 - Additional operands to control the adjunct's state and issue commands

DirMaint Health Checker

December 2020

- Automated set of procedures to validate the configuration and health of the DirMaint servers daily and/or on demand.
- May specify:
 - Who to contact with results of the tests
 - What level of results causes results to be sent (any warning or only significant warnings)
 - Which tests to run and on which DirMaint servers
- Avoids configuration errors that could cause larger problems or affect availability of certain tasks

Component	APAR	PTF	Available	RSU
DirMaint	VM66175	z/VM 7.2 UV99389	December 7, 2020	TBD

Improved I/O Time for Dump Processing

February 2021

- Decreases the time to write a z/VM System Dump
- By decreasing dump processing time, this increases system availability time
- Applies to z/VM system where dump space is located on FICON ECKD disks (3390) where zHPF (High Performance FICON) is available.

Improved I/O Time for Dump Processing - Reference

February 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#improve-io-dump>
- CP Function Environment Variable
 - **CP.FUNCTION.DUMP.SPEEDUP = 1**

Component	APAR	PTF	Available	RSU
CP	VM66431	z/VM 7.2 UM35822	February 12, 2021	2102

Fast z/VM Dump Distiller

February 2021

- Allows a much-abridged dump to be created from a z/VM system dump
- Smaller dump
 - Easier to manage
 - Faster to transmit to IBM
- Most beneficial for memory management dumps that contain the full frame table and present page tables.
 - Frame table and page tables can make up 95% of some dumps

Fast z/VM Dump Distiller - Details

February 2021

- New option **DISTILL** added to the **DUMpload** command
 - Not on DUMPLD2 though that is usually recommended for large
- Does not reduce the time to take the actual dump during abend processing or restart dump processing
- Does not reduce the size of the dump written to spool
 - Therefore, you still need sufficient dump space
- Intended
 - To allow IBM to start analysis sooner
 - To allow IBM to more easily confirm a duplicate of previous problems
- In some cases, IBM may still need the full size, undistilled, dump for analysis.

Fast z/VM Dump Distiller - Reference

February 2021

- Ships as CP PTF, but modifies the **DUMpload** module that runs in CMS
- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#dump-distiller>

Component	APAR	PTF	Available	RSU
CP	VM66430	z/VM 7.2 UM35823	February 15, 2021	2102

Preserve Partial Dump Across IPL

December 2021

- Allows a partial dump to be preserved if there is a re-IPL of the partition prior to dump completion

- Valid for CP Hard Abend dumps
 - Soft Abends are not included because they are quick and recoverable (CP does not terminate)
 - SNAPDUMP is not included because a SNAPDUMP is planned

- Most beneficial in emergency situations where reducing downtime is critical
 - Improves likelihood of problem determination in cases where a full CP dump is not allowed to complete

- You still need to allocate sufficient dump space to get any dump

- Intended
 - To provide IBM key diagnostic information in situations where previously, no dumps were available

Preserve Partial Dump Across IPL

- New spool file names for dumps. Indicates how complete a dump is.
 - **NOCpdata** : no CP storage is included. Only **SYMPTOM**, **REGS** and **DUMPTYPE** subcommands will work
 - **PARTIAL** : some CP storage is included. Additional subcommands will work if CP storage they use are in the dump
 - **CPDUMP** : a complete dump has been taken
- New message variations to indicate how much of the dump was captured
 - HCP8243I – 2 new variations for DUMPLD2
 - HCP8169I – new variation for DUMPLOAD
- It is still highly recommended to obtain complete dumps if the time to take a full dump is acceptable in recovery situations.

Preserve Partial Dump Across IPL- Reference

December 2021

- Ships as CP PTF, but modifies the **DUMpload** and **DUMPLD2** utilities that runs in CMS
- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#ppdaipl>

Component	APAR	PTF	Available	RSU
CP	VM66560	z/VM 7.2 UM35921	December 10, 2021	TBD

EDEVICE Path Management

August 2021

- Improves health checking and path selection for SCSI-FCP emulated devices

- SCSI-FCP device driver updated in the following areas:
 - Path selection
 - Path state tracking
 - Path health checking

- Better path selection provides a more robust system.

- New information available to describe state and changes of environment

- Takes advantage of path optimization for ALUA storage devices
 - Asymmetric Logical Unit Access (ALUA) – a device capable of servicing I/O to a given LUN where access characteristics may differ across ports

EDEVICE Path Management - Reference

August 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/#edevic-pm>
- CP Function Environment Variable
 - **CP.FUNCTION.EDEVICE.PATH_MANAGEMENT = 1**

Component	APAR	PTF	Available	RSU
CP	VM66507	z/VM 7.2 UM35902	August 31, 2021	TBD

vSwitch Bridge Port Enhancements

December 2021

- Extends superior load balancing across OSAs from a vSwitch-only environment to a HiperSockets-vSwitch bridge environment
- This enhancement adds a new configuration option (**NICDISTRIBUTION**) in the **SET VSWITCH BRIDGEPORT** or **MODIFY VSWITCH BRIDGEPORT** statements.
 - Setting **NICDISTRIBUTION ON** will enable better balancing of outbound network traffic across a port-group.

NOTE: There could be an impact to CPU-utilization in some workloads due to additional frame inspection that must be done.

vSwitch Bridge Port Enhancements- Reference

December 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/#vbpe>
- CP Function Environment Variable
 - **CP.FUNCTION.VSWITCH.NICDISTRIBUTION= 1**

Component	APAR	PTF	Available	RSU
CP	VM66557	z/VM 7.2 UM35920	December 10, 2021	TBD

Improved System Management

Centralized Service Management

z/VM 7.2 Base

- Deploy service to multiple z/VM systems
 - A centralized primary location
 - Manages distinct levels of service
 - The “Principal” system
 - Remote traditional z/VM systems
 - Transfer data over TCP/IP
 - Different remote systems can have different levels

- For non-SSI environments
 - SSI already provides centralized management within the SSI cluster

- Intended for installations with large numbers of non-SSI z/VM systems
 - Configuration and setup required
 - For just a few systems it is easier to continue using **SERVICE** and **PUT2PROD** to install service on each system

z/VM Centralized Service Management

z/VM 7.2 Base

- The Principal system uses the Shared File System (SFS) to manage service levels for the Managed systems
- The Principal system may be serviced either with Centralized Service Management or independently
- FTP is used for communication between the Principal and Managed systems
 - Special purpose FTP server
- New **SERVMGR** command
 - Handles all tasks associated with Centralized Service Management
 - Review documentation to understand options

Centralized Service Management – Requirements

z/VM 7.2 Base

- Principal and Managed systems must all be on **z/VM 7.2**

- Space must be added to the VMPSFS file pool
 - At least
 - 3000 4K blocks in Group 1
 - 520000 4K blocks in Group 2
 - Additional space will be required as new service levels are added

- **APAR VM66428 (PTF UM35726)** must be:
 1. Installed on all Principal and Managed systems
 2. Applied to any customer-defined z/VM CSM service level that is based on the BASE z/VM CSM service level
 - Service level that incorporates the initial z/VM 720 RSU
 - This PTF updates VMSES/E core components
 - Installation will end with a restart record
 - Issue **SERVICE RESTART** to complete the install

Centralized Service Management - More Information

z/VM 7.2 Base

- *z/VM 7.2 Service Guide, Part 2:*
 - "Using z/VM Centralized Service Management to service z/VM systems"
- z/VM Centralized Service Management web page:
 - <http://www.vm.ibm.com/service/csmserv.html>
- Full presentation by Richard Lewis:
 - <http://www.vm.ibm.com/devpages/richardl/csm92020.pdf>

Direct to Host Service Transfer

August 2021

- New optional method to transfer service to your z/VM system through use of a web interface.
- Simplifies downloading service ordered through IBM Shopz
 - May eliminate extra data moves
 - Automates aspects of verification and unpacking of the data

Direct to Host Service Transfer – Reference

August 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/#d2h>
- Additional information
 - <https://www.vm.ibm.com/service/getshopz.html>

Component	APAR	PTF	Available	RSU
CMS	VM66540	z/VM 7.2 UM35899	August 31, 2021	2102

CP New Function Interrogation API

October 2020

- New API simplifies scripting and automation to determine functionality on a running CP system
 - Facilitates adaptation of products and applications to varying CP code levels

- New **CP.FUNCTION.xxx** system environment variables
 - A variable will be defined for every new function that is part of the CP nucleus
 - Starting with z/VM 7.2 New Function APARs

- Full list of variable names, values, and descriptions at <https://www.vm.ibm.com/newfunction/varlist.html>

Release	APAR	APAR name	Environment variable name	Data type	Variable value	Variable value description	Last updated
7.2	VM66421	1-END HyperPAV Minidisk Support	CP.FUNCTION.DASD.HYPERPAV_1_END + More information	support level	1	Support for 1-END HyperPAV Minidisks is available.	December 12, 2020
7.2	VM66469	CP QUERY DEVICES	CP.FUNCTION.QUERY.DEVICES – Hide information This variable indicates the ability to report real device settings established by the DEVICES configuration statement and the SET DEVICES command.	support level	1	CP QUERY DEVICES function is installed.	October 8, 2020
7.2	TBD	Dynamic Memory Downgrade	CP.FUNCTION.MEMORY.RECLAIM + More information	support level	1	Dynamic removal of reconfigurable memory is supported.	August 18, 2020

CP New Function Interrogation API...

October 2020

- **QUERY VARIABLE** command
 - Determine which CP functions are available

```
pipe CP QUERY VARIABLE | strfind /SYSTEM CP.FUNCTION./ | console
SYSTEM CP.FUNCTION.DASD.HYPERPAV_1_END 1
SYSTEM CP.FUNCTION.QUERY.DEVICES 1
SYSTEM CP.FUNCTION.ZXC 1
```

query variable

```
SYSTEM CP.FUNCTION.DASD.HYPERPAV_1_END 1
SYSTEM CP.FUNCTION.QUERY.DEVICES 1
SYSTEM CP.FUNCTION.ZXC 1
```

- Check for a specific CP function
 - A null string will be returned for an undefined variable

```
query variable system cp.function.zxc
1
```

Get CP New Function Interrogation API – Reference

October 2020

- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#cp-nf>

Component	APAR	PTF	Available	RSU
CP	VM66439	z/VM 7.2 UM35761	October 15, 2020	2101

Spool Information Enhancements

March 2021

- Extends spool subsystem programming interfaces
 - Allows clients to manage spool files and volumes more effectively
 - Enables spool management software to facilitate DASD migration and backup activities
 - IBM Operations Manager for z/VM, etc.

Spool Information Enhancements

March 2021

- Updated programming interfaces
 - **Diagnose x'D8'** (Read Spool File Blocks on System Queues)
 - Optionally return information indicating **which CP-owned volumes contain at least one page** of a designated spool file
 - In an SSI cluster, does not include information for files that were created on a different member
 - Adds selection of the **System Data File queue** for processing
 - Includes NSS/DCSS, UCR, IMG, NLS, and TRF files
 - ***SPL IUCV System Service**
 - Extended to allow selection of files on the **System Data File queue** to be processed
 - Includes NSS/DCSS, UCR, IMG, NLS, and TRF files

Spool Information Enhancements – Reference

March 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#spool-enhancements>
- CP Function Environment Variable
 - **CP.FUNCTION.SPOOL.EXTENSIONS = 1**

Component	APAR	PTF	Available	RSU
CP	VM66479	z/VM 7.2 UM35285	March 1, 2021	2102

CP QUERY DEVICES Command

- Displays CP settings that were not previously shown for real devices
 - Allows clients to validate settings
 - Specify individual devices or ranges of devices (0000-FFFF)
 - Same settings are used for a device number in all subchannel sets

- Settings are specified with
 - **DEVICES** system configuration statement
 - **SET DEVICES**, **SET RDEVICE**, and **SET SCMEASURED** commands

CP QUERY DEVICES Command

December 2020

- Example

query devices 100 800-900

Device(s)	Accepted	Online at_IPL	Sensed Sensed	Sensed /Offln	Shared	Dynam I/O	Subch Meas	Throt- tled	Assign at_IPL
0100	Y	N	Y	N	N	Y	Y	Y	N
0800-083F	Y	Y	Y	N	N	Y	Y	Y	N
0840-085F	Y	N	Y	N	N	Y	Y	Y	N
0860-0900	Y	Y	Y	N	N	Y	Y	Y	N

CP QUERY DEVICES Command

December 2020

- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#cpqd>
- CP Function Environment Variable
 - **CP.FUNCTION.QUERY.DEVICES = 1**

Component	APAR	PTF	Available	RSU
CP	VM66469	z/VM 7.2 UM35797	December 7, 2020	2101

Guest 1-END HyperPAV Aliases

- Adds capability for guests to define and associate virtual HyperPAV Alias devices with Base devices defined as **1-END** minidisks
 - previously, 0-END (full-pack) minidisks were required
- Protects real volume label and allocation map by preventing guest from accessing cylinder zero
- Example (user directory):

```
COMMAND DEFINE HYPERPAVALIAS F101 FOR BASE F100  
COMMAND DEFINE HYPERPAVALIAS F102 FOR BASE F100  
COMMAND DEFINE HYPERPAVALIAS F103 FOR BASE F100
```

```
MDISK F100 3390 1 END PAK001
```

Guest 1-END HyperPAV Alias Support – Reference

December 2020

- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#1-end>
- CP Function Environment Variable
 - **CP.FUNCTION.DASD.HYPERPAV_1_END = 1**

Component	APAR	PTF	Available	RSU
CP	VM66421	z/VM 7.2 UM35784	December 8, 2020	2101

Report IPv6 for Ethernet VSwitches

August 2021

- IPv6 addresses now displayed on the **QUERY VSWITCH** and **QUERY NIC** commands.
- IPv6 information added to Diagnose x'26C' subcode x'24' data.
- Small performance enhancement in management of the LAN IP table.

Report IPv6 for Ethernet VSwitches – Reference

August 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/#ipv6l2>
- CP Function Environment Variable
 - **CP.FUNCTION.VSWITCH.IPV6QUERY = 1**

Component	APAR	PTF	Available	RSU
CP	VM66485	z/VM 7.2 UM35894	August 9, 2021	TBD

Query GSKKYMAN Certificates

December 2021

- GSKKYMAN is a Unix-based z/OS utility which manages certificates in a key database.
- Prior to this support, a user would have to manually open a database using the GSKKYMAN utility in order to view certificate information.
- This enhancement to z/VM TCPIP provides a new command ([CERTMGR](#)) which allows a user an automated way to interact with the GSKKYMAN utility.
- A default database can be set with the [CMS DEFAULTS](#) command.
- This support is part of the z/VM TCP/IP streamlined SSL Configuration project

Query GSKKYMAN Certificates– Reference

December 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/#qgskkyman>

Component	APAR	PTF	Available	RSU
TCP/IP	PH40080	z/VM 7.2 UI78359	December 10, 2021	TBD
CMS	VM66561	z/VM 7.2 UM35911	December 10, 2021	TBD
VMSES	VM66581	z/VM 7.2 UM35914	December 10, 2021	TBD

CMS HELP Enhancements

August 2021

- HELP is a CMS command that provides information on various commands, tasks, and messages.

- Enhancements were made to add information for the following:
 - CP Source Directory statements
 - Example: **HELP DIRECTORY**
 - CP System Configuration file statements
 - Example: **HELP SYSCONFIG**

CMS HELP Enhancements – Source Directory

August 2021

- **HELP DIRECTORY** plus PF11 (Related)
 - Selectable list of directory statements

```
COMMANDS DIRECTORY          Related Help Information          line 1 of 120
  Related Information

For information on each Directory statement, place the cursor
under the topic of your choice and press ENTER or the PF1 key.

ACCOUNT      - ACCOUNT Directory Statement
ADJUNCT      - ADJUNCT Directory Statement
ACIGROUP     - ACIGROUP Directory Statement
APPCPASS     - APPCPASS Directory Statement
```

CMS HELP Enhancements – Source Directory...

August 2021

▪ HELP DIRECTORY MENU

– Selectable list of help files

- Most file names are first 8 characters of the directory statement name
- XCONFIG has separate help files for ACCESSLIST and ADDRSPACE operands

```
DIRECTORY MENU                               Menu Help Information                line 1 of 17
(c) Copyright IBM Corporation 1990, 2021

Help for Directory Statements

To view a Help panel, move the cursor to any character of the name
and press the ENTER key or the PF1 key.
An asterisk (*) preceding the name indicates a MENU panel.

ACCOUNT   CONSOLE   GLOBALDE  LOAD      NICDEF    PROFILE   SUBCONFI
ACIGROUP  CPU       GLOBALOP  LOADDEV   NOPDATA   SCREEN    SYSAFFIN
ADJUNCT   CRYPTO   IDENTITY  LOGONBY   OPTION    SHARE     USER
APPCPASS  DASDOPT  INCLUDE   MACHINE   POOL      SPECIAL   VMRELOCA
AUTOLOG   DATEFORM IOPRIORI  MAXSTORA  POSIXGLI  SPOOL     XAUTOLOG
BUILD     DEDICATE IPL       MDISK     POSIXGRO  SPOOLFIL  XCONFACC
CLASS     DIRECTOR IUCV     MINIOPT   POSIXINF  STDEVOPT  XCONFADD
COMMAND   D8ONECMD LINK      NAMESAVE  POSIXOPT  STORAGE   XCONFIG

* * * End of File * * *
```

CMS HELP Enhancements – Source Directory

August 2021

- **HELP DIREctory** *help_file_name*

– Displays help file for a specific directory statement

- **HELP DIRECTORY NICDEF**
- **HELP DIRECTORY XCONFIG**
- **HELP DIRECTORY XFCONFADD**

CMS HELP Enhancements – System Configuration File

August 2021

- **HELP SYSCONFIG** plus PF11 (Related)
 - Selectable list of system configuration file statements

```
COMMANDS SYSCONFIG          Related Help Information          line 1 of 286
  Related Information

For information on each system configuration statement, place the cursor
under the topic of your choice and press ENTER or the PF1 key.

ACTIVATE      - ACTIVATE ISLINK Statement
ISLINK

ALTERNATE_    - ALTERNATE_OPERATORS Statement
OPERATORS

ASSOCIATE     - ASSOCIATE EXIT Statement
EXIT

ASSOCIATE     - ASSOCIATE MESSAGES / MSGS Statement
MESSAGES

BEGIN        - BEGIN / END Statements
```

CMS HELP Enhancements – System Configuration File...

August 2021

- Help file naming conventions
 - Menu file names
 - **SYSC** + first four characters of the statement name
 - **SYSCASSO** -> ASSOCIATE statement
 - Help command file names
 - When statement is one word, name is first (up to) 8 characters of the statement name
 - If statement is two or more words
 - Up to five characters from first word plus characters from second word
 - **ASSOCEXI** -> ASSOCIATE EXIT
 - If the resulting name is not unique, the first character of the statement's third word is used
 - **USERDEFA** -> USER_DEFAULTS
 - **USERVOLE** -> USER_VOLUME_EXCLUDE
 - **USERVOLI** -> USER_VOLUME_INCLUDE
 - **USERVOLL** -> USER_VOLUME_LIST
 - **USERVOLR** -> USER_VOLUME_RDEV

CMS HELP Enhancements – System Configuration File...

August 2021

▪ HELP SYSCONFIG MENU

- Text explaining help file naming conventions
- Selectable list of help menus and files

```
To view a Help panel, move the cursor to any character of the name
and press the ENTER key or the PF1 key.
An asterisk (*) preceding the name indicates a MENU panel.
```

```
*SYSCASSO *SYSCXLIN CPXLOAD ENCRYPAG IMBED PRIVCLAS STORAGE
*SYSCDEFI ACTIVISL CRYPTAPV END INITMITI PRODUCT THROTTLE
*SYSCDISA ALTEROPE CU ENFORBYV IODF RDEVICE TIMEZBOU
*SYSCENAB BEGIN DEVICES EQUATE JOURNALI RELOCDOM TIMEZDEF
*SYSCMODI CHARADEF DISTRIBU EXTERSYN LOGOCONF SAY TOLERCON
*SYSCRDEV CPACCESS DRAIN FEATURES MULTITHR SRM TRANSTAB
*SYSCSET CPADDONI EDEVICE FORMDEFA OPERACON SSI USERFORM
*SYSCSYST CPOWNED EMERGMES HOTIORAT PRINTTIT START VMLAN
*SYSCUSER
```

CMS HELP Enhancements – System Configuration File...

August 2021

- **HELP SYSConfig *file_name***

– Display help file for a specific system configuration statement

- **HELP SYSCONFIG SYSTEIDD**
- **HELP SYSCONFIG FEATURES**
- **HELP SYSCONFIG CRYPTAPV**

CMS HELP Enhancements – System Configuration File...

August 2021

- Help for **RDEVICE** statement

- **HELP SYSCONFIG RDEVICE**

- General information about the RDEVICE statement
- PF11 (Related) displays selectable list of RDEVICE statements for specific devices

- **HELP SYSCONFIG MENU**

- Select RDEVICE for general information about the RDEVICE statement
- Select *SYSCRDEV for menu of individual RDEVICE statement help files

```
SYSCRDEV MENU                               Menu Help Information                line 1 of 11
(c) Copyright IBM Corporation 1990, 2021

Help for RDEVICE system configuration statements

To view a help panel, move the cursor to any character of the name
and press the ENTER key or the PF1 key.
An asterisk (*) preceding the name indicates a menu panel.

RDEVIAFP  RDEVIDAS  RDEVIPUN  RDEVITAP  RDEVIUNS  RDEVI37X  RDEVI380
RDEVICOM  RDEVIPRT  RDEVIRDR  RDEVITER  RDEVI327
```

CMS HELP Enhancements – Reference

August 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/#hfi>

Component	APAR	PTF	Available	RSU
CP	VM66511	z/VM 7.2 UM35886	August 4, 2021	2102
CMS	VM66512	z/VM 7.2 UM35885	August 4, 2021	2102
VMSES	VM66513	z/VM 7.2 UM35875	June 30, 2021	2102

Performance Toolkit SMT Support

December 2020

- Additional reports and information have been added to Performance Toolkit on the use of Simultaneous Multi-Threading (SMT)
- Various new reports to allow one to see
 - Thread related SMT metrics
 - Various views of processor time (raw, MT-1 equivalent, prorated core) consumed by virtual machines

Performance Toolkit SMT Support...

- New reports to enable monitoring and analysis of the effects of SMT on your z/VM systems
 - (available when Multithreading is enabled (either MT-1 or MT-2))

- SMT Metrics Reports
 - SMT Metrics per Core Type Log (MTCTYPLG / FCX331)
 - Log report showing SMT metrics per-core-type

Interval	Core		Threads	%Core	Avg. Thread	%Capacity	%Max Capacity
End Time	Type	#Cores	per Core	Busy	Density	Factor	Factor
03:33:23	CP	26	1	6.4	1.00	100.0	100.0
03:33:23	IFL	10	2	99.6	1.51	139.3	177.1
03:33:23	ZIIP	2	1	.0	1.00	100.0	100.0
03:33:23	ICF	2	1	.0	1.00	100.0	100.0

- SMT Metrics per Core Log (MTCORELG / FCX332)
 - Log report showing SMT metrics per-core

Interval	Core	Core	Threads		%Core	Avg. Thread
End Time	Core	Type	per Core	PPD Ent	Busy	Density
03:33:23	1A	IFL	2	Vh 100	100.0	1.63
03:33:23	1B	IFL	2	Vh 100	99.9	1.59
03:33:23	1C	IFL	2	Vh 100	99.9	1.41
03:33:23	1D	IFL	2	Vh 100	99.9	1.24
03:33:23	1E	IFL	2	Vh 100	100.0	1.74

Performance Toolkit SMT Support...

December 2020

- User Processor Time Reports

- User Processor Time (USRPRCTM / FCX333)

- Activity report showing users' raw time, MT-1 equivalent time, and prorated core time

Userid	T-Raw	V-Raw	T-MT1	V-MT1	T-Pro	V-Pro	<--- Virt. CPUs --->			
							Type	Aff	Def	Stop
CFT2NDB	.224	.115	.197	.100	.119	.061	IFL	On	12	0
CHG00002	.000	.000	.000	.000	.000	.000	IFL	On	1	0
IFG00001	59.895	59.879	52.951	52.937	59.821	59.806	IFL	On	1	0

- User Processor Time Log (USRTMLOG / FCX334)

- Log report showing a specific user's raw time, MT-1 equivalent time, and prorated core time

Processor Time Log for User IFG00001

Interval End Time	T-Raw	V-Raw	T-MT1	V-MT1	T-Pro	V-Pro	<--- Virt. CPUs --->			
							Type	Aff	Def	Stop
03:22:23	55.468	55.437	55.143	55.112	55.468	55.437	IFL	On	1	0
03:23:23	59.782	59.759	59.432	59.408	59.782	59.759	IFL	On	1	0
03:24:23	59.805	59.783	59.454	59.433	59.805	59.783	IFL	On	1	0

December 2020

Performance Toolkit SMT Support...

- System Configuration (SYSCONF / FCX180)
 - Enhanced to show SMT settings and log changes between the SMT levels

Multithreading	Enabled			
	<----- Threads ----->			
	H/W	Requested	System	Activated
Max Threads		MAX		2
CP core	1	MAX	1	1
IFL core	2	MAX	2	1
ICF core	2	MAX	1	1
ZIIP core	2	MAX	1	1

Changed System	Status
Date Time	Changed
07/22 03:31:19	SMT Configuration change 2 has started
07/22 03:31:19	Processor 35 (Core 1A, Thread 1) varied online
07/22 03:31:19	Processor 37 (Core 1B, Thread 1) varied online
07/22 03:31:19	Processor 39 (Core 1C, Thread 1) varied online
07/22 03:31:19	Processor 3B (Core 1D, Thread 1) varied online
07/22 03:31:19	SMT Configuration change 2 has finished
	<----- Threads ----->
	H/W Requested System Activated
CP core	1 MAX 1 1
IFL core	2 MAX 2 2
ICF core	2 MAX 1 1
ZIIP core	2 MAX 1 1

Performance Toolkit SMT Support – Reference

December 2021

- New Function Page
 - <https://www.vm.ibm.com/newfunction/index.html#pk-smt>

Component	APAR	PTF	Available	RSU
Performance Toolkit for z/VM	VM66215	z/VM 7.2 UM35495	December 8, 2020	2101

SMAPI Query Processors API

December 2021

- Additional API which provides information about the real processors available to a z/VM system
- Provides information equivalent to the **CP QUERY PROCESSORS EXPANDED** command, including:
 - Real Processor Address
 - Real Processor Status (Master-processor, Alternate, Standby, or Parked)
 - Real Processor Type (CP, IFL, ZIIP, or ICF)

SMAPI Query Processors API– Reference

December 2021

- New Function Page

- <https://www.vm.ibm.com/newfunction/index.html#smapi-qp>

Component	APAR	PTF	Available	RSU
z/VM Systems Management API (SMAPI)	VM66568	z/VM 7.2 UM35922	December 10, 2021	TBD

Complete Solution for management of the z/VM and Linux on IBM Z environment

Single PID

5698-K01 OTC
5698-K02 Annual S&S

[Web Site](#)

IBM Infrastructure Suite for z/VM and Linux V2

OMEGAMON XE on z/VM and Linux

Performance monitoring of z/VM and Linux guests

Spectrum Protect (formerly TSM)

File Level backup/recovery for Linux Virtual Servers

Operations Manager for z/VM

Facilitate operational monitoring and automated operations, take action based on events

Backup and Restore Manager for z/VM

Image and file level backup/restore of z/VM environment
Image level backup/restore of Linux

Add Tape Manager for z/VM (5697-J08) for customers backing up from z/VM to physical or virtual tape

IBM Cloud Infrastructure Center

Scalable IaaS management for containerized and non-containerized workloads across the enterprise

Infrastructure management


Instantiate, define, capture, and manage the lifecycle of virtual machines

Automation

Build 'services' for automated infrastructure management

Cloud integration

Integrate via compatible OpenStack APIs with cloud management tools



Learn more

- Watch [IBM Cloud Infrastructure Center webpage](#)
- Read the [technical blogs and announcements](#)
- Check out the [technical details at the IBM Documentation](#)
- Get started using the [Content solution](#)
- Request a demo from your IBM or BP representative
- Contact: Stev Glodowski, PM: stev.glodowski@de.ibm.com


“IBM Cloud Infrastructure Center allows us to substantially improve our infrastructure management and reduce cost & complexity to manage from simple to complex environments

—Eric Everson Mendes Marins,
PCS_ZVM squad at IBM CIO Office

Other Highlights

z/VM Council – Client Communication and Collaboration

- z/VM-centric community started in June 2018
 - Meeting about once a month via telephone and web conferencing
 - Other collaboration done via membership web site
- Membership Requirements
 - IBM Z Feedback Program Agreement (FPA)
 - Regular participation
 - Sponsor User for at least one project per year
 - Homework assignments
- Additional details:
 - http://www.vm.ibm.com/sponsor_user/zvm_council.html
 - Contact: Kerry Wilson – kerryw@us.ibm.com



Join the Compass L Crew

Compass L is an accessible, community-based **technical** exchange platform for Linux on IBM Z & LinuxONE **administrators and architects**.

For you...

- Engage with peers
- Give input into next gen products and offerings
- Receive 1:1 IBM expertise and consulting
- Get an exclusive insider look to Linux on IBM Z & LinuxONE



For us...

- Obtain deep insights into your needs and current challenges
- Spur innovation for your own work
- Build long-term customer care for all customers

... completely **free of charge**

Join the Community: <https://www.ibm.com/community/z/usergroups/compass-l/join>

Or send an email to: flavius.kehr@ibm.com

Community Pass for Linux



Problem Determination - Must Gather Information

- There is a new set of web pages at <https://www.vm.ibm.com/support/>

z/VM Troubleshooting

Overview
Preparation
Troubleshooting
Must Gather
Sending Data

z/VM

Last Updated: 17 February 2021

This page provides a summary of materials for you to collect when you have a problem with your z/VM system. For more details, select the problem you are troubleshooting, and follow the instructions. Data that needs to be collected and sent to IBM is highlighted in the table below. If there is "data to collect" for your problem, refer to the "[Must Gather - Details](#)" section for details on how to collect the data.

Filter:

#	Category	Problem Description	Actions / Data to Collect
13.	Performance	z/VM system performance problems	z/VM Support may request the data below. Note: This data should be collected from time periods in which the system was performing well, as well as from time periods in which the system was running poorly: <ul style="list-style-type: none"> Collect and send MONWRITE data to IBM Collect and send CP OPERATOR's console to IBM

131

© 2020, 2021 IBM Corporation

z/VM Council – Educational Workgroup


- Workgroup focused on creating educational videos
 - Goal of shortening the time required to become comfortable with z/VM

- Two types of videos planned
 - Pure education
 - Shorter “How to” videos

- Goal of providing roadmaps for education

z/VM Education – How To Guides

- Short videos that provide guides on different z/VM related tasks.
- Part of the IBM Support and Training YouTube channel.
- Playlist - <https://ibm.biz/zvmhowto-yt>
- Please like and subscribe



z/VM: How to guides
4 videos • 62 views • Updated 4 days ago

z/VM how to guides are designed to be short step-by-step tutorials covering seldom used z/VM features. Disclaimer: Guides may or may not be best practices. z/VM installation and configurations may vary.

IBM Support and Training

SUBSCRIBED

- 1 **z/VM: How to add SFS space**
IBM Support and Training
12:26
- 2 **z/VM: How to remove service**
IBM Support and Training
5:45
- 3 **z/VM: How to rebuild segments**
IBM Support and Training
6:30
- 4 **z/VM: How to use the basics of Centralized Service Management (CSM)**
IBM Support and Training
15:18

Summary

Summary

- z/VM 7.2 is the newest release of z/VM
 - Enhancements include
 - Centralized Service Management (for non-SSI environments)
 - Multiple Subchannel Set Multi-Target Peer-To-Peer Remote Copy support for the GDPS environment
 - Includes all New Function Service shipped for z/VM 7.1

- New Function Service will continue to be delivered on z/VM 7.2
 - Heavy dependence on the sponsor user program
 - Plans for new function are published on the z/VM website
 - <https://www.vm.ibm.com/newfunction/>

- Subscribe to or follow the websites referenced throughout this presentation for the latest news on new function, required service, and more