

**Licensed Products Migration Matrix for z/VM
or
WHAT IS SUPPORTED WHERE for z/VM**

=====

A Migration Planning Aid

Version 5 Level 21

=====

02/10/09

z/VM Platform Management Team
Contact: Denny Refsnider

IBM Corporation
z/VM Development
1701 North Street
Endicott, NY 13760
refsnid@us.ibm.com

About This Document

The following table lists IBM licensed programs that are supported in z/VM environments (includes: Products, Program Offerings, and PRPQ's). It may be useful to you if your applications depend on one or more of these products. The table is arranged alphabetically by product name.

This document contains information from many different sources.

This information has been collected and verified to the best of our abilities.

Licensed products that have been withdrawn from marketing may not have been tested nor operate correctly on z/VM releases that became available after the withdrawal date of the licensed product.

If you know of an error or a problem please let us know. All input and corrections are welcome and should be directed to the author.

This document has not been subject to any formal IBM test and is distributed on an "as is" basis without any warranty either expressed or implied.

Definitions

A blank cell indicates that support information for this Version.Release.Modification level was not available at the time of publication. You should contact IBM Service for specific questions.

Some symbols and acronyms used in the table are:

X	Indicates that this Version.Release.Modification level of this product is supported in the environment represented by that column.
na	Mode is not applicable. Product does not run in the host. But is supported with this z/VM environment.
-	Indicates product is not support by IBM in a given z/VM environment. Some "AS-IS" products have programming support services available for a fee.
EoS	End of Service (synonym = End of Currency).
FCS	First Customer Ship.
GA	General Availability.
PRPQ	Programming Request for Price Quotation (IBM custom built program products).
TBD	To Be Determined.
WfM	Equates to: Withdrawal from Marketing (synonym = End of Marketing).
	In the left margin denotes new products and note changes since the last version.
* \$ % @ + **	Indicate there is information in the first table note below this row. The information may relate to service or some special information about this product running on a specific level of z/VM.

Note: Due to space constraints, we cannot list all the information which may be relevant to running a particular product in a particular z/VM environment. You should always check with your IBM Service representative or on OITools for the latest information on installation and service.

Service for PRPQs ranges from full Central Support, to 100 days of support, to none.

| (C) Copyright 2000, 2002, 2004, 2005, 2006, 2007, 2008, 2009 by International Business Machines Corp. All rights reserved.

The following symbols are used in the z/VM columns:

- 370** Executes in a 370 mode virtual machine using 24-bit addressing, and 370 I/O.
- Tol** Toleration mode: Executes in an XA mode virtual machine using 24-bit addressing and XA I/O. Tol means 370-XA architecture toleration.
- Note:** some translators (eg. HLASM, PL/I V2, PASCAL) will generate code that will use 31-bit addressing.
- Exp** Exploitation mode: Executes in an XA mode virtual machine using 31-bit addressing and XA I/O. Exp means 370-XA architecture exploitation. Some products which exploit 31 bit addressing may require that a segment be saved below the 16 megabyte line. This information is contained in the individual product documentation. I will note this when I have that information.
- Svm** At least one Server machine runs only in a 370 mode virtual machine, user code will run in an XA or XC mode virtual machine.
- XCTol** XC Toleration: Executes in an XC mode virtual machine and is either XA-370 Tolerant (see definition of *Tol* above) or XA-370 Exploitive (see definition of *Exp* above). VM Data Space Support is not exploited.
- XCExp** XC Exploitation: Executes in an XC mode virtual machine and uses/exploits the VM Data Space Support offered by the ESA/XC architecture.
- 370A** 370 Accomodation: Program(s) *must* execute in a virtual machine with 370 Accomodation mode set to ON.

Changed in Version dated 02/10/09

- Added the availability of IBM Systems Director V6.1 (5648-DRZ) announced in 208-291 (US), dated October 7, 2008.
- Added the discontinuance of service of Host Management Facilities/VM V1.1 (5684-157) effective April 5, 2010 as announced in 909-011 (US), dated February 3, 2009.
- Added the discontinuance of service of IBM Operations Manager V1.2 (5697-J10) effective April 30, 2010 as announced in 909-011 (US), dated February 3, 2009.

How to Get an Updated Document

The LPs Migration Matrix is a point in time compilation of information regarding IBM LPs that run on the z/VM operating system from IBM. The most current version is available on the z/VM home page on the World Wide Web at URL <http://www.ibm.com/vm/techenfo/lpmigr/>

To find the most current information concerning IBM Licensed Products consult the IBM Sales Manual (available online at <http://www.ibm.com/common/ssi/>, your IBM Representative, or authorized IBM Business Partner.

SUMMARY of Which z/VM Release to Order and What is Supported

| As of February 10, 2009, you can order:

- z/VM V5.4.0

Note: This includes the optional, priced features for z/VM V5.4 including the RACF Security Server FL540, the Performance Toolkit for VM FL540, Directory Maintenance (DirMaint) FL540, and RSCS FL540.

| As of February 10, 2009, IBM supports:

- z/VM V5.3.0 is planned to be supported until September 30, 2010.
- z/VM V5.2.0 is planned to be supported until April 30, 2009.

Note: z/VM V5.4.0 is planned to be supported until September 30, 2011.

VM End of Service/End of Marketing Dates

For the current End of Service dates for z/VM, refer to the z/VM Web site at:

<http://www.vm.ibm.com/techinfo/lpmigr/vmleos.html>

For the current End of Marketing dates for z/VM, refer to the z/VM Web site at:

<http://www.vm.ibm.com/techinfo/lpmigr/vmlwfm.html>

Licensed Products Migration Matrix for z/VM

NOTES:

1. Date in parenthesis after (or below) Program Number is the planned availability date for announced products which are not yet available (or the date is labeled EoS; see Definitions, page iii).
2. An asterisk (*) in the header of the table indicates that release level of the VM product has been withdrawn from marketing.
3. A percent sign (%) in the header of the table indicates that release level of the VM product has ended service.
4. Table notes apply to the record(s) above that note, unless otherwise stated.

Please note that the appearance of a product in this document does not imply the product is available in all countries.

All product information in this matrix is "point in time" information and may be out of date. For the most current and accurate product information, you should check the IBM Sales Manual website at URL:

<http://www.ibm.com/common/ssi/>

Table 1 (Page 1 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
Note: Access Security Exits, 5799-XBC, PRPQ #P81067, is no longer available.											
Note: ACF/NCP Version 2, 5735-XX9; EoS = 6/30/91. ACF/NCP 3.x.0, 5667-124; EoS = 12/31/92. ACF/NCP = <i>Advanced Communications Function/Network Control Program</i>											
ACF/NCP	5668-854 (EoS 9/30/95)	4.2.0 Withdrawn @ 12/31/93	-	-	-	-	-	-	-	-	-
Note: @ ACF/NCP Version 4 Release 2 was withdrawn from marketing 12/31/93.											
Note: ACF/NCP 4.3.0, 5668-854; EoS = 6/30/90.											
ACF/NCP	5668-854	4.3.1 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na
Note: ACF/NCP V4 Subset 4.0.0, 5668-754; EoS = 12/31/92. ACF/NCP V4 Subset has been replaced by ACF/NCP Version 5.											
Note: ACF/NCP 5.2.0, 5668-738; EoS = 6/30/90. ACF/NCP 5.2.1, 5668-738; EoS = 12/91. ACF/NCP 5.3.0, 5668-738; EoS = 12/92. ACF/NCP V5 R3.0 was withdrawn from marketing 9/21/93.											
ACF/NCP	5668-738	5.4.0 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na
ACF/NCP	5688-231 (EoS 9/95)	6.1.0 Withdrawn 9/25/93	-	-	-	-	-	-	-	-	-
Note: ACF/NCP 6.1.0 includes support of the 3745.											
ACF/NCP	5688-231 (EoS 9/96)	6.2.0 Withdrawn 1/28/94	na	na	na	na	na	na	na	na	na
Note: ACF/NCP V6.2.0 supports the new IBM 3745 expansion frame and the IBM 3746 Model 900. The IBM 3745-31A and 3745-61A 16MB storage capability is also supported.											
ACF/NCP	5688-231	6.3.0 Withdrawn 9/06/00	na	na	na	na	na	na	na	na	na
ACF/NCP	5648-063 (EoS 12/97)	7.1.0 Withdrawn 10/28/94	na	na	na	na	na	na	na	na	na
ACF/NCP	5648-063 (EoS 10/31/98)	7.2.0 Withdrawn 6/30/95	na	na	na	na	na	na	na	na	na
ACF/NCP	5648-063	7.3.0 Withdrawn 3/29/96	na	na	na	na	na	na	na	na	na

Table 1 (Page 2 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4	
ACF/NCP	5648-063	7.4.0 Withdrawn 11/29/96	na	na	na	na	na	na	na	na	na	na
ACF/NCP	5648-063	7.5.0 Withdrawn 9/26/97	na	na	na	na	na	na	na	na	na	na
ACF/NCP	5648-063	7.6.0 Withdrawn 10/30/98	na	na	na	na	na	na	na	na	na	na
ACF/NCP	5648-063	7.7.0 Withdrawn 9/24/99	na	na	na	na	na	na	na	na	na	na
ACF/NCP	5648-063	7.8.0 Withdrawn 7/27/01	na	na	na	na	na	na	na	na	na	na
ACF/NCP	5648-063	7.8.1	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: The tuning feature of NTuneNCP, 5648-089, is now shipped with ACF/NCP Version 7 Release 8.1 Refer to IBM Announcement Letter 201-169, dated June 12, 2001 for additional details.												
Note: ACF/SSP = <i>Advanced Communications Function/System Support Program</i> ACF/SSP 3.4.1, 5664-289 EoS = 1/31/91. ACF/SSP 3.5.0 5664-289 EoS = 6/92. ACF/SSP 3.6.0 5664-289 EoS = 6/93. ACF/SSP 3.7.0 5664-289 EoS = 6/94.												
ACF/SSP	5664-289 (EoS 1/96)	3.8.0 Withdrawn 9/06/00	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: ACF/SSP 3.8.0 includes a new feature, NCPMON. This was available for ACF/SSP 3.7.0 9/92.												
ACF/SSP	5654-009 (EoS 1/31/01)	4.1.0 Withdrawn 6/30/95	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
ACF/SSP	5654-009	4.3.0 Withdrawn 3/29/96	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
ACF/SSP	5654-009	4.4.0 Withdrawn 11/29/96	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
ACF/SSP	5654-009	4.5.0 Withdrawn 9/26/97	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
ACF/SSP	5654-009	4.6.0 Withdrawn 10/30/98	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
ACF/SSP	5654-009	4.7.0 Withdrawn 9/24/99	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
ACF/SSP	5654-009	4.8.0 Withdrawn 7/27/01	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol

Table 1 (Page 3 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
ACF/SSP	5654-009	4.8.1	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: The tuning feature of NTuneNCP, 5648-089, is now shipped with ACF/SSP Version 4 Release 8.1 Refer to IBM Announcement Letter 201-169, dated June 12, 2001, for additional details.</p>											
<p>Note: ACF/VTAM = <i>Advanced Communications Function/Virtual Telecommunications Access Method</i> ACF/VTAM V3 for VM/ESA 3.3.0, 5684-095; EoS = 12/31/93. ACF/VTAM V3 for VM/ESA 3.4.0, 5684-095; EoS = 01/31/96.</p>											
ACF/VTAM V3 for VM/ESA	5684-095 (EoS 1/31/01)	3.4.1 Withdrawn	-	-	-	-	-	-	-	-	-
<p>Note: VTAM 3.4.1 provides VTAM data compression capability.</p> <p>\$ New features - DBCS for VSCS, NPM/VTAM Performance Monitor, and Variable MORE/HOLD - are only supported on VM/ESA R2 and later.</p>											
<p>Note: ACF/VTAM V3 for VM/SP Release 1.1 and 1.2, 5664-280; EoS = 6/91. ACF/VTAM V3 for VM/SP 3.2.0, 5664-280; EoS = 12/92. ACF/VTAM V3 for VM/SP 3.3.0, 5664-280; EoS = 12/93.</p>											
ACF/VTAM V3 for VM/SP	5664-280 (EoS 1/31/01)	3.4.0 Withdrawn 3/31/00	\$	\$	\$	\$	\$	\$	\$	\$	\$
ACF/VTAM V3 for VM/SP	5664-280 (EoS 1/31/01)	3.4.1 Withdrawn 3/31/01	\$	\$	\$	\$	\$	\$	\$	\$	\$
<p>Note: ACF/VTAM for VM/SP 3.4.1 is the last release of this product - future enhancements will be in the ACF/VTAM for VM/ESA (5684-095) product. VTAM 3.4.1 provides VTAM data compression capability.</p> <p>.... VTAM V3 R4 for VM/SP does NOT support the Integrated Communication Adapter in the VM/ESA R1.0 ESA Feature environment.</p> <p>\$ For VM/ESA Version 2 you must use ACF/VTAM V3 for VM/ESA (5684-095) or ACF/VTAM V4 for VM/ESA and VSE/ESA (5654-010).</p>											
ACF/VTAM V4 for VM/ESA and VSE/ESA	5654-010	4.2.0 *	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: * VTAM Version 4 Release 2 for VM/ESA requires, at a minimum, operating system VM/ESA Version 1 Release 2.1 (5684-112). However, Release 2.1 and Release 2.2 do not support all of the VTAM V4R2 functions. Those functions are full VSCS network-qualified names and full buffer trace. Release 2.2 does support full VSCS network-qualified names. Support for all functions is provided in VM/ESA Version 2 Release 1 (5654-030).</p>											
<p>Note: ACF/VTAM V3 for 9370 3.2.0, 5684-052; EoS = 12/92. ACF/VTAM for 9370 will not run on ES/9000 processors.</p>											
ACF/VTAM V3 for 9370	5684-052 (EoS 5/31/96)	3.3.0 Withdrawn 3/31/95	-	-	-	-	-	-	-	-	-
<p>Note: AConnS = <i>IBM SAA Application Connection Services</i> SAA AConnS/VM Version 1 was withdrawn from marketing 12/20/93. AConnS R1.2, 5684-099; EoS = 4/94. AConnS R1.3, 5684-099; EoS = 4/94.</p>											
<p>Note: ACRITH = <i>high-ACcuracy aRITHmetic</i> ACRITH was withdrawn from marketing effective 5/31/91. ACRITH is replaced by ACRITH XSC. XSC = <i>eXtended Scientific Computation</i> ACRITH 1.3.0, 5664-185; EoS = 3/25/92.</p>											

Table 1 (Page 4 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4	
ACRITH XSC	5684-129 (EoS 7/07/94)	1.1.0 Withdrawn	-	-	-	-	-	-	-	-	-	-
<p>Note: * ... ACRITH XSC APAR PN02105 is needed. @ ACRITH XSC Version 1 was withdrawn from marketing 3/07/94.</p>												
<p>Note: AD/Cycle C/370 R1.1, 5688-216, EoS 6/95.</p>												
AD/Cycle C/370	5688-216	1.2.0 *	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %
<p>Note: % C/370 (V1.2 and V2.1) and AD/Cycle C/370 will exploit 31-bit addressing as long as VSAM datasets are not used. If VSAM datasets are used, the mode is 370/TOL.</p> <p>* AD/Cycle C/370 1.2.0 is VMSES/E enabled</p> <p>AD/Cycle C/370 R2 requires one of:</p> <ul style="list-style-type: none"> • AD/Cycle LE/370 R3 or later • C/370 Library V2R2 (5688-188) <p>AD/Cycle C/370 R2 replaces the C/370 Compiler V2R1 (5688-187)</p> <p>AD/Cycle C/370 is replaced by IBM C/370 for VM/ESA (5654-033). See entry on page 32.</p>												
<p>Note: AD/Cycle COBOL SF/MVS & VM V2 Release 1, 5688-045; EoS = 6/30/93.</p>												
AD/Cycle COBOL SF	5688-045 (EoS 2/24/95)	2.2.0 Withdrawn 8/24/94	-	-	-	-	-	-	-	-	-	-
AD/Cycle COBOL SF	5696-737 (EoS 9/30/02)	3.1.0 Withdrawn 3/05/01	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: Full name = <i>IBM SAA AD/Cycle COBOL Structuring Facility/MVS and VM</i>.</p> <p>AD/Cycle COBOL SF is replaced by IBM Cobol SF/MVS & VM, 5696-737</p>												
AD/Cycle COBOL/370 \$	5688-197 (EoS 9/30/97)	1.1.0 Withdrawn 9/06/00	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *
<p>Note: AD/Cycle COBOL/370 Version 1 is a follow on to VS COBOL II Version 1 Release 3.</p> <p>\$ AD/Cycle Cobol/370 has been renamed to IBM Cobol for MVS & VM (5688-197). See the entry on page 32.</p> <p>* See APAR PN28726 (PTFs: UN45227 - 45238) relating to VSAM file 31-bit support.</p>												
<p>Note: AD/Cycle CODE/370 R1 (5688-194) see CODE/370.</p>												
<p>Note: AD/Cycle Language Environment/370 Release 1, 5688-198; EoS = 12/31/93.</p>												
AD/Cycle Lan- guage Environment/370	5688-198 (EoS 3/31/96)	1.2.0 Withdrawn 4/30/93	-	-	-	-	-	-	-	-	-	-

Table 1 (Page 5 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4	
AD/Cycle Language Environment/370	5688-198 (EoS 3/31/97)	1.3.0 Withdrawn 3/31/95	-	-	-	-	-	-	-	-	-	-
<p>Note: AD/Cycle LE/370 is a runtime environment and library for programming languages. AD/Cycle C/370, AD/Cycle Cobol/370 and AD/Cycle PL/I are all supported.</p> <p>.... AD/Cycle LE/370 is VMSES/E enabled beginning at the Release 3 level.</p> <p>.... VMPRF (5684-073) works with LE/370, it requires APAR VM59419 and LE/370 service at January 1995 level or later.</p> <p>.... AD/Cycle LE/370 has been renamed to (IBM) Language Environment for MVS & VM (5688-198). See entry on page 37.</p>												
AD/Cycle PL/I MVS & VM	5688-235 (EoS 6/30/96)	1.1.0 Withdrawn 6/30/95	-	-	-	-	-	-	-	-	-	-
AD/Cycle PL/I MVS & VM	5688-235	1.1.1	-	-	-	-	-	-	-	-	-	-
<p>Note: AD/Cycle PL/I MVS & VM R1 does not support AD/Cycle CODE debugging of PL/I applications.</p> <p>.... AD/Cycle PL/I MVS & VM has been renamed to IBM PL/I for MVS & VM (5688-235). See entry on page 33.</p>												
AD/Cycle PrDM/MVS & VM	5648-005 (EoS 4Q94)	1.1.0 Withdrawn 3Q94	Exp * %	Exp * %	Exp * %	Exp * %	Exp * %	Exp * %	Exp * %	Exp * %	Exp * %	Exp * %
<p>Note: Full name of AD/Cycle PrDM is: <i>IBM SAA AD/Cycle Professional Document Manager/MVS & VM Version 1</i>. AD/Cycle PrDM pre-reqs: ISPF V3 R2 (5684-043), ISPF/PDF V3 R2 (5684-123), and DCF V1 R4 (5748-XX9).</p> <p>* ISPF/PDF needs to be at PUT9303 in the VM/ESA environment. % needs ISPF/PDF APAR: VM56757 (PTF UM25101).</p>												
AD/Cycle PROLOG	5696-309 (EoS 6/30/96)	1.1.0 Withdrawn 2/29/96	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
AD/Cycle PROLOG	5696-309 (EoS 6/30/96)	1.1.1 Withdrawn 2/29/96	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: Full name of AD/Cycle PROLOG: <i>IBM AD/Cycle PROLOG/MVS & VM</i>. AD/Cycle PROLOG is a follow on product to IBM Prolog (5706-236). AD/Cycle PROLOG provides full code compatibility between the VM host and the OS/2 environment with the AD/Cycle PROLOG/2 product.</p>												
Note: Ada Compiler/370 VM/CMS 2.1.2, 5709-025; EoS = 9/27/91.												
Note: Ada VM to MVS Compiler 2.1.2, 5706-053; EoS = 9/27/91.												
Note: Ada Runtime Lib VM/CMS 2.1.2, 5709-027; EoS = 9/27/91.												
<p>Note: Ada Runtime Lib/370 1.1.0, 5706-295; EoS = 4/30/92. Ada Runtime Lib/370 1.2.0, 5706-295; EoS = 5/31/93. Ada Runtime Lib/370 1.3.0, 5706-295; EoS = 8/31/94.</p> <p>Ada/370 1.1.0, 5706-292; EoS = 4/30/92. Ada/370 1.2.0, 5706-292; EoS = 5/31/93. Ada/370 1.3.0, 5706-292; EoS = 8/31/94.</p>												
Ada Runtime Lib/370	5706-295 (EoS 11/30/94)	1.4.1 @ Withdrawn 8/31/04	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp

Table 1 (Page 6 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
Ada/370	5706-292 (EoS 11/30/94)	1.4.1 Withdrawn 8/31/04 @	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: @ Ada/370 and Ada/Runtime Library/370 were withdrawn from marketing effective 5/25/94.</p> <p>ADA/370 R3 and ADA Runtime Library/370 R3 development tools can run in XA Toleration mode and the compiler runs below the 16MB line. The ADA/370 R3 compiler will produce code that can exploit 31-bit addressing.</p> <p>Ada/370 pre-reqs the Ada Runtime Library/370.</p>											
ADPS/M	5664-365 (EoS 12/01/95)	1.1.1 Withdrawn @	-	-	-	-	-	-	-	-	-
ADPS/P	5664-366 (EoS 12/01/95)	1.1.1 Withdrawn @	-	-	-	-	-	-	-	-	-
<p>Note: @ ADPS/M and ADPS/P (5664-365 and 5664-366) were withdrawn from marketing effective 7/05/94.</p> <p>ADPS/P = <i>Application Development Project Support/Process Mechanism</i> ADPS/M = <i>Application Development Project Support/Application Development Model</i></p>											
ADSTAR Distributed Storage Manager (ADSM)	5648-020 (EoS 4/24/98)	1.1.0 Withdrawn 1/08/97	-	-	-	-	-	-	-	-	-
ADSTAR Distributed Storage Manager (ADSM)	5654-A02 (EoS 1/31/01)	2.1.0 \$ Withdrawn 12/31/99	-	-	-	-	-	-	-	-	-
(Tivoli) ADSTAR Distributed Storage Manager (ADSM)	5697-VM3 (EoS 1/31/01)	3.1.2 Withdrawn 12/31/99	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note:</p> <p>Tivoli ADSM V3 R1 is replaced by Tivoli Storage Manager, S/390 Edition, Version 3 Release 7, 5697-TSO (see page 60). See Announcement Letter 299-282, dated 9/28/99, for details on Tivoli Storage Manager V3 R7.</p>											
AE/FORMS	5764-044	1.1.0	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *
<p>Note: * AE/FORMS V1 R1 runs in at least XA Toleration mode.</p> <p>Note: AE = <i>Application Enabling</i>.</p> <p>AE/FORMS is PRPQ #P04231 and is marketed "AS-IS". Optional support service is available.</p>											
AFP FONT Col-lection	5648-113 (EoS 1/31/01)	1.1.0 Withdrawn 3/31/99	X	X	X	X	X	X	X	X	X
<p>Note: Replaces the Font Feature of PSF/VM (5684-141) which was withdrawn 5/95.</p>											
AFP FONT Col-lection for MVS, OS/390, VM and VSE	5648-B33	2.1.0	X	X	X	X	X	X	X	X	X
<p>Note: This font collection contains support for the new Euro currency and support for the new code pages.</p> <p>Note: AGSS/VM 1.1.1, PRPQ #P04246 (5764-011), was withdrawn from marketing 9/30/97 and ended service in 1998.</p>											

Table 1 (Page 7 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
ANO/VM	5654-007 (EoS 4/24/98)	1.1.0 Withdrawn 6/27/97	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: ANO = Automated Network Operations. ANO/VM is VMSES/E enabled.											
APE	5668-808	2.1.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
APE	5668-808	2.1.1	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: APL2 1.2.0, 5668-899; EoS = 11/88. APL2 and APL2 AE 1.3.0, 5668-899 and 5688-003; EoS = 3/94. APL2 & APL2 AE Version 1 were withdrawn from marketing 12/18/92. APL2 Version 2 (5688-228) replaces APL2 Version 1.											
Note: APL2 2.1.0, 5688-228; EoS = 9/25/94. APL2 AE 2.1.0, 5688-229; EoS = 9/25/94.											
APL2	5688-228	2.2.0 %	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: When APL2 is installed in saved segments, one of the saved segments must reside below the 16 Meg line. % APL Version 2 Release 2 provides extended cross-system compatibility and cooperative processing with other IBM APL2 platform products. Cooperative processing is now available across TCP/IP-connected APL2 systems running on VM, MVS, AIX/6000, OS/2, and Sun Solaris. APL2 V2 R2 was available 3/25/94.											
APL2 AE	5688-229	2.2.0	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$
Note: \$ When APL2 AE is installed in saved segments, one of the saved segments must reside below the 16 Meg line.											
APPC Application Suites for MVS/ESA and VM/ESA	5654-025 (EoS 1/31/01)	1.1.0 Withdrawn 3/31/00	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: APT-AC 1.4.2, 5740-M53; EoS = 8/26/93.											
APT-AC	5740-M53 Withdrawn	1.5.0	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol

Table 1 (Page 8 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
APT-AC	5740-M53	1.5.1 Withdrawn 9/03/03	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<p>Note: APT-AC = <i>Automatically Programmed Tool - Advanced Contouring</i>. APT-AC R5 pre-reqs the VS FORTRAN Version 2 Release 5 Library.</p> <p>Note: AS Version 1 Releases 2, 3, and 4: EoS 12/87. AS Version 1 Release 5, 5767-001 and 5767-032: EoS 12/31/92.</p> <p>AS Version 2 Release 1, 5688-108: EoS 3/31/94. AS Version 2 Release 2, 5688-108: EoS 11/28/97.</p> <p>AS Version 3 Release 1: EoS 10/31/95. AS Version 3 Release 2: EoS 11/28/97.</p> <p>AS Version 4 Release 1: EoS 01/31/2001 AS Version 4 Release 2: EoS 01/31/2001</p> <p>AS is now supported by ASTRAC, a privately owned company based in Warwick, U.K. A new version of AS, Version 5, was made available by ASTRAC in 3Q 1998. Additional information on ASTRAC and their support for AS is available at their website, http://www.astrac.com/as/, by e-mail to Rob Cobley, ASTRAC Managing Director, rob.cobley@astrac.com, or by calling ASTRAC at +44 1926 623060.</p>											
AS PMC	5767-038	1.1.0 Withdrawn 12/31/97									
<p>Note: Full name for AS PMC is: <i>Application System Project Management Costing</i>.</p>											
ASCII Application Access for MVS & VM	5797-236 @	1.1.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: @ ASCII Application Access runs as a VTAM application under GCS.</p> <p>Note: Assembler: see also <i>High Level Assembler</i> (5696-234).</p>											
ASSEMBLER H	5668-962 (EoS 10/31/95)	2.1.0 Withdrawn									
<p>Note: HLASM (5696-234) is intended to replace H Assembler Version 2.</p> <p>* to support VM: PTF UN23457 (avail 3/93) supersedes; PTFs: UL68992 (APAR PL56877), UL69939, and UN04112.</p> <ul style="list-style-type: none"> ASSEMBLER H 2.1.0 replaces OS Assembler H 1.5.0. <p>Note: Attachable Media Manager/VM 1.1.0, 5684-140; EoS = 6/92.</p>											
Attachable Media Manager/VM	5684-140 (EoS 11/01/94)	1.2.0 Withdrawn 5/01/94 @									
<p>Note: @... AMMR was withdrawn from marketing effective 5/01/94.</p> <p>* ... see APAR VM55227 (for 3490 device support).</p> <p>% ... see APAR VM55955 (open - 4/30/93 ISPF panel problem).</p>											
AWAY Facility/VM	5799-FLP (EoS 1994)	1.1.0 Withdrawn	-	-	-	-	-	-	-	-	-
AWAY Facility/VM	5799-FLP	2.0.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: AWAY/VM is a PRPQ, number P81237.</p>											

Table 1 (Page 9 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
Bar Code OCR	5688-021	1.1.0	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
Note: BARS/VM 1.1.0, 5785-DJD; EoS = 12/31/93.											
BARS/VM	5785-DJD (EoS 10/31/99)	1.1.1	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
Note: BARS/VM is an EMEA only product. BARS = Backup, Archive, and Retrieval System											
Note: BASIC see IBM Basic											
BookManager BUILD	5684-026 (EoS 3/29/96)	1.1.0	-	-	-	-	-	-	-	-	-
BookManager BUILD	5684-026 (EoS 3/29/96)	1.2.0 * Withdrawn 3/29/96	-	-	-	-	-	-	-	-	-
Note: % PTF UM20014 (APAR VM49060) in the VM/ESA R1.1 environment (for NLS use). * PTF UG00374											
\$ BookManager BUILD 1.2.0 was generally available on 09/28/90. This level did not provide 31-Bit Addressing exploitation. 03/31/91 Release 2 was refreshed and the refreshed copy of this product will provide 31-Bit addressing exploitation on VM/ESA R2+. All customers with BookManager BUILD 1.2.0 should have re-ordered the product from ISMD.											
BookManager BUILD/VM	5684-026	1.3.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
BookManager READ	5684-062 (EoS 3/29/96)	1.1.0	-	-	-	-	-	-	-	-	-
BookManager READ	5684-062 (EoS 3/29/96)	1.2.0 +	-	-	-	-	-	-	-	-	-
Note: * ... PTF UG00366 (APAR GC04233) is needed for installation. + PTF UG00373 (superseded by UG00499, available 2/93).											
% PTF UM20014 (APAR VM49060) in the VM/ESA R1.1 environment (for NLS use).											
\$ BookManager READ 1.2.0 was generally available on 09/28/90. This level did not provide 31-Bit Addressing exploitation. 03/31/91 Release 2 was refreshed and the refreshed copy of this product will provide 31-Bit Addressing exploitation on VM/ESA R2+. All customers with BookManager READ 1.2.0 should have re-ordered the product from ISMD.											
BookManager READ/VM	5684-062	1.3.0	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *
Note: * PTF GC05366 is needed with VM/ESA V2 R1.0 and above											
Note: BookMaster Release 2, 5668-015; EoS = 3/29/91. BookMaster Release 3, 5668-015; EoS = 2/12/93.											

Table 1 (Page 10 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
BookMaster	5688-015 (EoS 09/30/09)	1.4.0 Withdrawn 11/05/08	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: BookMaster Version 1 Release 4, 5688-015; only is supported in environments where the VM components CP and CMS, are at the same Release level.</p> <p>BookMaster Release 4 works with DCF and can Exploit the XA environment when installed with DCF Release 4. The full IBM trademark name is <i>Publishing Systems BookMaster</i>.</p>											
<p>Note: BrowseMaster Version 1, 5688-009; EoS = 12/31/91. BrowseMaster Version 1 is replaced by BrowseMaster Version 2</p>											
BrowseMaster	5688-224	2.1.0									
BrowseMaster	5688-224	2.1.1	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *
<p>Note: * BrowseMaster Version 2 needs the VS PASCAL Runtime Library present to exploit in the XA or ESA environments. Note that not all utilities are supported in 31-bit mode. Please refer to product documentation for details.</p>											
Bulletin/VM	5799-EGE	1.1.0 Withdrawn	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: Bulletin/VM is PRPQ # P81094.</p>											
<p>Note: C for System/370 1.1.1, 5713-AAH; EoS 9/89.</p>											
<p>Note: C/370 Compiler 1.1.1, 5688-040; EoS = 12/90. C/370 Compiler 1.2.0, 5688-040; EoS = 12/93. C/370 Compiler Version 1 was withdrawn from marketing 8/30/91.</p>											
C/370 Compiler V2	5688-187	2.1.0 Withdrawn 6/30/98	-	-	-	-	-	-	-	-	-
<p>Note: The C/370 Compiler Version 2 (VM and MVS Features) was withdrawn from marketing effective 10/31/94. It is replaced by AD/Cycle C/370 Version 1 Release 2 (5688-216) for use with either C/370 Library V2 R2 or AD/Cycle LE/370 R3 (VSE features of C/370 Compiler V2 will remain available).</p> <p>% C/370 (V1.2 and V2.1) and AD/Cycle C/370 will exploit 31-bit addressing as long as VSAM datasets are not used. If VSAM datasets are used, the mode is 370/TOL. C/370 Compiler requires one segment be saved below the 16 Meg line on VM/ESA (ESA) environments.</p> <p>The C/370 Compiler is replaced by AD/Cycle C/370 (5688-216). See entry on page 5.</p>											
<p>Note: C/370 Library 1.1.1, 5688-039; EoS = 12/90. C/370 Library 1.2.0, 5688-039; EoS = 12/93. C/370 Library Version 1 was withdrawn from marketing 9/30/93.</p>											
C/370 Library V2	5688-188	2.1.0 Withdrawn 6/30/98	-	-	-	-	-	-	-	-	-

Table 1 (Page 11 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3 %	V5.4 %
C/370 Library V2	5688-188	2.2.0 @	370 Exp XCTol %	370 Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %
<p>Note: @ C/370 Library Version 2 Release 2 is VMSES/E enabled.</p> <p>The C/370 Library V2 R2 supports AD/Cycle C/370 Compiler Release 2 (5688-216). The V2 R2 Library supports the C/370 Compiler V2R1 (5688-187) for compatibility, but no enhancements are provided in the Version 2 Compiler for support/exploitation of new features in the new release of the library;</p> <p>% The C/370 Library component and the Common Execution Library (CEL) interface from the Language Environment for MVS & VM (5688-198) are included in VM/ESA V2 at no additional charge.</p>											
CADAM	5635-001	3.3.0 Withdrawn 9/03/03	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$
<p>Note: \$ For VM/ESA R2.2, V2R1 and V2R2, CADAM 3.3.0 must be at PTF level 4 or higher. Also, GAM/SP R3.1 must have APARs PN13752 and PN54236 installed.</p> <p>CADAM pre-reqs GAM/SP R3 and Assembler H V2 or High Level Assembler. The associated products of the CADAM Version 3.3 family are also supported on the above levels of VM</p> <p>The following products are associated products in the CADAM Version 3.3 family:</p> <p>Three new products:</p> <ul style="list-style-type: none"> • 5635-110 ... HVAC (Heating, Ventilation, Air Conditioning) • 5635-111 ... P&ID and Piping Systems Integrator • 5635-112 ... Media Output for Shaded Images <p>And these products for V3 R3:</p> <ul style="list-style-type: none"> • 5635-001 ... Interactive Design System • 5635-002 ... Manufacturing System • 5635-003 ... 3D Piping • 5635-004 ... 3D Structures • 5635-005 ... Interference Manager • 5635-006 ... Engineering Catalog Design Base • 5635-008 ... 3D Mesh Geometry • 5635-014 ... AEC Schematics <p>The following products are stabilized at their current levels but may be installed and supported with CADAM V3 R3.</p> <ul style="list-style-type: none"> • 5635-007 ... Interactive Solids Design % (Withdrawn) • 5635-009 ... Lathe (Withdrawn) • 5635-010 ... CADIMS (Computer-Aided Dimensional Inspection Management System) % (Withdrawn) <p>% These 2 products were withdrawn from marketing 3/01/94 and ended service in 1994.</p>											
CADI	5684-064	1.1.2	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
<p>Note: CAEDS Version 3, 5709-019; EoS = 1/29/93.</p>											

Table 1 (Page 12 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4	
CAEDS	5717-002 (EoS 12/31/94)	4.1.0 Withdrawn										
<p>Note: CAEDS Version 4 was withdrawn from marketing 3/31/94. It is replaced by I-DEAS Master Series Programs (on the RS/6000) see announcement letter 293-668.</p> <p>Note: CallUp Version 1 Release 1 and 2, 5799-CZE; EoS = 12/31/92.</p> <p>CallUp R1 and R2 were PRPQ P85094. CallUp the program product (5684-160, below) replaces the PRPQ (5799-CZE, above).</p> <p>Note: CallUp 1.3.0, 5684-160; EoS = 3/31/94. APARs VM53726 and VM53744 (PTF UV56099), and APAR VM54252 (PTF UV56075) were needed in the VM/ESA R2 environment.</p>												
CallUp	5684-160	1.3.1 Withdrawn 03/05/07	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
CallUp Directory EXT/VM	5799-FDF	1.1.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: CallUp Directory Extensions/VM PRPQ # P81223; Allows organizational charting. For TECHNICAL ASSISTANCE (USA Only): 1-800-237-5511 (specify product CUA2001)</p>												
CalWeek/VM	5799-FBB (EoS 1995)	1.1.0 Withdrawn	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: CalWeek/VM is PRPQ # P81221. For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)</p>												
CAMkit/370	5648-003 (EoS 4/15/02)	1.1.0 Withdrawn 8/27/97	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<p>Note: CAMkit/370 requires (1) CADAM Interactive Base R21 (5668-840) and CADAM Access (5713-ADT), or (2) CADAM Interactive Design System V3 (5635-001). Optionally, requires other products, please see the CAMkit/370 announcement and product documentation.</p> <p>Note: CATIA Version 3 Release 1, 5612-001; EoS = 12/31/91. CATIA Version 3 Release 2.1, 5612-001; EoS = 11/92. CATIA Version 3 Release 2.3, 5612-001; EoS = 8/93.</p> <p>Due to performance and user space constraints CATIA Version 3 Release 2 was the last release for the VM/SP and VM/ESA 370 Feature environments.</p>												
CATIA	5613-201	3.2.1 Withdrawn 8/11/92										
<p>Note: CATIA 3.2.1 is a pre-req to CATIA 3.2.3</p> <p>Note: CATIA 3.2.2 (5613-201) was never generally available and was withdrawn.</p>												
CATIA	5613-201 (EoS 9/94)	3.2.3 Withdrawn 8/11/92										
<p>Note: @ CATIA Version 3 Releases 2.3 REQUIRED HB35343 (PTF UB07276) in the VM/ESA R2 environment. \$ APAR HB33414 (PTF UB06538) is needed for FBA support. * APAR HB37480 for the VM/ESA R2.1 environment (PTF UB08388).</p> <p>CATIA V3 R2.3 pre-reqs CATIA V3 R2.1 .</p>												

Table 1 (Page 13 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
CATIA	5613-201 (EoS 1995)	3.2.5									
<p>Note: CATIA Version 3 Release 2.5 was replaced by CATIA Solutions, 5627-xxx.</p> <p>@ CATIA Version 3 Release 2.5 requires APAR HB35343 (PTF UB07287) in the VM/ESA R2 environment. See also APAR HB35403.</p> <p>* See APAR HB37480 for the VM/ESA R2.1 environment.</p> <p>\$ APAR HB33414 (PTF UB06807) is needed for FBA support.</p> <p>CATIA 3.2.5, a complete refresh of the product, is a maintenance release.</p> <p>% co-reqs GAM/SP Version 1 Release 3.1 .</p> <p>CATIA support for the V3 R2.3 and R2.4 environments is extended until 09/30/94.</p>											
CATIA Solutions	5627-xxx	4.1.0 Withdrawn 3/31/98									
<p>Note: See table note on the next page for CATIA Version 4 Solutions products detailed list. CATIA Version 4 will be shipped under the system program order # 5628-VCA for VM systems.</p>											
CATIA Solutions	5627-xxx	4.1.1 Withdrawn 3/31/99									
<p>Note: CATIA Version 4 Release 1.1 includes the following:</p> <ol style="list-style-type: none"> 1. Functional enhancements for CATIA.Exact Solids Product * (5627-SOE) 2. CATIA.Feature-Based Design Product * (5627-FEA). 3. a preventative maintenance refresh for all Version 4 Release 1.0 products. <p>* both 1 and 2 above pre-req CATIA.Object Manager Product (5627-COM).</p>											
CATIA Solutions	5627-xxx	4.1.3 Withdrawn 3/31/99									
CATIA Solutions	5627-xxx	4.1.4 Withdrawn 3/31/99									
CATIA Solutions	5627-xxx	4.1.5 Withdrawn 3/31/99	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
<p>Note: See the entry for a more current release of CATIA V4 Solutions for a list of the component products or see announcement letter 295-381 for more details.</p>											
CATIA Solutions	5627-xxx	4.1.6 Withdrawn 3/31/99	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$
<p>Note: See the entry for a more current release of CATIA V4 Solutions for a list of the component products or see announcement letters 296-062 and 296-064 for more details.</p>											

Table 1 (Page 14 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
CATIA Solutions	5627-xxx (EoS 10/03/05)	4.1.7 Withdrawn 3/31/99	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$

Note: CATIA V4 Solutions model data is fully compatible between the supported operating systems. See announce letters 296-406 and 296-408 for complete details.

CATIA Solutions Version 4 pre-reqs GAM/SP Release 3.1 Put 9105 (5668-978) and VS FORTRAN Library Version 2 Release 5 (5668-805) or later.

\$ For Catia Object Manager running in this environment you must install APAR PN54236 for GAM/SP R3.1.

@ If APAR VM57904 is installed on VM/ESA R2.1, you must install APAR PN54236 for GAM/SP R3.1. EoS for CATIA solutions will be effective October 30, 2005.

CATIA Solutions Version 4 include the following application solutions. Highlighted products are enhanced in V4.1.7:

--- CATIA Application Architecture Infrastructure ---
5627-ATT CATIA.CPW/Automated Test Tools Product
5627-CCC CATIA/CADAM Coupler Product
5627-CDA CATIA.Data Management - Access Product
5627-CDM CATIA.Data Management Product
5627-CDS CATIA.Distributed Services Product
5627-COM CATIA.Object Manager Product
5627-DR2 CATIA.2D Wireframe and Annotation
5627-GII CATIA.Graphics Interactive Interface
5627-IGC CATIA.IGES Mil Standard 28000 Product
5627-IGI CATIA.IGES Interface Product
5627-IMD CATIA.Image Design Product
5627-LIB CATIA.Library Product
5627-LIC CATIA.Data Management - Library Product
5627-PA3 CATIA.3D Parametric Variational Modeler
5627-PBG CATIA.Publishing Product (pre-reqs: 5627-COM Obj. Mgr.)
5627-SOE CATIA.Exact Solids Product (V4 R1.1) (pre-reqs: 5627-COM Obj. Mgr.)
5627-SOM CATIA.Solid Mock-up Product
5627-SWE CATIA.CPW/Software Environment Product
5627-WF3 CATIA.3D Wireframe Product
--- Equipment & Systems Engineering (ESE) Solutions ---
5627-BDG CATIA.2D Building Design Product
5627-ELD CATIA.Electrical Device and Support Modeling
5627-ELG CATIA.Electrical Generative Formboard Product
5627-ELW CATIA.Electrical Wire Bundle Installation
5627-FIT CATIA.Fitting Simulation Product
5627-SCH CATIA.System Schematics Product
5627-SPA CATIA.Space Analysis Product
5627-SPN CATIA.Space Navigation Product
5627-TU3 CATIA.3D Tubing Design Product
--- Mechanical Design Solutions (Mech) Version 4 products: ---
5627-ASS CATIA.Assembly Modeling Product
5627-DRA CATIA.Drafting Product
5627-DRS CATIA.Draw-Space (2D/3D) Integration Product
5627-FEA CATIA.Feature-Based Design Product (V4 R1.1) (pre-reqs: 5627-COM Obj. Mgr.)
5627-SHE CATIA.Sheetmetal Design Product
--- Manufacturing (MFG) Solutions Version 4 products: ---
5627-MAA CATIA.Milling Analysis Product
5627-NCB CATIA.Manufacturing Infrastructure
5627-NCR CATIA.Rough Cutting Product
5627-NC3 CATIA.Fixed Axis Milling Product
5627-NC5 CATIA.Multiple Axis Milling Product
5627-NES CATIA.Nesting Product
5627-ROC CATIA.Robot and Controller Definition
5627-ROS CATIA.Cell Design and Robot Programming
5627-TUR CATIA.Lathe Product
--- Shape Design & Styling Solutions (SDS) Version 4 products: ---
5627-ASU CATIA.Advanced Surface Design Product
5627-DEV CATIA.Develop Product
5627-FRF CATIA.Free Form Design Product
5627-GEO CATIA.Geodesic Product
5627-SUD CATIA.Surface Design Product
--- Analysis & Simulation (ANS) Solutions Version 4 products: ---
5627-ANI CATIA.Analysis Infrastructure Product
5627-ANS CATIA.ANSYS Interface Product
5627-ELF CATIA.ELFINI Solver Product
5627-FEM CATIA.Finite Element Modeler Product
5627-GPS CATIA.Generative Parts Stress Analysis Product
5627-KIN CATIA.Kinematics Product
5627-NAS CATIA.NASTRAN Interface Product
5627-SPM CATIA.Scientific Presentation Manager

Note: CDPF 1.2.0, 5668-997; EoS = 11/21/90.											
Note: CFSearch/370 1.1.3, 5664-329; EoS = 7/18/91.											
Note: CICS/CMS 1.1.0, 5668-795; EoS = 12/31/93.											
Note: CICS/VM 1.1.0, 5684-011; EoS = 2/90. CICS/VM 1.2.0, 5684-011; EoS = 12/31/93. CICS/VM was withdrawn from marketing 12/31/92.											
Note: CIEDS/CBDS 4.3.0, 5664-374; EoS = 6/30/89. CIEDS/CBDS 4.4.0, 5664-374; EoS = 9/30/91. CIEDS/CBDS 4.5.0, 5664-374; EoS = 12/31/92. CIEDS/CBDS = <i>Computer-Integrated Electrical Design Series/Circuit Board Design System</i> .											
Note: Cleanroom Certification Assistant 1.1.0, PRPQ # P04262 (5764-029), was withdrawn from marketing and ended service in 1994.											
Note: Clustered FORTRAN (5799-DKZ, PRPQ # P88040) has been withdrawn effective 5/92.											
CMS Parallel Fortran RPQ	5799-DGW (EoS 1996)	1.1.0 Withdrawn 3/31/98									
Note: The above PRPQ (P81051) pre-reqs, VS FORTRAN 2.5.0. PRPQ is titled <i>CMS Support for VS Fortran</i> .											
CMS Pipelines / LEXX	5799-DKF *	1.1.1	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: * CMS PIPELINES code, excluding LEXX, is shipped as part of the VM/ESA base, starting with VM/ESA R1.1. As of January 31, 2003, LEXX is available from the VM Downloads page at http://www.vm.ibm.com/download/packages/ . It has been updated to support the latest levels of z/VM, however the package is provided As-Is , with no support.											
Note: CMS Pipelines 1.1.4, 1.1.5, and 1.1.6, 5785-RAC, ended service as of 3/31/92.											
CMS REXX Compiler	5664-390 (EoS 9/22/94)	1.1.0 Withdrawn 3/31/92	-	-	-	-	-	-	-	-	-
Note: CMS REXX Compiler is replaced by <i>REXX/370 Compiler</i> 5695-013 and <i>REXX/370 Library</i> 5695-014.											
CMS REXX Library	5684-124 (EoS 9/22/94)	1.1.0 Withdrawn 3/31/92	-	-	-	-	-	-	-	-	-
Note: CMS REXX Library 5684-124 is replaced by <i>REXX/370 Library</i> 5695-014. CMS REXX was withdrawn from marketing 3/92.											
Note: CMS Utilities Feature 1.1.0 - Feature of 5684-112; EoS = 12/31/93.											
CMS Utilities Feature	*		Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: * The CMS Utilities function is a priced feature of VM/ESA and z/VM V3. With z/VM V4 and later, the CMS Utilities function is no longer priced and is integrated into base z/VM.											
Note: COBOL: see also <i>VS/COBOL II</i> or <i>AD/Cycle COBOL/370</i> (or <i>OS COBOL</i>).											
(IBM) COBOL for OS/390 & VM	5648-A25	2.1.0 Withdrawn 9/29/00	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
(IBM) COBOL for OS/390 & VM	5648-A25	2.2.0 Withdrawn 3/06/06	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: IBM COBOL for OS/390 & VM is a replacement for IBM Cobol for MVS & VM, 5688-197. See IBM Announcement Letter 297-131, dated May 6, 1997, for additional information. COBOL for OS/390 and VM V2, (5648-A25) consists of a COBOL compiler and a debugger. The compiler continues to be available as part of the existing COBOL for OS/390 Alternate Function Offering. The debugger is replaced by Debug Tool for z/VM V4.1, (5654-A23) announced in Software Announcement 204-212 dated September 21, 2004.											

Table 1 (Page 16 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
(IBM) COBOL and CICS Command Level Conversion Aid for OS/390 and VM	5648-B05	2.1.0 Withdrawn 9/06/06	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: Short name: CCCA											
(IBM) COBOL Workstation Function for IBM Cobol for OS/390 & VM	Feature of 5648-A25	2.1.0	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: IBM Cobol Workstation Function is a feature of IBM Cobol for OS/390 & VM. IBM Cobol Workstation Function may be ordered as an MES for installed users of IBM Cobol for OS/390 & VM or IBM Cobol for MVS & VM. The charge type selected for the base program must be a monthly license charge.											
Note: COBOL IAD (InterActive Debug) see OS VS COBOL IAD (5734-CB4).											
COBOL Report Writer Pre-compiler and Libraries	5798-DYR (EoS 12/31/94)	1.3.0	-	-	-	-	-	-	-	-	-
COBOL Report Writer Pre-compiler and Libraries	5798-DYR \$	1.4.0	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %
Note: The pre-compiler must run in 24-bit mode but will generates code that will run in 31-bit mode. % Support is required for VM/ESA V2. Contact the support hotline at (206) 725-7431 or 011-44-181-540-8409 for the most current support. \$ As of 9/1/98 program services have been extended indefinitely for this product.											
Note: COBOL Report Writer Library 1.2.0, 5798-DZX, ended service as of 12/31/92.											
COBOL Report Writer Library	5798-DZX \$	1.4.0	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %
Note: % Support is required for VM/ESA V2. Contact the support hotline at (206) 725-7431 or 011-44-181-540-8409 for the most current support. \$ As of 9/1/98 program services have been extended indefinitely for this product.											
(IBM) COBOL SF	5696-737	3.1.0 Withdrawn 3/05/01	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: * IBM CODE/370 V1 R1 and V1 R1.1 were withdrawn from marketing in 1994 and ended service in August 1995.											

Table 1 (Page 17 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
CODE/370	5688-194 (EoS 3/31/03)	1.2.0 * Withdrawn	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
<p>Note: Full name of the above is <i>CoOperative Development Environment/370 Version 1</i>. This is an editing, compiling and debugging environment. It replaces COBOL IAD (5734-CB4) and the VS COBOL II (5668-958) Debugger. It is a follow on to INSPECT for C/370 and PL/I.</p> <p>See the <i>CODE/370 General Information Manual</i> (GC26-4661) for more details on using this product.</p> <p>* This product has been renamed to IBM Debug Tool for z/OS and OS/390. See the entry on page 33.</p>											
CRS	5799-ENT	1.1.0	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<p>Note: CRS = <i>Conference Room Scheduler</i>, and is PRPQ # P81204.</p> <p>For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)</p> <p>Pre-reqs: ISPF V2 R2 and later, and WAKEUP and GETFMADR modules from VM/IPF or the CMS Utilities Feature of VM/ESA.</p>											
Note: CSFI 1.1.1, 5688-132; EoS = 1/31/94.											
CSFI	5688-132	1.2.1 Withdrawn									
CSFI	5688-132	1.3.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: CSFI = <i>Communications Subsystem for Interconnection</i>. CSFI replaces GTMOSI (an EMEA only Program Offering) 5785-ABZ.</p>											
<p>Note: CSP/AD 3.1.1 (5668-813) EoS = 6/89. CSP/AD Version 3 Release 2 (5668-813), EoS = 8/28/92. CSP = <i>Cross System Product</i>.</p>											
CSP/AD	5668-813 \$ (EoS 12/31/98)	3.3.0 Withdrawn 12/31/97	-	-	-	-	-	-	-	-	-
<p>Note: * Requires PTF UN75001 (this PTF supersedes UN48800) - available now. Please check the product install bucket on RETAIN for the most current information.</p> <p>\$ CSP/AD V3 R3 is not enabled for Year 2000. Year 2000 Toleration is provided by APAR PN87466, available from CSP service, 1-800-237-5511. See also Information APAR II09591.</p> <p>.... The EZ-PREP, EZ-RUN and PWS features of CSP/AD V3 R3 are withdrawn from marketing as of 1/29/97 and ended service as of 11/28/97. See IBM announce letter 996-273 for feature codes.</p>											
<p>Note: CSP/AE 3.1.1 (5668-814) EoS 6/89. CSP/AE Version 3 Release 2 (5668-814), EoS 8/28/92.</p>											
CSP/AE	5668-814 \$ (EoS 12/31/98)	3.3.0 Withdrawn 12/31/97	-	-	-	-	-	-	-	-	-
<p>Note: * Requires PTF UN75004 (this PTF supersedes UN48798) - available now. Please check the product install bucket on RETAIN for the most current information.</p> <p>\$ CSP/AE V3 R3 is not enabled for Year 2000. Year 2000 Toleration is provided by APAR PN87466, available from CSP service, 1-800-237-5511. See also Information APAR II09591.</p>											
Note: CSP/QUERY 1.2.1, 5668-918; EoS = 12/31/90.											
Note: CUF see <i>CMS Utilities Feature</i> .											

Table 1 (Page 18 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
Current-OV/VM Workgroup Program	5621-416	1.1.0 Withdrawn 5/31/97	na	na	na	na	na	na	na	na	na
Note: Co-reqs on the Host OfficeVision/VM and one of the REXX Libraries (5695-014 or 5684-124). Current-OV/VM Workgroup is withdrawn from marketing effective 5/31/97. It is replaced by IBM OV/VM support for Lotus Notes Clients , announcement number 296-358, dated 9/24/96.											
CVIEW	5664-296 (EoS 6/30/94)	2.1.3 Withdrawn	-	-	-	-	-	-	-	-	-
Note: CVIEW was withdrawn from marketing 11/30/93. Replacement: CVIEW is being packaged as a component of the Pass-Through product (5684-100), starting with Version 2 Release 1.1.											
Note: DAE (<i>Distributed Automation Edition</i>) - Communications System/VM 1.1.0, 5684-057; EoS = 9/27/91.											
DAE - Communications System/VM	5684-057 (EoS 10/16/98)	1.2.0 Withdrawn	-	-	-	-	-	-	-	-	-
DAE - Communications System/VM	5684-057 (EoS 10/16/98)	1.2.1 Withdrawn	-	-	-	-	-	-	-	-	-
DAE - Communications System/VM	5684-057 (EoS 10/16/98)	1.2.2 Withdrawn 9/24/97	-	-	-	-	-	-	-	-	-
Note: * The 'CS2POOLS' segment must be saved below the 16 Meg. line for DAE - Communications System/VM in the VM/ESA environment.											
Note: DAE - Host Link/VM 1.1.0, 5684-059; EoS = 9/27/91.											
DAE - Host Link/VM	5684-059 (EoS 10/16/98)	1.2.0 Withdrawn	-	-	-	-	-	-	-	-	-
DAE - Host Link/VM	5684-059 (EoS 10/16/98)	1.2.1 Withdrawn	-	-	-	-	-	-	-	-	-
DAE - Host Link/VM	5684-059 (EoS 10/16/98)	1.2.2 Withdrawn 9/24/97	-	-	-	-	-	-	-	-	-
DAE - Logistics	5684-058 (EoS 4/24/98)	1.1.0 Withdrawn 6/04/97	-	-	-	-	-	-	-	-	-
Note: DAE - Logistics was withdrawn from marketing effective 7/05/94. DAE = <i>Distributed Automation Edition</i> .											
Data Compression Program for VM/ESA	5697-235 (EoS 1/31/01)	1.1.0 Withdrawn 11/30/99	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: Data Compression Program for VM/ESA requires PTF UM27737											
DB2™ Datajoinder	*	2.1.0	na	na	na	na	na	na	na	na	na
DB2™ Datajoinder	*	2.1.1	na	na	na	na	na	na	na	na	na
Note: *... This product is packaged for AIX and Windows NT. The DRDA Application Server support allows Application Requestors to access multi-vendor data via Datajoinder. See IBM Announcement letters 297-363, dated 9/16/97, and 298-264, dated 7/28/98, for additional details.											

Table 1 (Page 19 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4	
DB2™ for VSE & VM	5648-158 (EoS 1/31/01)	5.1.0 Withdrawn 10/20/99	-	-	-	-	-	-	-	-	-	-
DB2™ for VSE & VM	5648-A70 (EoS 9/30/02)	6.1.0 Withdrawn 9/05/01	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
DB2™ for VSE & VM	5697-F42 (EoS 5/02/05)	7.1.0 Withdrawn 12/14/01	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
DB2™ for VSE & VM	5697-F42 (EoS 3/31/06)	7.2.0 Withdrawn 3/28/03	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
DB2™ for VSE & VM	5697-F42	7.3.0 Withdrawn 9/17/04	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
DB2™ for VSE & VM	5697-F42	7.4.0 Withdrawn 11/30/07	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
Note: DB2 for VSE & VM can be licensed only on standard processor engines. \$... The DB2 DataSpaces Support Option will exploit VM/ESA DataSpaces .												
DB2™ for VSE & VM	5697-F42	7.5.0	-	-	-	-	-	-	-	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
Note: DB2 for VSE & VM can be licensed only on standard processor engines.												
DB2 Forms for VM and VSE	5697-F16 (EoS 4/04/04)	1.1.0 Withdrawn 3/14/03	*	*	*	*	*	*	*	*	*	*
Note: * DB2 Forms runs on a workstation and allows you to easily create and display Windows-based DB2 applications. See IBM Announcement Letter 299-099, dated April 27, 1999, or the IBM Sales Manual entry for 5697-F16 for additional details.												
DB2 WWW Connection for VM/ESA	*	1.1.0 Withdrawn	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	-	-	-
Note: *... DB2 World Wide Web (WWW) Connection for VM/ESA, originally made available at no-charge as an "as is" product, is no longer available for download.												
DataHub/2	5667-134 (EoS 6/16/95)	1.2.0 Withdrawn 10/05/95	X	X	X	X	X	X	X	X	X	X
Note: DataHub Support/VM is a feature of SQL/DS Version 3 and available 6/25/93. See also the <i>SQL/DS</i> entry later in this table.												
DataRefresher	5696-703	1.1.0 Withdrawn 4/27/99	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: DataRefresher replaces DXT V2, 5668-788.												
Note: DBEDIT 1.1.0 (5798-DLL) EoS 2/87.												

Table 1 (Page 20 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
DBEDIT	5798-DLL (EoS)	1.3.3 Withdrawn	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: DBEDIT is no longer supported.											
Note: DBRAD VM 1.1.0, 5798-FAP; Withdrawn 12/31/97, EoS = 3/90. DBRAD = <i>Data Base Relational Application Directory</i> , an EMEA Product Offering.											
Note: DCF 1.3.2, 5748-XX9 EoS = 11/04/91. DCF = <i>Document Composition Facility</i>											
DCF	5748-XX9	1.4.0 % **	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: % ... See Information APAR II06220 for DCF Release 4 (last update 12/28/92). DCF Release 4 enhanced: Double Byte Character (DBC) Feature provides DBC support and support for the CICS command level interface. ** ... New DCF Release 4 enhancements were announced 3/95 (see announcement letter 295-129) available via PTF 4/95 and DCF Viewer Feature 7/28/95.											
Note: DCP/VM Version 1 (5664-362); EoS = 6/93. DCP/VM was withdrawn from marketing 3/93. DCP was a JAPANESE only product.											
Note: DCS/CDF 1.1.0 5668-865 EoS 12/86.											
DCS	5668-865 (EoS 7/30/94)	1.2.4 Withdrawn 3/31/98									
Note: DCS = <i>Data Communication Service</i>											
Note: DFDSM is now: <i>ADSTAR Distributed Storage Manager</i> .											
Note: DFSMS/VM Version 1 Release 1, 5706-116: EoS 10/31/99											
DFSMS/VM	Feature of 5684-112	210+	*	*	*	*	*	*	*	*	*
Note: \$ DFSMS/VM Function Level 210 is a feature available on VM/ESA R1.1. % DFSMS/VM Function Level 220, available 9/18/92, is a feature available on VM/ESA V1 R1.1 and V1 R2.0. * DFSMS/VM Function Level 221 became available 3/26/93 and is a feature of VM/ESA R2.0 and later releases.											
Note: DFSORT /CMS 1.1.0, 5664-325; EoS = 4/30/91.											
DFSORT /CMS	5684-134	2.1.0 @	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: @ See the Install Bucket for DFSORT/CMS for current installation requirements.											
Note: DIOF Version 2.1.0, 5785-HAH (a program offering in EMEA) was withdrawn from marketing 10/91 and has been EoS since 3/86.											
Note: DIOF V3.1.0, 5785-HAX; EoS = 4/30/92. DIOF = <i>Display Input/Output Facility</i> , a program offering in EMEA and A/FE only.											

Table 1 (Page 21 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
DirMaint	Feature of 5739-A03 (EoS 9/30/06)	FL410 Withdrawn 3/31/06	-	Exp	Exp *	Exp @	Exp @	-	-	-	-
<p>Note: Starting with z/VM Version 4, VM/DIRMAINT is shipped as a priced feature of z/VM. See IBM Announcement letter 201-163, dated May 29, 2001, for complete details. DirMaint see <i>VM/DIRMAINT</i> for the product which operates on VM/ESA and z/VM V3.1.</p> <p>* ... DirMaint requires the PTF for APAR number VM62908 for z/VM V4.2. This service has been pre-applied to DirMaint prior to shipment. Also, the PTF for APAR number VM62933 is required to support the IBM PCI Cryptographic Accelerator with z/VM V4.2. This service in not pre-applied. See IBM Announcement Letter 201-286, dated October 4, 2001, for additional information.</p> <p>The DirMaint optional feature for z/VM V4.4 has been withdrawn from marketing effective March 31, 2006. See IBM Announcement Letter 905-261 dated December 6, 2005.</p>											
DirMaint	Feature of 5741-A05 (EoS 9/30/07) (EoS 4/30/09)	FL510 Withdrawn 06/15/07	-	-	-	-	-	Exp	Exp	-	-
<p>Note:</p> <p>The DirMaint FL510 feature has been withdrawn from marketing effective June 15, 2007. See IBM Announcement Letter 207-019 dated February 6, 2007.</p> <p>The date for discontinuing service support for the IBM DirMaint Feature FL510 has been extended to April 30, 2009 for z/VM V5.2 and this extension applies only to z/VM V5.2. The date remains September 30, 2007 for the Common Criteria Certification feature, formerly known as z/VM V5.1.</p>											
DirMaint FL530	Feature of 5741-A05 (EoS 09/30/10)	FL530 Withdrawn 09/08/08	-	-	-	-	-	-	-	Exp	-
<p>Note:</p> <p>DirMaint FL530 feature can only be licensed on z/VM V5.3 and is only supported on z/VM V5.3.</p> <p>The DirMaint FL530 feature is planned to be withdrawn from marketing effective September 8, 2008. See IBM Announcement Letter 208-249 dated August 5, 2008.</p>											
DirMaint FL540	Feature of 5741-A05 (EoS 09/30/11)	FL540	-	-	-	-	-	-	-	-	Exp
<p>Note:</p> <p>DirMaint FL540 feature can only be licensed on z/VM V5.4 and is only supported on z/VM V5.4.</p>											
<p>Note: DIS Release 1, 5706-113; EoS = 3/91. DIS Rmlease 2, 5706-113; EoS = 5/22/92.</p>											
<p>Note: DIS Version 1 (5706-113) has been transferred from an IBM to a Metaphor brand name.</p>											
<p>Note: DITTO V3 R1.0, 5688-052; EoS = 11/28/97</p>											
DITTO	5688-052 (EoS 12/31/01)	3.2.0 Withdrawn 6/30/00	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: * PTFs UN55037 and UN70819 are required for VM/ESA V2 R1.0 and higher. DITTO Version 3 Release 2 Productivity Feature for VM was available 12/93.</p>											
DITTO/ESA	5654-029 (EoS 12/31/97)	1.1.0 * Withdrawn 12/31/97	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: * DITTO/ESA 1.1.0 is VMSES/E enabled.</p>											

Table 1 (Page 22 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
DITTO/ESA	5654-029 (EoS 3/31/01)	1.2.0 * Withdrawn 06/25/99	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
DITTO/ESA	5654-029	1.3.0 *	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: * DITTO/ESA 1.2.0 and future releases are VMSES/E enabled.											
Note: DMS/CMS 1.2.0, 5748-XXB; EoS = 6/27/92. DMS/CMS Version 1 was withdrawn from marketing effective 8/30/91. DMS = <i>Display Management System</i>											
DMS/CMS	5684-113	2.1.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: DOS/VS COBOL Version 1 Release 2 (5746-CB1 & 5746-LM4) Withdrawn 12/31/99, EoS = 3/26/92.											
DOS/VS-VM/SP SORT/MERGE	5746-SM2 (EoS 4/30/99)	2.5.0 Withdrawn 12/29/97									
Note: DrawMaster 1.1.0, 5664-388; EoS 4/30/89. DrawMaster 1.1.1, 5664-388; EoS 8/26/93.											
Note: DW/370 1.1.1, 5664-370; EoS 9/88 DW/370 1.2.0, 5664-370; EoS 10/17/92 DW/370 1.2.1, 5664-370; EoS 12/31/94 DW/370 2.1.0, 5684-091; EoS 06/30/96											
DW/370	5684-091 (EoS 5/03/04)	2.2.0 Withdrawn 3/03/03	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: DW/370 = <i>DisplayWrite/370</i> . A per user based fee structure is available 6/93 for DW/370 Version 2.											
Note: DXT 2.3.0, 5668-788; EoS = 12/90. DXT 2.4.0, 5668-788; EoS = 12/31/92.											
DXT	5668-788 (EoS 12/15/99 \$)	2.5.0 Withdrawn 10/05/95	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: \$ DXT is replaced by DataRefresher, 5696-703. See the entry for DataRefresher on page 21.											
Note: ECF Version 1 Release 1 (5664-327); EoS = 7/01/91. ECF Version 1 Release 2 (5664-327); EoS = 11/28/97.											
Note: ECFORMS Version 1 Release 2 (5799-DFN); EoS = 6/91. ECFORMS version 1 was withdrawn from marketing 8/18/93 (withdrawn in EMEA effective 5/31/93). ECFORMS Version 1 Release 3 (5785-MCB); EoS = 12/18/93.											

Table 1 (Page 23 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
ECFORMS	5684-164 (EoS 4/24/98)	2.1.0 Withdrawn 06/27/97	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: ECFORMS Version 2 replaces ECFORMS Version 1 Release 3. A per user based fee structure is available with Version 2. Full name is <i>IBM Electronic Forms Management Systems</i>.</p>											
<p>Note: ELSAP 1.1.0, PRPQ #P04242 (5764-007), was withdrawn from marketing as of 4Q97 and ended service in 2Q98.</p>											
<p>Note: EMCS Version 1 Release 2 (5709-031); EoS = 5/91. <i>EMCS = Enterprise Management Control Series</i>.</p>											
<p>Note: EMCS AFMT Version 1 (5709-032); EoS = 5/91. <i>AFMT = Advanced Function Management Tools</i>.</p> <p>EMCS is replaced by Application Systems (AS) Project Management.</p>											
<p>Note: EML, 1.2.0 5799-BTB; (PRPQ P81005) was withdrawn and EoS 8/24/92. <i>EML = Elementary Math Library (Fortran)</i> Most EML function is included in the VS Fortran V2 library.</p>											
<p>Note: Enterprise View, 5758-BY1, EnterpriseWeb Calendar, 5758-BY0, EnterpriseWeb Mail, 5758-BY5, EnterpriseWeb Secure/VM, 5758-BY4, and EnterpriseWeb/VM, 5758-BYA, were withdrawn from marketing through the Software Vendor Marketing Program (SVMP) as of March 2000. Software provider Beyond Software was acquired by NEON Systems as of October 1999. EnterpriseWeb/VM is now available as Shadow Web Server for VM. Contact NEON Systems at 800-505-6366 or 281-634-8225 or visit their web site at http://www.neonsys.com for additional information.</p>											
<p>Note: EP 1.1.0, 5735-XXB; EoS = 11/90. EP 1.2.0, 5735-XXB; EoS = 12/92.</p>											
EP	5735-XXB (EoS 10/4/04)	1.4.0 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na
EP	5735-XXB (EoS 10/4/04)	1.6.1 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na
<p>Note: EP 1.7.0, 5735-XXB; EoS = 12/92.</p>											
EP	5735-XXB	1.8.0 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na
EP	5735-XXB	1.9.0 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na
EP	5735-XXB (EoS 9/30/95)	1.10.0 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na
<p>Note: EP 1.10.0, 5735-XXB, was withdrawn from marketing 4/30/93. It was replaced by EP R11.</p>											
EP	5735-XXB	1.11.0 Withdrawn 9/06/00	na	na	na	na	na	na	na	na	na
EP	5735-XXB	1.12.0 Withdrawn 9/25/98	na	na	na	na	na	na	na	na	na
EP	5735-XXB	1.14.0	na	na	na	na	na	na	na	na	na
<p>Note: EP pre-reqs the appropriate levels of ACF/NCP and ACF/SSP. For Release 12 these are ACF/NCP V7 R1.0 and ACF/SSP V4 R1.0.</p>											

Table 1 (Page 24 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4	
EPDM	5695-101	1.1.0	na *	na *	na *	na *	na *	na *	na *	na *	na *	na *
<p>Note: EPDM = <i>Enterprise Performance Data Manager/MVS</i></p> <p>* EPDM runs on MVS but can collect, store and report on VM data.</p>												
<p>Note: EREP 5654-260, Ver. 3 Release 4; EoS = 5/31/92.</p>												
EREP	5654-260	3.5.0 *	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<p>Note: EREP Version 3 Release 5 supersedes all previous releases of EREP.</p> <p>* See APAR VM54504 (PTF UV56895) new function device support.</p>												
<p>Note: ESCE/VM 1.2.0, 5664-392: EoS 9/30/90 ESCE/VM 1.3.0, 5664-392: EoS 6/14/96</p>												
<p>Note: ESE/VM 1.2.0, 5664-391: EoS 9/30/90. ESE/VM 1.3.0, 5664-391: EoS 6/14/96.</p>												
<p>Note: ESCON Manager Release 1, 5688-008; EoS = 6/93 (EMEA EoS = 11/93).</p>												
ESCON Manager	5688-008 (EoS 4/24/98)	1.2.0 Withdrawn 6/27/97	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: ESSL 1.3.0, 5668-863; Withdrawn 9/30/97, EoS 3/30/91. ESSL 1.4.0, 5668-863 and ESSL - Scalar only 1.4.0, 5688-138; EoS = 11/24/92. ESSL Version 1 (5668-863) and ESSL - Scalar Version 1 (5688-138) were withdrawn from marketing 7/21/92.</p>												
ESSL/370	5688-226 (EoS 6/30/94)	2.1.0 Withdrawn 1/28/94	-	-	-	-	-	-	-	-	-	-
<p>Note: @ ESSL Version 2 Release 1 was withdrawn from marketing 1/28/94.</p> <p>ESSL/370 Version 2 replaces ESSL Version 1 (5668-863) and ESSL - Scalar Version 1 (5688-138).</p>												
ESSL/370	5688-226 (EoS 3/31/02)	2.2.0 Withdrawn 3/05/01	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: ESSL/370 V2 R2 is VMSES/E enabled. Full name for ESSL/370 is <i>IBM Engineering and Scientific Subroutine Library Vector and Scalar/370 Version 2</i></p> <p>* Support for VM/ESA 370 Feature R1.5 will be provided for the ESSL/370 Scalar Library. VM/ESA 370 Feature R1.0 is not a supported environment for ESSL Version 2 Release 2.0.</p>												
<p>Note: Executive Decisions/VM 1.1.1, 5688-094; EoS = 10/16/93.</p>												
Executive Decisions/VM %	5688-094 (EoS 10/31/94)	1.1.2 Withdrawn 6/16/93	-	-	-	-	-	-	-	-	-	-
<p>Note: % Replacement Product Information: IBM has selected two vendors; <i>Comshare</i> and <i>Intelligent Office Company, Ltd. (I.O.C.)</i>, to give current Executive Decisions users and future EIS users a wider choice of platforms and enhanced function. Agreements with these vendors also include the sharing of Executive Decisions design points by IBM, and the identification of migration paths from Executive Decisions to these vendor's products.</p> <p>Executive Decisions/VM Version 1 Release 1 was withdrawn from marketing 6/16/93.</p>												
<p>Note: * expEDite/VM 1.1.0, 5767-062; EoS = 6/30/93. 6/93 is a USA date. In << EMEA >> : expEDite/VM Version 1.0 (5767-062), was withdrawn from marketing 9/30/93, and will be EoS effective 3/31/94. IBM expEDite/VM was withdrawn 11/92. It is replaced by IBM expEDite Base/VM Version 4 (below) (version change to V4 R1 was to be consistent with the version and release level of IBM Information Exchange).</p>												

Table 1 (Page 25 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
expEDItE Base/VM	5767-062 (EoS 4/30/99)	4.1.0 Withdrawn 12/16/97	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: In EMEA expEDItE Base/VM is product number 5785-EET											
Extended Facilities Product	5648-A09 (EoS 10/16/98)	1.1.0 Withdrawn 12/29/97	X	X	X	X	X	X	X	X	X
Extended Facilities Product	5648-A17	2.1.0	X	X	X	X	X	X	X	X	X
File Exchange/VM User Interface	5785-EEY \$	1.1.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
File Exchange/VM User Interface	5785-EEY	1.2.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: The <i>IBM File Exchange/VM User Interface</i> replaces the user interface program for VM/CMS users of the IBM File Exchange Service which is currently available via the Service Delivery Centres (which will not be supported after 31 December 1994). \$... This is an EMEA only product.											
Filemanager/VM	5799-FLT (EoS 1996)	1.1.0 Withdrawn	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
FLSF	5668-890 (EoS 4/26/97)	1.1.0 Withdrawn 12/16/97	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: FLSF = <i>Font Library Service Facility</i> . FLSF is superseded by AFP Font Collection, 5648-B33 . See entry on page 7.											
Note: FMS/VM 1.1.0, 5785-RAE; EoS = 6/92. End of Marketing was also 6/92. FMS/VM was an EMEA only product.											
Note: Formula Formatter (SMFF) 1.0.0, 5798-DPW; EoS 9/86. It was replaced by a Feature of DCF (5748-XX9).											
Note: FORTRAN H Opt 1.3.0, 5796-PKR; EoS 6/86.											
Note: FORTRAN IAD V1 R2, 5734-FO5, was withdrawn from marketing 12/18/92 (note: EoS was 5/86).											
Note: FORTTRAN: see <i>VS FORTRAN</i> .											
Note: FPDIF 1.1.0, 5799-DRD; Is no longer available or supported. FPDIF = <i>Floating-Point Data Interchange Facility</i> , PRPQ # P88041											
Note: FSF (File Storage Facility) 1.1.3, 5798-DMY; Withdrawn 12/31/97, EoS 12/87.											
Note: FTP Version 2, 5664-315; EoS = 12/03/92. FTP is superseded by NetView FTP VM Version 1 (5684-048).											
FTP PS/55 V2	5799-PGX	2.1.0									
Note: Full name of the above is: <i>PS/55 File Transfer Program VM/CMS Version 2</i> . This product is available in Asia Pacific countries.											
Note: GAM/SP Release 2, 5668-978 ended service in 4/90.											
GAM/SP	5668-978 (EoS 4/24/98)	1.3.0 Withdrawn 6/27/97	-	-	-	-	-	-	-	-	-

Table 1 (Page 26 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
GAM/SP	5668-978	1.3.1 Withdrawn 6/27/97	Svm XCTol * %	Svm XCTol * %	Svm XCTol * %	Svm XCTol * %	Svm XCTol * %	Svm XCTol * %	Svm XCTol * %	Svm XCTol * %	Svm XCTol * %
<p>Note: % see APAR PN54236 - PTFs UN58851 (1.3.0) and UN58852 (1.3.1))</p> <p>* For GAM Release 3 (5668-978) in the XA/ESA/XC environments see APAR PN13752 (HIPER - PTFs UN15585 (1.3.0) and UN15586 (1.3.1)).</p> <p>GAM/SP Graphics Access Method/System Product.</p> <p>Svm in the GAM/SP records indicates that only GTM (Graphics Task Monitor) requires a 370 mode virtual machine.</p>											
GASP	5799-AXX (EoS 1/96)	1.3.8	-	-	-	-	-	-	-	-	-
GASP	5799-AXX (EoS 1/96)	1.3.9	-	-	-	-	-	-	-	-	-
GASP	5799-AXX	1.3.10	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<p>Note: GASP = Graphics Attachment Support Program</p> <p>Applications using GASP may be exploitive (i.e. GASP must reside below the 16M line but applications can call GASP from above the line).</p>											
<p>Note: Gateway Security Modifications 5799-XBA, PRPQ # P81070 is no longer available.</p>											
GDDM OS/2-Link	5688-113 (EoS 10/31/94)	1.0.0 \$	na	na	na	na	na	na	na	na	na
<p>Note: This product ships to the HOST but down-loads to and executes on OS/2.</p> <p>\$ GDDM-PCLK V1.1 and GDDM OS/2-Link V1.0 are now packaged and installed with the GDDM/VM Version 3 base. Both GDDM-PCLK Version 1.1 (5604-095) and GDDM-OS/2 Link Version 1.0 have had service extended to 10/31/94.</p>											
GDDM-CSPF	5688-013 (EoS 6/7/94)	1.1.0 Withdrawn 2/01/94									
<p>Note: GDDM-CSPF was withdrawn from marketing 2/01/94.</p>											
<p>Note: GDDM-GKS 1.1.0, 5668-802; EoS = 4/15/93.</p>											
GDDM-GKS	5668-802	1.1.1 Withdrawn 5/30/97	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
GDDM-GKS	5668-802	1.1.2	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
<p>Note: GDDM-GKS 1.1.2 is only supported with GDDM/VM Version 3 Release 1 and Release 1.1.</p>											
GDDM-GKS	5668-802	1.1.3	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
<p>Note: GDDM-GKS 1.1.3 is only supported with GDDM/VM Version 3 Release 2.</p>											
<p>Note: GDDM-IMD 2.1.0, 5668-801; EoS = 4/15/93.</p> <p>IMD = Interactive Map Definition.</p>											
GDDM-IMD	5668-801	2.1.1 Withdrawn 5/30/97	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
GDDM-IMD	5668-801	2.1.2	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
<p>Note: GDDM-IMD 2.1.2 is only supported with GDDM/VM Version 3 Release 1 and Release 1.1.</p>											

Table 1 (Page 27 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
GDDM-IMD	5668-801	2.1.3	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: GDDM-IMD 2.1.3 is only supported with GDDM/VM Version 3 Release 2.											
Note: GDDM-IVU 1.1.0, 5668-723; EoS = 4/15/93. IVU = <i>Image View Utility</i> .											
GDDM-IVU	5668-723	1.1.1 Withdrawn 5/30/97	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
GDDM-IVU	5668-723	1.1.2	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: GDDM-IVU 1.1.2 is only supported with GDDM/VM Version 3 Release 1 and Release 1.1.											
GDDM-IVU	5668-723	1.1.3	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: GDDM-IVU 1.1.3 is only supported with GDDM/VM Version 3 Release 2.											
Note: GDDM-PGF 2.1.0, 5668-812; EoS = 4/15/93. PGF = <i>Presentation Graphic Facility</i> .											
GDDM-PGF	5668-812	2.1.1 Withdrawn 5/30/97	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
GDDM-PGF	5668-812	2.1.2	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: GDDM-PGF 2.1.2 is only supported with GDDM/VM Version 3 Release 1 and Release 1.1.											
GDDM-PGF	5668-812	2.1.3	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: GDDM-PGF 2.1.3 is only supported with GDDM/VM Version 3 Release 2.											
GDDM-REXX	5664-336	1.1.0 Withdrawn 5/30/97	*	*	*	*	*	*	*	*	*
Note: * GDDM-REXX is now packaged and installed with the GDDM/VM Version 3 base.											
Note: GDDM/graPHIGS Version 1 (5668-792) EoS = 3/17/92 GDDM/graPHIGS V1 was withdrawn from marketing effective 12/17/91.											
Note: GDDM/graPHIGS Version 2: GDDM/graPHIGS 2.1.0, 5688-093; EoS = 12/31/91. GDDM/graPHIGS 2.2.1, 2.2.2 and 2.2.3 are all superseded by GDDM/GraPHIGS 2.2.4.											
GDDM/graPHIGS	5688-093 12/31/05	2.2.4 Withdrawn 9/08/04	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: GDDM/graPHIGS V2 will be withdrawn from marketing effective 9/08/94. GDDM/VM Version 2, 5664-200; EoS = 4/15/93.											
GDDM/VM	5684-168 (EoS 3/31/97)	3.1.0	-	-	-	-	-	-	-	-	-
GDDM/VM	5684-168	3.1.1	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: % See APAR PN39848 support for CMS 10 (opened 5/93).											
The GDDM-PCLK and GDDM-OS/2 Link features are withdrawn from marketing, effective 6/4/96.											
GDDM-REXX is now packaged and installed with the GDDM/VM Version 3 base.											
GDDM-CSPF is not supported in the GDDM/VM V3 environment.											

Table 1 (Page 28 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
GDDM/VM	5684-168	3.2.0 \$ *	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: \$ GDDM/VM 3.2.0 is enabled for VMSES/E</p> <p>* See the Installation Bucket for GDDM/VM 3.2.0 for the latest installation requirements.</p> <p>Note: GDDM/VMXA 2.2.0, 5684-007; EoS = 4/15/93.</p>											
GDDM/VMXA	5684-007	2.3.0 Withdrawn 5/30/97	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: GDDM/VMXA V2 R3 supersedes GDDM/VM V2 R2 and GDDM/VMXA V2 R2.</p> <p>Note: GDQF Version 1, 5668-905; EoS = 12/31/91. GDQF Version 2 Release 1, 5688-169; EoS = 05/01/93.</p>											
GDQF	5688-169	2.2.0 Withdrawn 9/03/03	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$
<p>Note: \$ GDQF Version 2 needs the VS PASCAL Runtime Library present to exploit in the XA or ESA environments. Note that not all Utilities are supported in 31-bit mode. Please refer to product documentation for details. GDQF = <i>Graphical Display and Query Facility</i>. GDQF was withdrawn from marketing effective 9/03/03.</p> <p>Note: geoManager Version 1: geoManager 1.1.2, 5685-105; EoS = 6/30/93 geoManager 1.1.3, 5685-105; EoS = 12/30/93 geoManager 1.1.4, 5685-105; EoS = 7/31/95 geoManager 1.1.5, 5685-105; EoS = 12/06/97.</p>											
geoManager	5685-105 (EoS 05/05/08)	1.1.6 Withdrawn 03/05/07	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$
<p>Note: \$ geoManager 1.1.x needs the PL/I Runtime Library (5668-911) present to exploit in the XA or ESA environments.</p> <p>Note: GPG/GFIS Version 1, 5668-941; EoS = 6/18/91.</p> <p>Note: Graphics Program Generator (GPG) Version 2: GPG 2.2.4, 5688-050; EoS 12/92. GPG 2.2.5, 5688-050; EoS 12/31/93 GPG 2.2.6, 5688-050; EoS 2/28/95 GPG 2.2.8, 5688-050; EoS 6/30/97</p>											
GPG	5688-050 (EoS 05/05/08)	2.2.9 Withdrawn 03/05/07	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: GroupTalk 1.1.0, 5799-DDK; EoS = 12/31/91. GroupTalk Convene 1.1.0, 5799-DDL; EoS = 12/31/91.</p>											
High Level Assembler	5696-234 (EoS 12/29/95)	1.1.0 Withdrawn 3/24/95	-	-	-	-	-	-	-	-	-
High Level Assembler	5696-234 (EoS 3/31/02)	1.2.0 Withdrawn 9/25/98	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
High Level Assembler	5696-234 (EoS 10/6/03)	1.3.0 Withdrawn 9/25/00	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol

Table 1 (Page 29 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4	
High Level Assembler	5696-234 (EoS 4/7/07)	1.4.0 Withdrawn 5/25/04	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	
High Level Assembler	5696-234	1.5.0 Withdrawn 7/11/08	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	
<p>Note: Short name = HLASM. Full name = <i>IBM High Level Assembler/MVS & VM & VSE</i> . HLASM 1.5 supports development of applications requiring 64-bit addressing. See announcement 204-122.</p>												
High Level Assembler	5696-234	1.6.0	-	-	-	-	-	-	-	Exp	Exp	Exp
High Level Assembler Toolkit Feature	Feature of 5696-234 (3/31/02)	1.2.0 Withdrawn 9/25/98	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
High Level Assembler Toolkit Feature	Feature of 5696-234 (EoS 10/6/03)	1.3.0 Withdrawn 9/25/00	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
High Level Assembler Toolkit Feature	Feature of 5696-234 (EoS 4/7/07)	1.4.0 Withdrawn 5/25/04	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
High Level Assembler Toolkit Feature	Feature of 5696-234	1.5.0 Withdrawn 7/11/08	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
High Level Assembler Toolkit Feature	Feature of 5696-234	1.6.0	-	-	-	-	-	-	-	Exp	Exp	Exp
<p>Note: High Level Assembler Toolkit Feature is a separately priced feature o High Level Assembler. See announcement letters 295-498, dated 12/12/95, 298-271, dated 7/28/98, 200-217, dated 7/11/00, and 204-122, dated 6/08/04 for details.</p>												
High Level Assembler Linux for System z Feature	Feature of 5696-234	1.6.0	-	-	-	-	-	-	-	Exp	Exp	Exp
<p>Note: High Level Assembler Linux for System z Feature is a separately priced feature of the High Level Assembler and operates on standard processors (CPs). If you intend to execute High Level Assembler on Integrated Facility for Kinux (IFL) rocessors, you should order PRPQs 5799-TCQ and 5799-TCR for each IFL. See announcement letter 208-145 (US), dated 06/24/08 for additional details.</p>												
Host Management Facilities	5684-157 (EoS 6/30/94)	1.1.0 Withdrawn 11/19/93	-	-	-	-	-	-	-	-	-	-

Table 1 (Page 30 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3 %	V5.4 %
Host Management Facilities	5684-157 * (EoS 04/05/10)	1.1.1 @ Withdrawn 09/08/08	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	
<p>Note: Full name of the above is: <i>Host Management Facilities/VM Release 1</i> (HMF/VM).</p> <p>For support of z/VM V3 and V4.1, HMF/VM 1.1.1 requires PTF UM29829 (APAR VM62632). For z/VM V4.2, the PTF for APAR number 62632 is required and has been pre-applied when HMF/VM is ordered via the SDO for z/VM V4.2 (5739-A04).</p> <p>As of Sept. 5, 2001, Feature number 5767 was withdrawn from marketing. End of Service for feature 5767 is Sept. 30, 2002.</p> <p>HMF V1.1.1 is replaced by 5698-J10, IBM Operations Manager for z/VM V1.3.0 announced in Software Announcement 208-133, dated June 10, 2008</p>											
IBM Archive Manager for z/VM	5697-J05	1.1.0	-	-	-	-	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: IBM Archive Manager for z/VM (5697-J05) was announced on August 23, 2005 (205-196). Availability was August 26, 2005.</p>											
IBM Backup and Restore Manager for z/VM	5697-J06 (EoS 04/30/08)	1.1.0 Withdrawn 08/25/06	-	-	-	-	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: IBM Backup and Restore Manager for z/VM (5697-J06) was announced on April 22, 2005 (205-039). Availability was April 29, 2005.</p>											
IBM Backup and Restore Manager for z/VM	5697-J06	1.2.0	-	-	-	-	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: IBM Backup and Restore Manager for z/VM (5697-J06) was announced on August 25, 2006 (206-204). Availability was August 25, 2006.</p>											
<p>Note: IBM BASIC 1.1.x, 5668-996; EoS = 12/86.</p>											
IBM BASIC VM	5668-996	1.2.0 Withdrawn 9/06/06	370A	370A	370A	370A	370A	370A	370A	370A	370A
IBM C for VM/ESA	5654-033	3.1.0 @	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: IBM C for VM/ESA is a replacement for IBM C/370 Compiler (5688-187) and AD/Cycle C/370 (5688-216).</p> <p>Requires (IBM) Language Environment for MVS & VM Rel. 5 (5688-198) or the Common Execution Library (CEL) that is shipped with VM/ESA V2 (5684-112) to execute.</p> <p>@ IBM C for VM/ESA is VMSES/E enabled.</p>											
IBM C/C++ for z/VM	5654-A22	1.1.0 @ Withdrawn 09/08/08	-	-	-	-	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: @ IBM C/C++ for z/VM is VMSES/E enabled.</p>											
IBM XL C/C++ for z/VM	5654-A22	1.2.0	-	-	-	-	-	-	-	-	Exp XCTol
IBM Cobol for MVS & VM	5688-197 (EoS 12/31/01)	1.2.0 Withdrawn \$ 9/06/00	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
<p>Note: This product was formerly known as AD/Cycle Cobol/370. The product number, 5688-197, remains unchanged.</p> <p>\$ IBM Cobol for MVS & VM is replaced by IBM Cobol for OS/390 & VM, 5648-A25. See entry on page 17.</p>											

Table 1 (Page 31 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
IBM Debug Tool for z/OS and OS/390	5688-194 (EoS 5/31/04)	1.3.0 Withdrawn 3/31/03	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *
Note: IBM Debug Tool for z/OS and OS/390 V1 R3 is the replacement product for Code/370 V1 R2. It supports VM/ESA and z/VM, with limitations. See IBM Announcement Letter 201-340, dated November 27, 2001 or the IBM Sales Manual entry for 5688-194, for additional information.											
IBM Debug Tool for z/VM V4.1	5654-A23	4.1.0 @	-	-	-	-	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: See IBM Announcement Letter 204-212, dated September 21, 2004 or the IBM Sales Manual entry for 5654-A23, for additional information.											
Note: Debug Tool uses OS Simulation macros for I/O which necessitates the Debug Tool operating system interface module to be resident below the 16 MB line.											
IBM Operations Manager for z/VM	5697-J10 (EoS 09/30/08)	1.1.0 Withdrawn 02/24/06	-	-	-	-	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: IBM Operations Manager for z/VM (5697-J10) was announced on August 23, 2005 (205-195). Availability was August 26, 2005. It was withdrawn from marketing on February 24, 2006.											
IBM Operations Manager for z/VM	5697-J10 (EoS 04/30/10)	1.2.0 Withdrawn 06/09/08	-	-	-	-	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: IBM Operations Manager for z/VM 1.2 (5697-J10) was announced on February 21, 2006 (206-034). Availability was February 24, 2006.											
IBM Operations Manager for z/VM	5697-J10	1.3.0	-	-	-	-	-	-	Exp XCTol	Exp XCTol	Exp XCTol
Note: IBM Operations Manager for z/VM 1.3 (5697-J10) was announced on June 10, 2008 (208-133). Availability was June 13, 2008.											
IBM PL/I for MVS & VM	5688-235	1.1.1 Withdrawn 3/06/06	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: 5688-235, PL/I for MVS and VM V1, consists of a PL/I compiler and a debugger. The compiler continues to be available as part of the existing PL/I for MVS and VM V1 VM Alternate Function Offering. The debugger is replaced by 5654-A23, Debug Tool for z/VM V4.1. Refer to Software Announcement 204-212, dated September 21, 2004.											
IBM PL/I Workstation Function for IBM PL/I	Feature of 5688-235	1.1.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: IBM PL/I Workstation Function may be ordered as an MES for installed users of IBM PL/I for MVS & VM or IBM OS PL/I V2. The charge type selected for the base program must be a monthly license charge.											
Note: IBM PROLOG 1.1.0, 5706-236; EoS = 3/31/91. Needs 370ACCOM ON											
IBM PROLOG	5706-236 (EoS 6/30/96)	1.2.2 Withdrawn 2/29/96									
Note: IBM Prolog (5706-236) replaces VM/Prolog (5785-ABH) program offering. IBM Prolog is replaced by AD/Cycle Prolog/MVS & VM (5696-309).											
Note: IBM Prolog Language Workbench/VM 1.1.0, 5787-AAF; EoS = 6/30/92 and was withdrawn from marketing effective 12/18/92.											

Table 1 (Page 32 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4	
IBM Systems Director	5648-DRZ	6.1.0	-	-	-	-	-	-	-	Exp XCTol	Exp XCTol	Exp XCTol
Note: IBM Systems Director V6.1 (5648-DRZ) requires z/VM V5.4 to have Systems Director monitor and manage z/VM.												
IBM Tape Manager for z/VM	5697-J08 (EoS 04/30/08)	1.1.0 Withdrawn 02/24/06	-	-	-	-	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: IBM Tape Manager for z/VM (5697-J08) was announced on February 22, 2005 (205-036). Availability was April 29, 2005.												
IBM Tape Manager for z/VM	5697-J08	1.2.0	-	-	-	-	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: IBM Tape Manager for z/VM (5697-J08) 1.2 was announced on February 21, 2006 (206-033). Availability was February 24, 2006.												
IBM Tivoli OMEGAMON for VM	5608-A56 (EoS 04/17/07)	6.0 Withdrawn 10/20/06	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	-	-	-	-
IBM Tivoli OMEGAMON for z/VM	5608-C06 (EoS 09/30/08)	6.3.1 Withdrawn 09/07/07	-	-	-	-	-	-	Tol *	-	-	-
IBM Tivoli OMEGAMON XE on z/VM and Linux V4.1.0	5698-A36	4.1.0 Withdrawn 4Q2007	-	-	-	-	-	-	Exp	Exp	Exp	Exp
Note: <ul style="list-style-type: none"> • IBM Tivoli OMEGAMON XE on z/VM and Linux V4.1.0 (5698-A36) was announced on October 10, 2006 (206-251). Availability was October 13, 2006. • Requires IBM Tivoli OMEGAMON XE on z/VM and Linux Fixpack 3 (4.1.0-TIV-KVL-FP0003) • Requires PTFs for APAR VM64299 for the Performance Toolkit for VM for IBM Tivoli OMEGAMON XE on z/VM and Linux to operate with z/VM V5.2 and V5.3. 												
IBM Tivoli OMEGAMON XE on z/VM and Linux V4.1.1	5698-A36	4.1.1 Withdrawn 09/12/08	-	-	-	-	-	-	Exp	Exp	Exp	Exp
Note: <ul style="list-style-type: none"> • IBM Tivoli OMEGAMON XE on z/VM and Linux V4.1.1 (5698-A36) is planned to be replaced by V4.1.2 on September 12, 2008 as announced in z/VM V5.4 announcement 208-249 (US), dated August 5, 2008. • Requires PTFs for APAR VM64437 for the Performance Toolkit for VM for IBM Tivoli OMEGAMON XE on z/VM and Linux to operate with z/VM V5.2 and V5.3. 												

Table 1 (Page 33 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4	
IBM Tivoli OMEGAMON XE on z/VM and Linux V4.1.2	5698-A36	4.1.2	-	-	-	-	-	-	-	-	Exp	Exp
Note: <ul style="list-style-type: none"> IBM Tivoli OMEGAMON XE on z/VM and Linux V4.1.2 (5698-A36) was announced on August 5, 2008 in the z/VM V5.4 announcement 208-249 (US). Availability is September 12, 2008. Requires PTF for APAR VM64500 (planned to be available in 09/08) for the Performance Toolkit for VM for IBM Tivoli OMEGAMON XE on z/VM and Linux to operate with z/VM V5.3. 												
IBM Tivoli zSecure Manager for RACF z/VM	5655-T13	1.8.1	na	na	na	na	na	na	na	na	Exp	Exp
Note: IBM Tivoli zSecure Manager for RACF z/VM was available on September 14, 2007.												
Note: IBM VisualLift for MVS, VSE and VM V1 R1.0, 5648-109: Withdrawn: 9/2000, End of Service: 6/30/2002.												
IBM VisualLift for MVS, VSE and VM	5648-109 (EoS 3/31/03)	1.1.1 Withdrawn 3/31/03	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
IBM VisualLift for MVS, VSE and VM	5648-109 (EoS 3/31/03)	1.1.2 Withdrawn 9/06/00	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: ICKDSF, 5747-DS1, is Stand Alone, while ICKDSF for VM, 5684-042, is a CMS program. They perform similar/same function, but the former is not Operating System dependent; and therefore is not contained in this Matrix.												
Note: ICKDSF (for VM) 1.11.0, 5684-042; EoS = 6/28/91. ICKDSF (for VM) 1.12.0, 5684-042; EoS = 3/31/92. ICKDSF (for VM) 1.13.0, 5684-042; EoS = 6/30/93. ICKDSF (for VM) 1.14.0, 5684-042; EoS = 5/20/94. ICKDSF (for VM) 1.15.0, 5684-042; EoS = 9/30/95.												
ICKDSF for VM	5684-042 (EoS 11/30/03)	1.16.0 Withdrawn 11/22/02	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
ICKDSF for VM	5684-042	1.17.0	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: IFS 1.1.0, 5748-XXC; EoS 2/90.												
Note: IGES Processor 1.1.0, 5668-904; EoS 2/89. IGES Processor 2.2.0 is superseded by IGES Processor 2.3.0.												
IGES Processor	5688-047	2.3.0 Withdrawn 8/27/97										

Table 1 (Page 34 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
IGES Processor	5648-001	3.1.0 Withdrawn 9/3/03	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: Full name for IGES is: <i>Initial Graphics Exchange Specification Processor</i> . Version 3 was available 9/17/93.											
Note: IHF 2.1.2, 5664-363; EoS = 11/90. IHF = <i>Image Handling Facility</i> . IHF is still being marketed although it is past end of currency.											
Note: IISR 1.1.0, 5688-199; EoS = 12/31/92. IISR was withdrawn from marketing 7/06/93. IISR = <i>IBM Integrated Information Storage and Retrieval</i> .											
Note: Info Center/1 Version 1 Release 1, 5668-897; EoS = 12/31/92. Info Center/1 is superseded by the Info Center/E feature of IBM Application System 2.2.0 (5688-108) and AS Version 3 (5648-018). The Info Center/E feature is supported in the same environments as AS 2.2.0 which includes VM/ESA.											
Info /Management	5664-322	3.1.0	-	-	-	-	-	-	-	-	-
Info /System	5664-323	3.1.0	-	-	-	-	-	-	-	-	-
Note: * Info/Sys APAR VM48700 (PTF UV54857) is needed in VM/ESA R2 environment.											
Info VM/VSE	5668-919 12/31/98)	3.1.0	na	na	na	na	na	na	na	na	na
Note: Info VM/VSE is a data tape to be used in conjunction with Info /System (5664-323). Central Programming support is NOT provided.											
INSPECT	5658-995 (EoS 4/24/98)	1.1.0 Withdrawn 6/30/97	-	-	-	-	-	-	-	-	-
ISPC V2	5688-092 (EoS 05/05/08)	2.1.1 Withdrawn 03/05/07	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
Note: ISPC = <i>Industry Standard Plotting Commands</i>											
Note: ISPF V2 for VM Release 2, 5664-282; EoS = 9/27/93. ISPF V2 for VM/XA Release 2, 5684-014; EoS = 1/18/93. ISPF V3 for VM 3.1.0, 5684-043; EoS = 9/27/93.											
ISPF V3 for VM	5684-043 \$	3.2.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: See the Installation Bucket for ISPF for the latest information on installing ISPF V3 for VM. \$ End of Service for the SCLM component only: 4/24/98											
Note: ISPF/PDF V2 for VM Release 2, 5664-285; EoS = 9/27/93. ISPF/PDF V2 for VM/XA 2.2.0, 5684-015; EoS = 1/18/93. ISPF/PDF V3 for VM 3.1.0, 5684-123; EoS = 3/31/92.											
ISPF/PDF V3 for VM	5684-123 \$	3.2.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: \$ End of Service for the SCLM component only: 4/24/98											
Note: KnowledgeTool 1.1.1, 5798-RXD; EoS = 12/18/91. KnowledgeTool Version 1 was withdrawn from marketing 9/18/91. It is replaced by KnowledgeTool Version 2 Release 2 (5685-010).											
Note: KnowledgeTool 2.1.x, 5685-010; EoS 10/90.											

Table 1 (Page 35 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
KnowledgeTool	5685-010 (EoS 12/14/96)	2.2.0 Withdrawn 2/14/96									
<p>Note: LanguageAccess 1.1.0, 5688-172; EoS = 6/30/92. LanguageAccess 1.1.1, 5688-172; EoS = 5/06/93. Full name of this product is <i>IBM SAA LanguageAccess</i>. LanguageAccess was withdrawn from marketing effective 1/06/93.</p>											
<p>Note: (IBM) Language Environment for MVS & VM: LE 1.4.0, 5688-198; EoS 1/31/01 LE 1.5.0, 5688-198; EoS 9/30/02 LE 1.6.0, 5688-198; EoS 9/30/02 LE 1.8.0 is shipped with z/VM V3.1, V4, and V5. In z/VM V4 LE is upgraded to the level shipped in z/OS Release 4 and shipped as a base component of z/VM. No other levels of LE are supported for VM.</p>											
<p>Note: LANRES/VM 1.1.0, 5799-DZR; EoS = 3/31/92. The above was PRPQ # P81088, it is replaced by the program product below.</p>											
<p>Note: LANRES/VM 1.1.0, 5684-142; EoS = 12/31/93. LANRES/VM 1.2.0, 5684-142; EoS = 6/30/96 LANRES/VM 1.2.1, 5684-142; EoS = 6/30/96 LANRES/VM 1.2.2, 5684-142; EoS = 6/30/96</p>											
LANRES/VM	5684-142	1.3.0 * Withdrawn 3/07/00	Feature @	-	-	-	-	-	-	-	-
-											
LANRES/VM	5684-142	1.3.1 * Withdrawn 3/07/00	Feature @	-	-	-	-	-	-	-	-
<p>Note: LANRES/VM is included as a feature of VM/ESA Version 2 and z/VM Version 3. As of z/VM Version 4 LANRES/VM is withdrawn and it is not supported on z/VM V4 or V5. See IBM Announcement letter 201-163, dated May 29, 2001 for additional details. @ The LANRES/VM and LFS/ESA features of VM/ESA, 6063 and 6083, were withdrawn from marketing as of 3/7/00. The LANRES/VM features for z/VM V3, 6468 and 1014, are withdrawn from marketing effective June 30, 2003. Alternatives for LANRES/VM are documented in the redbook titled <i>S/390 File and Print Serving</i>, order number SG24-5330, and available at website publib-b.boulder.ibm.com/Redbooks.nsf/RedbookAbstracts/sg245330.html?Open, and in the white paper titled <i>Migration Roadmap for LANRES for z/VM Customers - Where to go from here?</i>, available at website www.ibm.com/servers/eserver/zseries/library/whitepapers/lanres_zvm_migration.html. LANRES/VM R3 is VMSES/E enabled. * Support for Novell Netware V3.11 is discontinued effective 6/30/96. See announcement letter 995-149 for details.</p>											
<p>Note: LAN File Services/ESA 1.1.0, 5648-039; EoS 6/30/96.</p>											

Table 1 (Page 36 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
LAN File Services/ESA	5648-039 Withdrawn 3/07/00	Feature of 5654-030	- \$	- \$	- \$	- \$	- \$	- \$	- \$	- \$	- \$
<p>Note: LFS/ESA R1 is VMSES/E enabled.</p> <p>LFS/ESA is included as a feature of VM/ESA Version 2 and subsequent releases.</p> <p>@ ... The LANRES/VM and LFS/ESA features of VM/ESA, 6063 and 6083, were withdrawn from marketing as of 3/7/00. Alternatives for LANRES/VM are documented in "S/390 File and Print Servng", order number SG24-5330.</p> <p>\$... LFS/ESA is not shipped with z/VM Version 3, Version 4, or Version 5 and is not supported on these operating system.</p>											
<p>Note: LISP products are not found in this table because: LISP AE 1.1.0, 5664-334; LISP DE 1.1.0, 5664-335; and LISP/VM 1.2.3, 5798-DQZ are all now Vendor Products.</p> <p>LISP/VM, 5798-DQZ is withdrawn from marketing as of 12/31/97. No service or support is currently provided by IBM.</p>											
<p>Note:</p> <p>LLF Under VM/ESA R1.0 5799-EGW has been withdrawn and is no longer supported.</p> <p>LLF = <i>Limited Lock Facility</i> .</p>											
LLF VM/ESA PRPQ 1.1	5799-EGW	1.1.1	\$	\$	\$	\$	\$	\$	\$	\$	\$
<p>Note: LLF = <i>Limited Lock Facility</i> , PRPQ # P04047.</p> <p>Supports TPF Version 3 Release 1 for LLF testing with the hardware or via simulation.</p> <p>\$ LLF function is superseded by the Multi Path Lock Facility simulation capability in VM/ESA Release 2 and later. This provides a test environment for TPF customers to test their systems without requiring the additional Multi Path Lock Facility hardware.</p>											
<p>Note: Lotus 1-2-3/M 1.1.0, 5713-AGL; EoS = 9/92.</p>											
Lotus 1-2-3/M	5713-AGL	1.2.0 Withdrawn									
Lotus 1-2-3/M	5713-AGL	1.2.1 Withdrawn									
<p>Note: Still supported for VM/ESA V2 R1</p>											
<p>Note: MAP (Manu. Auto. Proto.) 1.3.1, 5798-FBG; EoS = 11/90.</p>											
<p>Note: MPSX 1.1.7, 5740-XM3; EoS 6/89.</p>											
<p>Note: MPSX/370 Version 2 Release 1, 5668-739; EoS = 12/31/91.</p>											
MPSX/370 V2	5668-739	2.2.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
MPSX/370 V2	5668-739	2.2.1	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p>Note: MPSX 2.2.0 was the level available in the USA. MPSX 2.2.1 was the level available in EMEA and AFE.</p>											
MPSX/370 V2	5668-739	2.2.2	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
MSHF2	5688-091	1.1.0									
<p>Note: MSHF2 = <i>Matrix Switch Host Facility 2</i></p>											
<p>Note: MUMPS/VM 3.1.0, 5706-218; EoS = 12/91.</p>											

Table 1 (Page 37 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
MUMPS/VM	5706-218 (EoS 2/10/95)	3.2.0 Withdrawn 2/10/95	-	-	-	-	-	-	-	-	-
Note: MUSIC/SP 2.1.0, 5750-ACF; EoS = 12/90. MUSIC/SP 2.2.0, 5750-ACF; EoS = 12/31/91.											
MUSIC/SP	5750-ACF	2.3.0									
MUSIC/SP	5750-ACF	2.4.0									
Note: MUSIC/SP is published and licensed by McGill University Systems Inc..											
Note: NCPG 1.2.1 and 1.2.2, 5668-757; EoS = 10/30/93.											
NCPG	5668-757	1.2.3 Withdrawn 8/27/97	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
Note: NCPG/XL 1.1.1 and 1.1.2, 5688-030; EoS = 10/30/93.											
NCPG/XL	5688-030	1.1.3 Withdrawn 8/27/97	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
NETCENTER Graphic Network Monitor	5799-DQW	1.1.0									
Note: NETCENTER (PRPQ # P85133) allows VM to be a sub-host attached to an MVS host running NETCENTER Graphics Network Monitor Program Offering, 5793-AJX.											
Note: NetView 1.2.0, 5664-204; EoS = 12/90.											
NetView	5664-204 (EoS 11/15/96)	1.3.0 Withdrawn 3/09/94									
Note: NetView Version 1 was withdrawn from marketing 3/09/94. It is replaced by NetView Version 2 for VM/ESA (5756-051). * APAR # VM40639 (NetView PTFs: UV50979 (for Rel 312) and UV50978 (for Rel 311). --- available now. Also see NetView APAR #s: VM43897 and VM44265 (PTFs: UV51453 and UV51763 respectively).											
Note: NetView DM 1.1.0, 5684-017; EoS 6/90.											
NetView DM	5684-017 (EoS 10/1/97)	1.2.0 Withdrawn 3/31/97	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
NetView FTP VM	5684-048 (EoS 10/31/99)	1.1.1 Withdrawn 3/31/97	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: NetView SolutionPac 1.1.0, 5759-025; EoS = 4/17/93. Full name of this product was: <i>IBM SolutionPac NetView Automated Network Operations/VM</i> . NetView SolutionPac was withdrawn from marketing 12/15/92.											
NetView V2 for VM	5684-111 (EoS 10/1/97)	2.2.0 * Withdrawn 1/03/96	-	-	-	-	-	-	-	-	-
Note: No future enhancements are planned for the NetView V2 for VM (5684-111) product. * COS (common operational services) gateway function is available with APAR VM55147 (PTFs: UV57611-UV57613).											

Table 1 (Page 38 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4	
NetView V2 for VM/ESA	5756-051 (EoS 5/31/94)	2.2.0 Withdrawn 3/03/03	-	-	-	-	-	-	-	-	-	-
NetView V2 for VM/ESA	5756-051	2.3.0 * Withdrawn 3/03/03	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: NetView V2 R3 for VM/ESA co-reqs ACF/NCP Version 4 (5668-854) and VTAM Version 3 Release 3 for VM/ESA (5684-095), or later releases. * See APAR VM55427 for Pipeline automation function.												
Note: NetView/Access 1.1.0, 5684-028: EoS 12/90. NetView/Access 1.2.0, 5684-028: EoS 6/30/92 NetView/Access 1.3.0, 5684-028: EoS 4/30/96 NetView/Access 1.3.1, 5684-028: EoS 4/30/96												
NetView/Access	5684-028	1.3.2 Withdrawn 6/07/95	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: NetView Performance Monitor (NPM) Version 1: NPM 1.2.0, 5684-001: EoS 6/88 NPM 1.3.0, 5684-001: EoS 8/28/92 NPM 1.5.0, 5684-001: EoS 6/30/94 NPM 1.5.1, 5684-001: EoS 6/30/94												
NPM	5684-001 (EoS 4/24/98)	1.6.0 Withdrawn 6/27/97	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
NPM	5654-011 (EoS 4/24/98)	2.1.0	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
NPM	5654-011	2.2.0	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: Compatibility: NPM Version 2 to NPM Version 1 communication is not supported. NPM V2 co-reqs: ACF/NCP Version 4 or later, VSE/VSAM Version 1 or later, and ACF/VTAM V3 R4 or later.												
NPSI	5668-981 (EoS 9/30/95)	1.4.3 Withdrawn 12/31/93	na	na	na	na	na	na	na	na	na	na
Note: NPSI Version 1 Release 4.3 was withdrawn from marketing 12/31/93.												
NPSI	5668-719 (EoS 9/30/95)	2.1.0 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na	na
Note: NPSI 3.1.0; EoS 9/89. NPSI X.25 3.2.0, 5688-035; EoS = 12/31/91. NPSI X.25 3.3.0, 5688-035; EoS = 12/31/92. NPSI X.25 V3 R3.0 was withdrawn from marketing 9/21/93.												
NPSI X.25	5688-035 (EoS 9/30/95)	3.4.0 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na	na
NPSI X.25	5688-035 (EoS 9/30/95)	3.5.0 Withdrawn 9/28/90	na	na	na	na	na	na	na	na	na	na

Table 1 (Page 39 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
NPSI X.25	5688-035 (EoS 9/30/95)	3.6.0 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na
NPSI X.25	5688-035 (EoS 6/30/99)	3.7.0 Withdrawn 6/30/95	na	na	na	na	na	na	na	na	na
NPSI X.25	5688-035	3.8.0 Withdrawn 9/25/98	na	na	na	na	na	na	na	na	na
NPSI X.25	5688-035	3.9.0	na	na	na	na	na	na	na	na	na
<p>Note: NPSI = NCP Packet Switching Interface.</p> <p>NPSI pre-reqs the appropriate levels of ACF/NCP and ACF/SSP. Refer to the announcement letters for complete details.</p>											
NRF	5668-963 (EoS 10/5/04)	1.3.0 Withdrawn 9/3/03									
NRF	5668-963 (EoS 12/30/92)	1.4.0 Withdrawn 9/3/03	na	na	na	na	na	na	na	na	na
<p>Note: NRF 1.5.0, 5668-963; EoS = 12/92.</p>											
NRF	5668-963	1.6.0 Withdrawn	na	na	na	na	na	na	na	na	na
NRF	5668-963 (EoS 9/30/95)	1.7.0 Withdrawn 9/06/00	na	na	na	na	na	na	na	na	na
NRF	5668-963	1.8.0 Withdrawn 9/06/00	na	na	na	na	na	na	na	na	na
NRF	5668-963	1.9.0	na	na	na	na	na	na	na	na	na
<p>Note: NRF = Network Routing Facility.</p> <p>NRF pre-reqs the appropriate levels of ACF/NCP and ACF/SSP. For Release 9 these are ACF/NCP V7 R1.0 and ACF/SSP V4 R1.0.</p>											
<p>Note: NSF 1.2.0, 5685-003; EoS = 12/31/90. NSF 1.3.0, 5685-003; EoS = 12/31/92. NSF 1.4.0, 5685-003; EoS = 12/31/93.</p>											
NSF	5685-003	1.5.0	370A	370A	370A	370A	370A	370A	370A	370A	370A
<p>Note: NSI 1.4.0, 5668-951; EoS 9/89.</p>											
NSI	5668-951 (EoS 3/31/02)	1.5.0 Withdrawn 9/06/00	na	na	na	na	na	na	na	na	na
<p>Note: NSI 1.5.1, 5668-951; EoS = 6/30/92.</p>											
NSI	5668-951	1.6.0 Withdrawn 9/06/00	na	na	na	na	na	na	na	na	na
<p>Note: NSI = Non-Sna Interconnect". NSI 1.6.0 is expected to be the last release of NSI. It is recommended for use with 3745s and 3720s.</p>											
<p>Note: NTO 1.1.x and 1.2.x; EoS 11/90.</p>											

Table 1 (Page 40 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
NTO	5735-XX7 (EoS 3/31/02)	1.4.0	na	na	na	na	na	na	na	na	na
NTO	5735-XX7	1.5.1 Withdrawn 9/3/03	na	na	na	na	na	na	na	na	na
Note: NTO 1.6.0, 5735-XX7; EoS = 12/92.											
NTO	5735-XX7	1.7.0 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na
NTO	5735-XX7 (EoS 9/30/95)	1.8.0	na	na	na	na	na	na	na	na	na
NTO	5735-XX7	1.9.0	na	na	na	na	na	na	na	na	na
NTO	5735-XX7	1.10.0 Withdrawn 9/25/98	na	na	na	na	na	na	na	na	na
NTO	5735-XX7	1.11.0	na	na	na	na	na	na	na	na	na
Note: NTO = <i>Network Terminal Option</i> .											
NTO pre-reqs the appropriate levels of ACF/NCP and ACF/SSP. For Release 10 these are ACF/NCP V7 R1.0 and ACF/SSP V4 R1.0.											
NTuneMON	5648-077 (EoS 10/28/96)	1.1.0 Withdrawn 9/06/00	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
NTuneMON	5648-077 (EoS 3/31/02)	1.2.0 Withdrawn 09/06/00	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
NTuneMON for MVS and VM	5648-141 (EoS 3/31/02)	2.1.0 Withdrawn 3/29/96	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
NTuneMON for MVS and VM	5648-141 (EoS 3/31/02)	2.2.0 Withdrawn 11/29/96	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
NTuneMON for MVS and VM	5648-141 (EoS 3/31/02)	2.3.0 Withdrawn 9/26/97	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
NTuneMON for MVS and VM	5648-141	2.4.0 Withdrawn 10/30/98	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
NTuneMON for MVS and VM	5648-141	2.5.0 Withdrawn 9/24/99	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
NTuneMON for MVS and VM	5648-141	2.6.0 Withdrawn 8/25/00	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: NTuneMON replaces the SSP Version 3 NCPMON Feature.											
NTuneMON	5648-D72	3.1.0 Withdrawn 7/27/01	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol

Table 1 (Page 41 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
NTuneMON	5648-D72	3.2.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note:											
<p>Note: The tuning feature of NTuneNCP, 5648-089, is now shipped with NTuneMon Version 3. Refer to IBM Announcement Letters 200-1629, dated June 13, 2000, and 201-167, dated June 12, 2001 for additional details.</p>											
NTuneNCP	5648-089 % (EoS 3/31/02)	1.1.0 Withdrawn 9/06/00	na	na	na	na	na	na	na	na	na
Note:											
<p>Note: The tuning feature of NTuneNCP, 5648-089, is now shipped with NTuneMon Version 3, ACF/NCP Version 7, Release 8.1 and ACF/SSP Version 4, Release 8.1. Refer to the following IBM Announcement Letters for additional details:</p> <p>200-162, dated June 13, 2000 201-167, dated June 12, 2001 201-169, dated June 12, 2001</p>											
ODPS/RMS	5799-CZK (EoS 10/16/98)	1.1.0 Withdrawn 10/31/97									
ODPS/RMS	5799-CZK (EoS 10/16/98)	1.2.0 Withdrawn 10/31/97									
Note: ODPS has all panels, messages, and Help in Japanese only.											
OfficeVision Enhanced Calendar/VM	5799-FFC	1.1.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: The above is PRPQ # PB0008.											
Provides CUA compliant interface and many enhancements. Pre-reqs. OV/VM Rel 2 with											
<ul style="list-style-type: none"> • OV/VM PTF UN22061 • OV/VM PTF UN44509 (new calendar API code) 											
OfficeVision Enhanced Mail Addressing	5799-FPL	1.1.0	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
OfficeVision Extensions/VM	5799-FBK (EoS 1/31/95)	1.1.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: OfficeVision Extensions/VM is PRPQ # P81218 available in the US and EMEA (in EMEA it is listed under product number = 5785-EER). Consists of applications and tools providing more than 20 functions.											
For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)											
OfficeVision ToolKit	5799-FLX	1.1.0 Withdrawn 1/15/98	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
OfficeVision ToolKit Vol. 2	5799-FQW	1.1.0 Withdrawn 1/15/98	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: OfficeVision/VM 1.1.0, 5684-084; EoS = 3/27/93 - 6/93											

Table 1 (Page 42 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4	
OfficeVision/VM	5684-084 + (EoS 5/31/97 @)	1.2.0 Withdrawn 6/28/96	-	-	-	-	-	-	-	-	-	-
<p>Note: The OV/VM ESA Calendar Feature was available 2/94. It provides users of OV/VM with an optional full replacement for the OV/VM Release 2 calendar manager, with improved performance and capacity. This feature exploits 31-bit addressing, the CMS Shared File System, and VM Data Spaces.</p> <p>* See APAR PN32689 (PTF UN32597) for the VM/ESA ESA and VM/XA environments.</p> <p>% See APAR PN29985 (PTF UN35556) for new OV/VM function and some minor VM/ESA R2 environment compatibility items. Also see PN20088 (PTF UN27004).</p> <p>\$... See APAR PN40989 (PTF UN49261) for the VM/ESA R2.1 environment.</p> <p>+ ... OfficeVision/VM only supports the environments where the VM components CP and CMS are at the same release level. @ ... Release 1 of the OfficeVision/VM ESA Calendar feature also ends service 5/97.</p> <p>The Online Books Feature of OfficeVision/VM became available 5/22/92 (this is read only softcopy documentation).</p> <p>A per user based fee structure was available 5/93 for OfficeVision/VM (7/01/93 in EMEA).</p>												
OfficeVision/VM	5684-084 + (EoS 4/30/99)	1.3.0 Withdrawn 12/19/97	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *
<p>Note: + OfficeVision/VM only supports the environments where the VM components CP and CMS, are at the same</p>												
OfficeVision/VM	5684-084 + (EoS 10/06/03 %)	1.4.0 Withdrawn 9/12/02	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<p>Note: + OfficeVision/VM only supports the environments where the VM components, CP and CMS, are at the same.</p> <p>% The Calendar Feature of OV/VM R4 is also withdrawn from marketing and will end service October 6, 2003.</p>												
<p>Note: OFSP/VM Version 1 Release 2, 5664-361; EoS = 03/31/93. OFSP/VM Version 1 was withdrawn from marketing effective 10/31/91.</p>												
OFSP/VM	5684-104 (EoS 10/16/98)	2.1.0 Withdrawn 10/31/97	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: full name of the above is: <i>Office Support Program/VM Version 2.</i></p> <ul style="list-style-type: none"> • OFSP has all panels, messages, and help in Japanese only. • Announced as part of the Office Vision/VM Asian Language Series. 												
<p>Note: OGL/VM 1.1.0, 5664-293; EoS = 9/19/90. OGL/VM 1.2.0, 5664-293; EoS = 10/91.</p>												
OGL/370	5688-191	1.1.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: OGL/370 replaces OGL/VM Release 2. OGL = <i>Overlay Generation Language.</i></p>												
Open Network Distribution Services/VM	5684-139 (EoS 9/01/95)	1.1.0 Withdrawn 3/03/95										
<p>Note: IBM Open Network Distribution Services/VM (ONDS/VM) extends function from that provided by OSME/VM and X.400 MTF/VM.</p>												

Table 1 (Page 43 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4	
OPSS/VM	5785-DHG	2.1.0 Withdrawn 10/92										
<p>Note: OPSS = <i>Online Project Support System</i>. This is an EMEA only program offering (only delivered with German Language).</p> <p>Withdrawn from marketing 10/92; OPSS is replaced by <i>AD/Cycle PrDM</i> (5648-005).</p>												
<p>Note: OS PL/I C, L, & ITF Version 2 Release 1, 5668-909; EoS = 12/90. OS PL/I C, L, & ITF Version 2 Release 2, 5668-909; EoS = 12/91.</p>												
OS PL/I C, L, & ITF	5668-909 (EoS 12/31/03)	2.3.0 Withdrawn 9/06/00	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %
<p>Note: % Requires PTF UN56803 for VM/ESA V2.</p>												
<p>Note: OS PL/I Comp & Lib Version 2 Release 1, 5668-910; EoS = 12/90. OS PL/I Comp & Lib Version 2 Release 2, 5668-910; EoS = 12/91.</p>												
OS PL/I Comp & Lib	5668-910 (EoS 12/31/03)	2.3.0 Withdrawn 9/06/00	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %
<p>Note: % Requires PTF UN56803 for VM/ESA V2.</p>												
<p>Note: OS PL/I Library Version 2 Release 1, 5668-911; EoS = 12/90. OS PL/I Library Version 2 Release 2, 5668-911; EoS = 12/91.</p>												
OS PL/I Library	5668-911 (EoS 12/31/03)	2.3.0 Withdrawn 9/06/00	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %	Tol %
<p>Note: % Requires PTF UN56803 for VM/ESA V2.</p>												
OS VS COBOL C&L	5740-CB1 (EoS 6/30/94)	1.2.4 Withdrawn 12/18/92										
<p>Note: * see information APARs II06252 and II06461.</p> <p>OS VS Cobol Compiler and Library is replaced by AD/Cycle COBOL/370 or VS COBOL II. The AD/Cycle COBOL/370 product (renamed IBM Cobol for MVS and VM) is the preferred migration target as it is IBM's strategic COBOL product for the System/370 & System/390 platform within the AD/Cycle framework.</p> <p>OS VS COBOL C & L (5740-CB1) and OS VS COBOL Library (5740-LM1) were withdrawn from marketing 12/18/92.</p> <p>There is an OS/VS Cobol Product Support offering for OS VS COBOL that extends support until 6/30/96 for a fee (see announcement letter 393-087).</p>												
OS VS COBOL Library	5740-LM1 (EoS 6/30/94)	1.2.4 Withdrawn 12/18/92										
<p>Note: * see information APARs II06252 and II06461.</p>												
<p>Note: OSI/CS 1.1.0, 5684-013; EoS = 6/91.</p>												
OSI/CS	5684-013	1.1.1										
<p>Note: Refresh service for OSI/CS R1.1 was available 11/27/92.</p>												

Table 1 (Page 44 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
OSI/FS	5684-038	1.1.0									
Note: Refresh service for OSI/FS R1.0 was available 11/27/92.											
Note: OSI/MMS 1.1.0, 5684-107; EoS = 12/26/92.											
OSL for MVS, VM & AIX/370	5688-137 (EoS 4/3/05)	1.2.0 Withdrawn 1/14/04	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: OSL = <i>Optimization Subroutine Library</i> .											
Note: OSME (Open System Message Exchange), 1.0.0, 5684-061; EoS = 6/28/91. OSME is replaced by OSI/CS and ONDS.											
Note: OSNS Version 1 Release 2, 5664-382; EoS = 4/30/93. OTSS Version 1 Release 2, 5664-382; EoS = 4/30/93. OSNS and OTSS were World Trade products ONLY. They are superseded by OSI/CS and OSI/FS. OSNS for VM and OTSS for VM were withdrawn from marketing 1/31/93.											
OV/VM Support for Lotus Notes Clients	5648-A20 (EoS 9/30/02)	1.1.0 Withdrawn 1/23/98	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
OV/VM Support for Lotus Notes Clients	5648-A20 (EoS 9/30/02)	1.2.0 Withdrawn 9/05/01	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
OV/VM To Notes Migration Tools	5639-B79 (EoS 10/6/03)	1.1.0 Withdrawn 9/12/02	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
Note: Parallel FORTRAN PRPQ 1.0.0, 5799-CTX; WFM = 3/31/98, EoS = 9/91. See <i>CMS Parallel FORTRAN RPQ</i> .											
Pass-Through	5684-100	2.1.0 Withdrawn	-	-	-	-	-	-	-	-	-
Pass-Through	5684-100	2.1.1 %	370A *	370A *	370A *	370A *	370A *	370A *	370A *	370A *	370A *
Note: On 2/15/94 IBM announced a significant price reduction on Pass-Through Version 2. For TCP/IP Line driver support see APAR VM57537 (PTF UV90727), available 4/08/94. Full name for Pass-Through is: <i>VM/Pass-Through Facility</i> . Pass-Through V2 is a replacement for PVM (5748-RC1). % Pass-Through Release Version 2 Release 1.1 is VMSES/E enabled and includes CVIEW 2.1.3 (5664-296) as a component. SVM (Service Virtual Machine Runtime Library) is removed from the Pass-Through V2 R1.1 product and included in the VM/ESA product at the VM/ESA Release 2.1 level and later. * Pass-Through 2.1.1 requires PTF UV60093 (APAR VM61373) to run on VM/ESA Version 2 Release 3 and Release 4 and z/VM Version 3 and Version 4 Release 1. For z/VM Version 4 Release 2, the PTF for APAR number VM61373 is required. This service is pre-applied when Pass-Through 2.1.1 is ordered through the SDO for z/VM V4 R2 (5739-A04).											
Note: PC/VM BOND 2.1.0, 6467-022; EoS 12/89.											
PES	5684-065	1.1.3									
Note: Full name of PES is: <i>IBM Product Engineering Support</i> .											
Note: PL/I: see also <i>OS PL/I</i> .											

Table 1 (Page 45 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4	
Performance Toolkit for VM	Feature of 5739-A03 (EoS 9/30/06)	FL440 Withdrawn 3/31/06	-	-	-	-	-	Exp @	-	-	-	-
Note: The Performance Toolkit for VM optional feature for z/VM V4.4 has been withdrawn from marketing effective March 31, 2006. See IBM Announcement Letter 905-261 dated December 6, 2005.												
Performance Toolkit for VM	Feature of 5741-A05 (EoS 9/30/07)	FL510 Withdrawn 06/15/07	-	-	-	-	-	Exp @	-	-	-	-
Note: The Performance Toolkit for VM replaces the RTM and PRF features of z/VM in V5.												
Note: The Performance Toolkit for VM feature FL510 has been withdrawn from marketing effective June 15, 2007. See IBM Announcement Letter 207-019 dated February 6, 2007. The Performance Toolkit for VM feature FL510 has been discontinued from service effective September 30, 2007. See IBM Announcement Letter 204-057 dated April 7, 2004.												
Performance Toolkit for VM	Feature of 5741-A05 (EoS 4/30/09)	FL520 Withdrawn 06/15/07	-	-	-	-	-	-	Exp @	-	-	-
Note: <ul style="list-style-type: none"> The Performance Toolkit for VM replaces the RTM and PRF features of z/VM in V5. FL520 is a new function level required to operate on z/VM V5.2. The Performance Toolkit for VM FL520 was withdrawn from marketing effective June 15, 2007 as announced in IBM Software Announcement 207-019 dated February 6, 2007. 												
Performance Toolkit for VM FL530	Feature of 5741-A05 (EoS 09/30/10)	FL530 Withdrawn 09/08/08	-	-	-	-	-	-	-	-	Exp	-
Note: Performance Toolkit for VM FL530 feature can only be licensed on z/VM V5.3 and is supported only on z/VM V5.3.												
Performance Toolkit for VM FL540	Feature of 5741-A05 (EoS 09/30/11)	FL540	-	-	-	-	-	-	-	-	-	Exp
Note: Performance Toolkit for VM FL540 feature can only be licensed on z/VM V5.4 and is supported only on z/VM V5.4.												
PL/I Ckout Comp	5734-PL2 (EoS 12/31/95)	1.3.0 Withdrawn										
PL/I OPT C & L	5734-PL3 (EoS 12/31/95)	1.5.1 Withdrawn										
PL/I OPT COMP	5734-PL1 (EoS 12/31/95)	1.5.1 Withdrawn										
PL/I Res. Lib	5734-LM4 (EoS 12/31/95)	1.5.1 Withdrawn 8/27/93										
Note: The 5734-xxx series of PL/I products are all OS products. The 5734-xxx series of PL/I products above were withdrawn from marketing 8/27/93.												

Table 1 (Page 46 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4	
PL/I Trans Lib	5734-LM5 (EoS 4/4/04)	1.5.1										
Note: PMCP = <i>Project Management Control Program</i> , 5799-EDY PRPQ # P81091; has been Withdrawn, and was EoS 3/93.												
PMF/VM	5664-310 (EoS 12/15/99)	1.1.0 Withdrawn 12/16/97	370A	370A	370A	370A	370A	370A	370A	370A	370A	370A
Note: PMF = <i>Print Management Facility</i>												
Note: PostScript Interpreter 1.2.0, 5688-104; EoS = 12/31/89. PostScript Interpreter 1.3.0, 5688-104; EoS = 9/91. PostScript Interpreter 1.3.1, 5688-104; EoS = 7/93.												
PostScript Inter- preter	5688-104 (EoS 12/31/95)	1.3.2 Withdrawn 8/31/95	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
Note: PPFA/VM 1.1.0, 5664-199; EoS = 10/91. PPFA/VM was Withdrawn from Marketing on 01/02/91.												
PPFA/370	5688-190	1.1.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: PPFA/370 is a replacement for PPFA/VM (5664-199).												
PMO Support/VM	5654-006 (EoS 6/30/95)	1.3.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: PMO = <i>Presentation Manager Office</i> . The initial offering is being called Release 3 to be consistent with release levels of the other PMO programs. The combination of a Personal System/2 program and a host program provides a direct connection between Operating System/2 Version 2 workstations and OfficeVision/VM.												
PRF	Feature of 5739-A03 (EoS 9/30/06)	FL410	-	Exp	Exp *	Exp @	Exp @	-	-	-	-	-
-												
Note: Starting with z/VM Version 4, VMPRF is shipped as a priced feature of z/VM. See IBM Announcement letter 201-163, dated May 29, 2001, for complete details. * ... VMPRF requires the PTF for APAR number VM62925 for z/VM Version 4 Release 2. This service is pre-applied to VMPRF prior to shipment. See IBM Announcement Letter 201-286, dated October 4, 2001, for additional information. @ ... For z/VM V4 R3, VMPRF requires the PTF for APAR number VM63032. This service is not pre-applied but it is shipped with z/VM V4 R3 on the GA level RSU (Recommended Service Upgrade) tape. See IBM Announcement Letter 202-104, dated April 30, 2002 for additional information. The PRF optional feature for z/VM V4.4 has been withdrawn from marketing effective March 31, 2006. See IBM Announcement Letter 905-261 dated December 6, 2005. The PRF feature of z/VM is not available with z/VM V5.1. Like function is available with the Performance Toolkit for VM feature. See IBM Announcement Letter 204-057, dated April 7, 2004 and see entry on page 47.												
Note: ProcessMaster 1.2.0, 5664-387, EoS 12/89.												
ProcessMaster	5664-387 (EoS 09/30/09)	1.3.0 Withdrawn 11/05/08	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %

Table 1 (Page 47 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3 * %	V5.4 * %
ProcessMaster	5664-387 (EoS 11/28/97)	1.3.1 Withdrawn 3/17/97	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %
<p>Note: * requires PTF UL88873 -- available 3/01/91.</p> <p>Notes on Features:</p> <ul style="list-style-type: none"> • If using Critique for grammar checking then the ProcessMaster Service machine must be 370 mode. • The following Features of ProcessMaster VM were withdrawn from marketing effective 4/26/93: <ul style="list-style-type: none"> – CALS Application Feature – Workstation Edition Feature – OS/2 Workstation Driver Feature All 3 above Features ended service on 8/26/93. • TEXTTAGGER Feature (optional) was withdrawn from marketing effective 4/21/92. It is replaced by <i>TextTagger/ESA</i>, 5648-010. • ProcessMaster pre-reqs BrowseMaster (5688-224) and VM Batch Facility (5684-137). • The full IBM trademark name is <i>Publishing Systems ProcessMaster</i>. 											
<p>Note: PROFS Version 2 Release 1, 5664-309; EoS = 12/88. PROFS Version 2 Release 2, 5664-309; EoS = 3/31/93. PROFS 5664-309 includes PROFS ASF (Application Support Feature).</p>											
<p>Note: PROFS OfficeVision/VM, IBM's strategic office systems solution, is supported in the VM/ESA environment. Please contact your Area Office Systems Specialist with concerns and for further assistance in migrating from PROFS to OV/VM in the VM/ESA environment.</p>											
<p>Note: PROFS Extended Mail 1.1.0, 5798-FBJ; Withdrawn 12/31/97, EoS 12/31/93.</p>											
<p>Note: PROFS Extended Services, 5785-EDY; EoS = 01/31/91. PROFS Extended Services was a Program Offering in EMEA.</p>											
<p>Note: PROFS NMF 1.1.0, 5798-DRT; EoS = 3/31/91.</p>											
<p>Note: PROFS RMS 1.1.0, 5798-FBB; EoS 9/89. PROFS RMS 1.2.0, 5798-FBB; EoS 9/92. RMS = <i>IBM Retention Management System</i></p> <p>PROFS RMS is now just called RMS with the Release 3 level (see the RMS Rel 3 record for the environments supported).</p>											
<p>Note: Prolog -- see IBM/Prolog (5706-236) which replaces VM/Prolog (5785-ABH).</p>											
PSAF/VM	5664-312 (EoS: 1/31/01)	1.1.0 Withdrawn 12/16/97	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: PSAF = <i>Print Services Access Facility</i>.</p>											
<p>Note: PSF/VM 1.2.0, 5664-198; EoS = 3/31/90. PSF Version 1 was withdrawn from marketing 1/31/93. PSF/VM 1.3.0, 5664-198; EoS = 11/30/93.</p>											
PSF/VM	5684-141 (EoS 6/30/95)	2.1.0 Withdrawn 05/01/95									
<p>Note: % see APARs VM53564. \$ PSF Version 2 Release 1 now Tolerates the VM/ESA (ESA) R1 and later, XA and XC virtual machine environments. EXCEPT for 3800 and Group 3 non-SNA PDM's which require a 370 virtual machine environment.</p>											

Table 1 (Page 48 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3 %	V5.4 %
PSF/VM	5684-141	2.1.1	Tol XCTol %	Tol XCTol %	Tol XCTol %	Tol XCTol %	Tol XCTol %	Tol XCTol %	Tol XCTol %	Tol XCTol %	Tol XCTol %
<p>Note: PSF = <i>Print Services Facility</i>. The Font products are not listed in this matrix, though they are supported with PSF/VM Version 2 (eg. 5688-021 = Barcode/Optical Character Recognition Fonts or PRPQ 5799-DGX = Postal Bar Codes).</p> <p>@ Font Feature withdrawn 5/95. For future Font support order IBM AFP FONT Collection for IBM Operating Systems (5648-113) listed in this matrix as AFP FONT Collection.</p>											
PTRS	5799-DNE	1.1.0									
<p>Note: PTRS = <i>Problem Tracking & Reporting System</i> , PRPQ # P81050. For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)</p>											
<p>Note: PVM 1.3.0, 5748-RC1; EoS = 11/30/91.</p>											
PVM	5748-RC1 (EoS 9/14/95)	1.4.0 Withdrawn 5/16/95	-	-	-	-	-	-	-	-	-
<p>Note: PVM is replaced by the VM/Pass-Through Facility (5684-100). See the entry for Pass-Through on page 46.</p>											
<p>Note: PVMPCCF 5799-CRJ, PRPQ # P10024 is no longer available.</p>											
<p>Note: QMF 2.2.0 & 2.3.0, 5668-AAA; EoS 12/90.</p>											
QMF	5668-AAA (EoS 3/31/01)	2.4.0 Withdrawn 3/30/92									
<p>Note: QMF Version 2 is replaced by QMF Version 3.</p>											
QMF	5706-255 (EoS 4/26/96)	3.1.0 Withdrawn 7/30/02									
QMF	5706-255 (EoS 3/31/01)	3.1.1 Withdrawn 7/30/02	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
QMF	5706-255 (EoS 3/31/01)	3.2.0 Withdrawn 7/30/02	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
QMF	5706-255 (EoS 9/30/03)	3.3.0 Withdrawn 9/30/03	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
QMF	Feature of 5648-A70 (EoS 9/30/02)	6.1.0 Withdrawn 9/05/01	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *
QMF	Feature of 5697-F42 (EoS 5/2/05)	7.1.0 Withdrawn 12/14/01	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *
QMF	Feature of 5697-F42	7.2.0 Withdrawn 3/28/03	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *

Table 1 (Page 49 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
QMF	Feature of 5697-F42	7.3.0	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *
Note: * ... Starting with DB2 for VSE and VM, Version 6, QMF is shipped as a priced feature of DB2.											
QMF for Windows	5697-D27 @ (EoS 9/30/03)	3.3.0 Withdrawn 7/30/02	na	na	na	na	na	na	na	na	na
Note: @.... QMF for Windows 3.3.0 is also a feature of QMF V3 R3 and supersedes the QMF/HPO Shuttle Client feature of QMF V3 R3. See IBM Announcement 297-435, dated 10/28/97, for details.											
QMF for Windows	Feature of 5697-F42	7.2.0 Withdrawn 3/28/03	na	na	na	na	na	na	na	na	na
QMF for Windows	Feature of 5697-F42	7.3.0	na	na	na	na	na	na	na	na	na
Note: QMF for Windows is a feature of QMF V7 R2.0. See IBM Announcement Letter 202-047, dated February 26, 2002 and 203-046, dated February 18, 2003 for additional information.											
QMF/HPO Shuttle Client	5706-255	3.2.0	na	na	na	na	na	na	na	na	na
QMF/HPO Shuttle Client	5706-255	3.3.0 @	na	na	na	na	na	na	na	na	na
Note: QMF/HPO Shuttle Client runs under Windows and communicates with DB2 and SQL/DS via DRDA. QMF/HPO Shuttle Client 3.3.0 is superseded by the QMF for Windows feature of QMF 3.3.0. See IBM Announcement 297-435, dated 10/28/97, for additional information.											
Note: RACF/VM 1.8.0, 5740-XXH; EoS = 6/92.											
Note: RACF/VM 1.8.2, 5740-XXH; EoS = 11/05/94 for VM/SP R5 and HPO R5 environments - this is an extension of what was previously noted. 6/92 was EoS for RACF/VM 1.8.2 in the VM/ESA environment.											
RACF/VM	5740-XXH % (EoS 10/31/99)	1.9.0 Withdrawn 4/26/96	-	-	-	-	-	-	-	-	-
Note: * PTFs: UV52463, UV53955, UV52471, UV53060, and UV53420; or the product refresh available 10/19/92. \$ PTFs listed in * (above) and PTF UV55653 (APAR VM52545). RACF/VM 1.9.0 code is sensitive to the level of VM/ESA that it is running on. Please reference informational APAR II05253 for details or see the HONE document <i>Installing RACF/VM 1.9 with VM/ESA 1.1</i> (ID = E377943). % RACF/VM 1.9.0 ended service effective 8/31/96 for VM/SP, VM/SP XA, VM/ESA 370 feature R1.0 and VM/ESA R2.0 and prior releases.											
RACF/VM	5740-XXH % (EoS 10/31/99)	1.9.2 Withdrawn 4/26/96	-	-	-	-	-	-	-	-	-
Note: RACF R9.2 contains C2/B1 security support for VM/ESA R2 and later environments. ('C2' and 'B1' are US Government defined levels of security). * For RACF LOGON BY support see RACF APAR #VM57305. \$ APAR VM59359 is required for VM/ESA V2 % End of Service for RACF/VM 1.9.0 is effective 8/31/96 for VM/SP, VM/SP XA, VM/ESA 370 feature R1.0 and VM/ESA R2.0 and prior releases.											

Table 1 (Page 50 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
RACF/VM	5740-XXH (EoS 4/30/09)	1.10.0 \$ 03/05/07	XCTol @	XCTol @	XCTol @	-	-	-	-	-	-
<p>Note:</p> <p>\$... RACF/VM Release 10 requires APAR VM60792 for support of the G4 Enterprise Server. After 5/30/97 RACF/VM Release 10 is refreshed to include this support.</p> <p>@ APAR VM62598 is required for z/VM V3 and V4.</p> <p>The date for discontinuing service support for RACF for VM V1.10.0 (5740-XXH) has been extended to April 30, 2009, for z/VM V5.2 and this extension applies only to z/VM V5.2. The date remains May 5, 2008, for the Common Criteria Certification feature, formerly known as z/VM V5.1.</p>											
RACF/VM	Feature of 5739-A03 (EoS 9/30/06)	\$ Withdrawn 3/31/06	-	-	-	-	XCTol	-	-	-	-
<p>Note:</p> <p>The RACF/VM optional feature for z/VM V4.4 has been withdrawn from marketing effective March 31, 2006. See IBM Announcement Letter 905-261 dated December 6, 2005.</p>											
RACF for z/VM	Feature of 5741-A05 (EoS 9/30/07) (EoS 4/30/09)	\$ Withdrawn 06/15/07	-	-	-	-	-	XCTol	XCTol	-	-
<p>Note:</p> <ul style="list-style-type: none"> \$ RACF for VM is now available as an optional priced feature of z/VM V4.3 and later. It is functionally equivalent to RACF/VM V1 R10.0 (5740-XXH). See IBM Announcement Letter 202-104, dated April 30, 2002 (V4.3) and 204-057, dated April 7, 2004 (V5.1) for additional details. RACF for z/VM feature of 5741-A05 has been withdrawn from marketing as announced in IBM Software Announcement 207-019 dated February 6, 2007 and replaced by the RACF Security Server feature with z/VM V5.3. The RACF for z/VM feature operating on z/VM V5.2 is planned to be discontinued from service effective April 30, 2009. See IBM Announcement Letter 205-168 dated July 27, 2005. 											
RACF Security Server FL530	Feature of 5741-A05 (EoS 09/30/10)	FL530 Withdrawn 09/08/08	-	-	-	-	-	-	-	Exp	-
<p>Note:</p> <p>RACF Security Server FL530 feature can only be licensed on z/VM V5.3 and is supported only on z/VM V5.3.</p>											
RACF Security Server FL540	Feature of 5741-A05 (EoS 09/30/11)	FL540	-	-	-	-	-	-	-	Exp	-
<p>Note:</p> <p>RACF Security Server FL540 feature can only be licensed on z/VM V5.4 and is supported only on z/VM V5.4.</p>											
ReaderWatch	5799-EYW	1.1.0	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<p>Note: IBM ReaderWatch is PRPQ # P81213.</p> <p>For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)</p> <p>Pre-reqs for ReaderWatch: The WAKEUP and GETFMADR modules from VM/IPF (5665-318) or from the CMS Utilities Feature of VM/ESA.</p>											
<p>Note: REXX/370 Compiler 1.1.0, 5695-013; EoS = 11/28/93. REXX/370 Library 1.1.0, 5695-014; EoS = 11/28/93.</p>											

Table 1 (Page 51 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
REXX/370 Compiler	5695-013 (EoS 5/7/95)	1.2.0 Withdrawn 10/27/94									
REXX/370 Compiler	5695-013 (EoS 4/3/05)	1.3.0 Withdrawn 8/29/03	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
REXX Compiler for zSeries	5695-013	1.4.0	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
REXX/370 Library	5695-014 (EoS 5/7/95)	1.2.0 Withdrawn 10/27/94									
REXX/370 Library	5695-014 (EoS 4/3/05)	1.3.0 Withdrawn 8/29/03	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
REXX Library for zSeries	5695-014	1.4.0	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: REXX see also : CMS REXX.											
REXXIUCV	5785-LAT	1.1.0									
REXXIUCV	5785-LAT	1.1.1	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
Note: \$ REXXIUCV 1.1.1 loads below the 16 Meg boundary.											
REXXIUCV is an EMEA only PRPQ.											
RMS	5798-FBB (EoS 5/31/97)	1.3.0 * Withdrawn 12/31/96	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
Note: * RMS is replaced by the RMS facility in OfficeVision/VM R3. See IBM announcement letter 296-203, dated 6/11/96, for details.											
Note: Routing Table Generator 1.1.0, 5668-815; Withdrawn 12/31/97, EoS 9/30/91.											
RPG/370	5688-127	1.1.0 Withdrawn 8/20/93	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: RPG/370 was withdrawn from marketing 8/20/93.											
* APAR VM38519 (PTF UV40966, - which is superseded by UV54583 -) (this is an APAR to VSE/VSAM V1 R4 that RPG pre-reqs).											
When RPG/370 is installed in saved segments, at least one of the saved segments must reside below the 16 Meg line.											
Full name of above is: IBM SAA RPG/370 V1.											
RPG II	5746-RG1	1.3.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: Full name of RPG II is DOS/VS RPG II											
Note: RSCS 1.3.0, 5748-XP1; EoS = 8/20/91. RSCS 2.2.0, 5664-188; EoS = 12/31/93.											

Table 1 (Page 52 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
RSCS	5664-188 (EoS 9/14/95)	2.3.0 Withdrawn 7/01/92									
Note: Full name for RSCS is <i>VM RSCS Vx</i> , where <i>x</i> = the version number. RSCS/VM Version 2 was withdrawn from marketing 7/92.											
RSCS	5684-096 (EoS 10/25/96)	3.1.0 Withdrawn 10/31/95	-	-	-	-	-	-	-	-	-
Note: IBM VM RSCS Data Interchange Manager Feature of RSCS Version 3 Release 1 supports transparent E-mail exchange between VM and SMTP users on TCP/IP networks. There is no additional charge for this feature.											
RSCS	5684-096 (EoS 1/31/01)	3.1.1 Withdrawn % 3/24/98	-	-	-	-	-	-	-	-	-
Note: % RSCS Version 3 Release 1.1 is a complete base refresh and is VMSES/E enabled. RSCS V3 R1.1 includes RSCS Data Interchange Manager feature as a part of the RSCS V3 R1.1 base.											
RSCS	5684-096 (EoS 10/31/09)	3.2.0 Withdrawn 05/26/08	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: <ul style="list-style-type: none"> * RSCS V3.2 is not supported on any release of VM prior to VM/ESA R2.1, including VM/SP, VM/XA SP, VM/SP HPO and VM/ESA 370 features. RSCS V3.2 will not run in a 370 mode virtual machine. RSCS V3.2 has been withdrawn from marketing effective May 26, 2008. Replacement products are the optional, priced features RSCS FL530 for V5.3 and RSCS FL540 for V5.4. RSCS V3.2 support is planned to be discontinued effective October 31, 2009 as announced in Discontinuance of Service announcement 908-180, dated August 5, 2008. 											
RSCS FL530	Feature of 5741-A05 (EoS 09/30/10)	FL530 Withdrawn 09/08/08	-	-	-	-	-	-	-	Exp	-
Note: <ul style="list-style-type: none"> RSCS FL530 is planned to be withdrawn from marketing on September 8, 2008 and replaced with RSCS FL540 with z/VM V5.4. 											
RSCS FL540	Feature of 5741-A05 (EoS 09/30/11)	FL530	-	-	-	-	-	-	-	-	Exp
Note: RSCS FL540 feature can only be licensed on z/VM V5.4 and is only supported on z/VM V5.4.											
Note: RTM/SF 1.2.0, 5798-DWD; EoS = 2/23/92. RTM/SF 1.3.0, 5798-DWD; EoS = 6/89. RTM/SF 1.4.0, 1.5.0, and 1.5.1; 5798-DWD; EoS = 12/31/93. RTM/ESA R5.0 and R5.1 were withdrawn from marketing 8/18/93.											
RTM/ESA	5798-DWD (EoS 11/8/03)	1.5.2 Withdrawn 9/04/02	-	-	-	-	-	-	-	-	-

Table 1 (Page 53 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4	
RTM/ESA	5798-DWD (EoS 12/31/05)	1.5.3 Withdrawn 8/27/04	Exp	-	-	-	-	-	-	-	-	-
<p>Note: * ... Apply latest service. See information APAR II06735:</p> <p>RTM/ESA is VMSES/E enabled for some environments. RTM/ESA 1.5.3 will be withdrawn from marketing effective August 27, 2004. For correct feature codes and ordering instructions, see the SALESMAN application on HONE.</p>												
RTM	Feature of 5739-A03 (EoS 9/30/06)	FL410 Withdrawn 3/31/06	-	Exp	Exp	Exp @	Exp @	na	na	na	na	na
<p>Note: Starting with z/VM Version 4, RTM/ESA is shipped as a priced feature of z/VM. See IBM Announcement letter 201-163, dated May 29, 2001, for complete details.</p> <p>The RTM optional feature for z/VM V4.4 has been withdrawn from marketing effective March 31, 2006. See IBM Announcement Letter 905-261 dated December 6, 2005.</p> <p>Starting with z/VM V5.1, the RTM feature of z/VM has been replaced by the Performance Toolkit for VM. See IBM Announcement Letter 204-057, dated April 7, 2004 and see entry on page 47.</p> <p>@ For z/VM V4 R3, RTM/ESA requires the PTF for APAR number GC05481. This service is pre-applied to RTM/ESA prior to shipment with z/VM V4 R3. See IBM Announcement Letter 202-104, dated April 30, 2002, for additional details.</p>												
<p>Note: RXSQL 1.1.1, 5798-DXT; EoS 5/90. RXSQL is replaced with the RXSQL Feature of SQL/DS V3.1 .</p>												
<p>Note: SAA Delivery Manager/VM 1.1.0, 5684-098; EoS = 1/31/93. SAA Delivery Manager/VM 1.2.0, 5684-098; EoS = 4/15/94. The Delivery Manager/VM product was withdrawn from marketing 12/20/93.</p>												
<p>Note: SAA PrintManager 1.1.0, 5688-179; EoS = 4/19/94. SAA PrintManager Version 1 was withdrawn from marketing 12/21/93.</p>												
<p>Note: SCENAD, 1.1.0, 5668-882; EoS = 4/01/91. SCENAD = <i>IBM Scientific Engineering Application Director.</i></p>												
ScreenView	Feature of 5684-112	R1.1										
<p>Note: * ScreenView R1.1 pre-reqs OS2 V1.3. % ScreenView R1.1 is an optional feature of VM/ESA R2.2 and future releases.</p>												
ScreenView	Feature of 5684-112	R2.0	X * %	X * %	X * %	X * %	X * %	X * %	X * %	X * %	X * %	X * %
<p>Note: * ScreenView R2.0 pre-reqs OS2 V2. % ScreenView R2.0 is an optional feature of VM/ESA R2.2 and future releases.</p>												
<p>Note: SDF II 1.1.0, 5664-307; EoS = 6/90. SDF II VM 1.2.0, 5664-307; EoS = 12/31/92.</p>												
SDF II VM	5664-307	1.3.0 \$	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
<p>Note: \$ SDF II pre-reqs the appropriate level of ISPF for VM, for that particular VM environment.</p> <p>SDF = <i>Screen Definition Facility.</i></p>												
SearchManager/370	5684-143 (EoS 1/31/96)	1.1.0 Withdrawn 2/25/94										
SearchManager/370	5684-143 (EoS 4/24/98)	1.2.0 @ Withdrawn 7/28/95										

Table 1 (Page 54 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
SearchManager/370	5684-143	1.3.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: SearchManager/370 is a replacement for STAIRS/CMS (5664-189).</p> <p>@ SearchManager/370 Version 1 Release 2 is VMSES/E enabled.</p> <p>A per user based fee structure is available for SearchManager/370.</p>											
Note: Selective File Filter 1.1.0, 5799-XBB, was withdrawn from marketing in 7/92 and ended service by YE1996.											
Server Tasking Environment/VM	5799-EFR	1.1.0 Withdrawn 3/31/98	*	*	*	*	*	*	*	*	*
<p>Note: The above PRPQ (P81089), STEVR/VM, provides multi-tasking and multiprocessing extensions to CMS (This is a NO_CHARGE PRPQ).</p> <p>* With VM/ESA Release 2, Server Tasking Environment/VM support, previously available as a PRPQ (PRPQ P81089; 5799-EFR), is now integrated in the VM/ESA base with some additional enhancements.</p>											
Server Task Manager/370	5799-ELA	1.1.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: Server Task Manager/370 is PRPQ # P88652; Supports SUN RPC functions on the host. Support/questions call 1-800-237-5511.</p> <p>Pre-reqs: C/370 Library V1 R2 (5688-039) with PTF UL76659 and TCP/IP for VM Version 2.</p>											
Note: SGML Translator 1.1.0, 5684-025; EoS 5/22/90.											
SGML Translator	5684-025	1.2.0									
Note: \$ PTF UN10104 enables XA Toleration in the VM/ESA (ESA) environment.											
SGML Translator	5684-025 (EoS 11/28/97)	1.3.0 Withdrawn 3/17/97	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: SGML requires that CP and CMS be at the same level.											
SLR	5665-397 (EoS 3/31/01)	3.3.x Withdrawn 12/22/98	na	na	na	na	na	na	na	na	na
<p>Note: SLR = <i>Service Level Reporter</i>; runs on MVS.</p> <p>SLR can post process log files from; the VM Monitor, VM Acctg, VM LOGREC, VM NetView, VM NPM, VM RACF, and VM PRF. This processing is done in the MVS environment.</p>											
SnapShot for VM/ESA	5654-A03	1.1.0 @	X	X	X	X	X	X	X	X	X
<p>Note: Full name = IBM RAMAC SnapShot for VM/ESA</p> <p>@ SnapShot is also available for customers of the StorageTek ICEBERG 9200. You must submit an RPQ to IBM for each serial-numbered machine. Contact your IBM marketing representative for more information.</p>											
Note: SOEMI 1.1.0, 5664-201, was withdrawn from marketing as of 7/5/94 and ended service in 1995.											
Software License Monitor (SLM)	5648-038 (EoS 10/31/99)	1.1.0 @ Withdrawn	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Software License Monitor (SLM)	5648-038 (EoS 3/31/02)	1.1.1 @ Withdrawn 3/05/01	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
<p>Note: Software License Monitor (SLM) is a NO CHARGE product in the USA and EMEA. There is a single enterprise charge of \$500.00 in Canada. For charges in other countries check with your local IBM Software marketing organization.</p> <p>@ SLM R1 is VMSES/E enabled.</p>											

Table 1 (Page 55 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
Solids to Proto- type	5799-DXN	2.1.0	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: Version 2 supersedes Version 1, P81040 (5799-CZT). Version 2 is PRPQ # P81086. This PRPQ runs with CATIA.											
SQL MASTER/VM	5684-136 (EoS)	1.1.0 Withdrawn									
SQL MASTER/VM	5684-136 (EoS)	1.1.1 Withdrawn									
SQL MASTER/VM	5684-136 (EoS 1/31/01)	1.2.0 Withdrawn 4/20/00	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
<p>Note: SQL/DS 1.3.x, 5748-XXJ; EoS = 3/31/92. SQL/DS 2.1.0, 5688-004; EoS = 3/31/92. SQL/DS 2.2.0, 5688-004; EoS = 6/30/94.</p> <p>In order to migrate from versions of SQL/DS prior to Version 3, you must first migrate to Version 3. To facilitate this migration, a migration kit is being added to DB2 Server for VSE & VM, Version 6 Release 1. Beginning June 25, 1999, all new purchases of DB2 Server for VSE & VM will contain this migration kit.</p>											
Note: SQL/DS 3.1.0 and 3.2.0, 5688-103; EoS = 12/31/93.											
SQL/DS	5688-103 (EoS 7/19/96)	3.3.0 Withdrawn									
<p>Note: \$ VM Data Spaces Support Feature is available with SQL/DS V3.3. With this feature SQL/DS operates in XC mode on VM/ESA R1.1 and R2, and exploits VM Data Spaces.</p> <p>SQL/DS V3 Releases 1, 2, and 3 were withdrawn from marketing 9/01/93 (EMEA EoM = 10/01/93). EMEA EoS for Releases 1 and 2 is 1/31/94.</p> <p>Miscellaneous Notes:</p> <ul style="list-style-type: none"> The DataHub Support/VM Feature of SQL/DS V3 (Release 3 and Release 4) was available 7/93. This is the VM part of the SystemView Information Warehouse DataHub - a database management product set across SAA systems. SAIV (SQL Application Interface for VSAM) is a feature of SQL/DS V2.2 but will no longer be available in SQL/DS Version 3. The RXSQL feature of SQL/DS Version 3 replaces the RXSQL Program Offering (5798-DXT). 											
SQL/DS	5688-103 (EoS 4/26/97)	3.4.0 Withdrawn									
Note: SQL/DS will not support mixed CP and CMS releases, as supported by VM/ESA.											
SQL/DS for VSE & VM (DB2 for VSE & VM)	5688-103 (EoS 01/31/01)	3.5.0 Withdrawn 10/20/99	-	-	-	-	-	-	-	-	-
<p>Note: The Data Restore feature of SQL/DS for VSE & VM Version 3 Release 5.0 became generally available 1/26/96. The Simplified Chinese feature will be available 2/23/96.</p> <p>SQL/DS will not support mixed CP and CMS releases, as supported by VM/ESA.</p>											
Note: STAIRS 1.1.x, EoS 6/30/90.											
STAIRS/CMS	5664-189 EoS 10/21/94	1.2.0 Withdrawn									
Note: STAIRS/CMS is replaced by SearchManager/370 (5684-143). See entry on page 56.											

Table 1 (Page 56 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
STANDALONE DASD Dump	5799-DHL	1.1.0									
<p>Note: Full name of the above is <i>STANDALONE DASD Dump/Restore</i>, PRPQ # P81048. This PRPQ provides standard DDR, equivalent to the DDR program which ships with VM/ESA R1.0 370 Feature, shipped on a 3.5 inch disk.</p> <p>This PRPQ requires a 9370, 9371, or a 9221 (370 mode) processor (there is NO charge for the PRPQ).</p>											
Surfaces to Animation	5799-DXP	1.1.0	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
<p>Note: The above is PRPQ # P81085.</p>											
<p>Note: TCP/IP Version 1 Release 1, 5798-FAL; EoS = 9/27/91. TCP/IP Version 1 replaced VM Interface Program for TCP/IP (5798-DRG).</p> <p>TCP/IP Version 2 Release 1, 5735-FAL; EoS = 6/30/92.</p>											
TCP/IP	5735-FAL (EoS 4/24/98)	2.2.0 Withdrawn 12/16/94	-	-	-	-	-	-	-	-	-
TCP/IP	5735-FAL (EoS 10/30/99)	2.3.0 @ Withdrawn 12/31/97	-	-	-	-	-	-	-	-	-
<p>Note: * Needs APAR PN34230 (- HIPER -) (see PTF UN35443 or UN35444) for the VM/ESA R2 environment.</p> <p>The VM Offload Feature, which reduces VM CPU load, is available with APAR PN35887 (5/07/93) and the IBM 3172-3 Interconnect Controller. To use the Offload Feature with a second level VM V=V or V=F see PTF UN42195</p> <p>\$ TCP/IP V2 R3 must be at RSU 9503 or higher.</p> <p>@ TCP/IP V2 R3.0 and subsequent releases are VMSES/E enabled.</p>											
TCP/IP	5735-FAL (EoS 1/31/01)	2.4.0 Withdrawn 11/12/99	-	-	-	-	-	-	-	-	-
TCP/IP	5654-030 * \$	FL310	-	-	-	-	-	-	-	-	-
TCP/IP	5654-030 * \$	FL320	-	-	-	-	-	-	-	-	-
<p>Note: * As of VM/ESA V2 R3, TCP/IP is priced feature of VM/ESA. Refer to IBM announcement letter 298-083, dated March 24, 1998, for details.</p> <p>\$ As of March 31, 2000 the following features of TCP/IP FL310 and FL320 are withdrawn from marketing: Offload Feature 0892, Offload Preload Feature 0893. Service for these features ends 1/31/01.</p>											
TCP/IP	Feature of 5654-A17 (EoS 12/31/05)	FL3A0 Withdrawn 8/27/04	Exp	-	-	-	-	-	-	-	-
<p>Note:</p> <p>TCP/IP FL3A0 is a separately priced feature of z/VM.</p> <p>The TCP/IP feature FL3A0 will be withdrawn from marketing effective with the withdrawal from marketing of z/VM V3.1 on August 27, 2004.</p>											
TCP/IP	Base function of 5739-A03 (EoS 6/30/03)	FL410 Withdrawn 10/26/02	-	Exp	-	-	-	-	-	-	-

Table 1 (Page 57 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
TCP/IP	Base function of 5739-A03 (EoS 12/30/03)	FL420 Withdrawn 5/31/02	-	-	Exp	-	-	-	-	-	-
TCP/IP	Base function of 5739-A03 (EoS 5/31/05)	FL430 Withdrawn 8/15/03	-	-	-	Exp	-	-	-	-	-
TCP/IP	Base function of 5739-A03 (EoS 9/30/06)	FL440 Withdrawn 3/31/06	-	-	-	-	Exp	-	-	-	-
<p>Note: TCP/IP is part of the base z/VM V4 product. It is shipped with z/VM V4, pre-installed and enabled for customer use at no additional charge.</p>											
<p>Note: TCP/IP for z/VM FL440 has been withdrawn from marketing effective March 31, 2006. See IBM Announcement Letter 905-261 dated December 6, 2005.</p>											
TCP/IP	Base function of 5741-A05 (EoS 9/30/07)	FL510 Withdrawn 06/15/07	-	-	-	-	-	Exp	-	-	-
<p>Note: TCP/IP is part of the base z/VM V5 product. It is shipped with z/VM V5, pre-installed and enabled for customer use at no additional charge.</p>											
<p>Note: TCP/IP FL510 has been withdrawn from marketing effective June 15, 2007. See IBM Announcement Letter 207-019 dated February 7, 2007. TCP/IP FL510 has been discontinued from service effective September 30, 2007. See IBM Announcement Letter 204-057 dated April 7, 2004.</p>											
TCP/IP	Base function of 5741-A05 (EoS 4/30/09)	FL520 Withdrawn 06/15/07	-	-	-	-	-	-	Exp	-	-
<p>Note: TCP/IP FL520 has been withdrawn from marketing effective June 15, 2007. See IBM Announcement Letter 207-019 dated February 7, 2007.</p>											
TCP/IP	Base function of 5741-A05 (EoS 09/30/10)	FL530 Withdrawn 09/08/08	-	-	-	-	-	-	-	Exp	-
<p>Note:</p> <ul style="list-style-type: none"> • TCP/IP is part of the base z/VM V5 product. It is shipped with z/VM V5, pre-installed and enabled for customer use at no additional charge. • TCP/IP FL530 is planned to be withdrawn from marketing effective September 8, 2008 See IBM Announcement Letter 208-249 dated August 5, 2008. • The TCP/IP feature of z/VM is release-dependent. 											
TCP/IP	Base function of 5741-A05 (EoS 09/30/11)	FL540	-	-	-	-	-	-	-	-	Exp
<p>Note:</p> <ul style="list-style-type: none"> • TCP/IP is part of the base z/VM V5 product. It is shipped with z/VM V5, pre-installed and enabled for customer use at no additional charge. • The TCP/IP feature of z/VM is release-dependent. 											

Table 1 (Page 58 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
TeamKit/VM	5799-EYX	1.1.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: TeamKit/VM is PRPQ # P81212. It is available in the U.S.A. and Canada.											
Note: Terse/VM 1.9.05, PRPQ #P04277 (5764-050), was withdrawn from marketing as of 9/30/97 and ended service in 2Q98.											
TextTagger/ESA	5648-010 * (EoS 12/31/95)	1.1.0 Withdrawn 8/31/95	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
Note: * See IBM Announcement letter 295-217 for information on a replacement product for TextTagger/ESA.											
Note: TIF Ver. 1 (5798-DLK) EoS 1/87. TIF Version 1 was withdrawn from marketing 1/31/93.											
TIF	5654-015 (EoS 1/31/01)	2.1.4 Withdrawn 11/30/99	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
Note: TIRS BUILD 1.1.0, 5688-171; EoS - 3/31/92.											
TIRS BUILD	5688-171 (EoS 6/14/96)	1.2.0 Withdrawn 2/14/96	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: Full name for this product is: AD/Cycle -- The Integrated Reasoning Shell Builder/370.											
Note: TIRS RUN 1.1.0, 5688-170; EoS = 3/31/92.											
TIRS RUN	5688-170 (EoS 6/14/96)	1.2.0 Withdrawn 2/14/96	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: TIRS = <i>The Integrated Reasoning Shell</i> . Full name for this product is: AD/Cycle -- The Integrated Reasoning Shell Runtime/370.											
Tivoli ADSTAR Distributed Storage Manager (ADSM)	5697-VM3 (EoS 3/31/02)	3.1.0 Withdrawn 10/27/00	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *
Note: Tivoli ADSTAR Distributed Storage Manager is replaced by Tivoli Storage Manager, S/390 Edition, Version 3 Release 7, 5697-TSO .											
Tivoli Storage Manager, S/390 Edition	5697-TSO (EoS 3/31/02)	3.7.0 Withdrawn 10/27/00	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *
Tivoli Storage Manager, S/390 Edition	5697-TS9 (EoS 9/30/02)	4.1.0 Withdrawn 8/03/01	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *
Tivoli Storage Manager, S/390 Edition	5697-TS9 (EoS 4/8/06)	4.2.0 Withdrawn 3/07/05	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *
Note: * ... Tivoli Storage Manager function for VM is at the Tivoli Storage Manager V3.1.0 level. See IBM Announcement Letters 200-245 and 200-244, dated July 25, 2000, for additional information.											
5697-TS9, IBM Tivoli Storage Manager, S/390 Edition, V4.2, was replaced by 5608-ISM, IBM Tivoli Storage Manager, V5.2 or later, or 5608-ISX, IBM Tivoli Storage Manager Extended Edition, V5.2 or later but they have also been withdrawn. When running in a Linux guest environment, IBM recommends Tivoli Storage Manager, V5.3 (5608-ISM) or Tivoli Storage Manager Extended Edition, V5.3 (5608-ISX) for key data protection activities of backup, archive, recovery, space management, and disaster planning.											

Table 1 (Page 59 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
Tivoli Storage Manager	5608-ISM (EoS 4/30/07)	5.2.0 Withdrawn 8/12/03	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *
Note: When running in a Linux guest environment, IBM recommends Tivoli Storage Manager, V5.3 (5608-ISM) or Tivoli Storage Manager Extended Edition, V5.3 (5608-ISX) for key data protection activities of backup, archive, recovery, space management, and disaster planning.											
Tivoli Storage Manager, Extended Edition	5608-ISX (EoS 4/30/07)	5.2.0 Withdrawn 8/12/03	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *
Note: For additional information on products 5608-ISM and 5608-ISX, see IBM Announcement Letter 204-024, dated February 24, 2004. When running in a Linux guest environment, IBM recommends Tivoli Storage Manager, V5.3 (5608-ISM) or Tivoli Storage Manager Extended Edition, V5.3 (5608-ISX) for key data protection activities of backup, archive, recovery, space management, and disaster planning.											
Tivoli Storage Manager Extended Edition for z/OS and z/VM V5.2	5698-A11 (EoS 4/30/07)	5.2.0 Withdrawn 3/06/06	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *
Note: When running in a Linux guest environment, IBM recommends Tivoli Storage Manager, V5.3 (5608-ISM) or Tivoli Storage Manager Extended Edition, V5.3 (5608-ISX) for key data protection activities of backup, archive, recovery, space management, and disaster planning.											
Tivoli Storage Manager for z/OS and z/VM V5.2	5698-A13 (EoS 4/30/07)	5.2.0 Withdrawn 3/06/06	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *
Note: For additional information on products 5698-A11 and 5698-A13, see IBM Announcement Letter 203-203, dated August 12, 2003. When running in a Linux guest environment, IBM recommends Tivoli Storage Manager, V5.3 (5608-ISM) or Tivoli Storage Manager Extended Edition, V5.3 (5608-ISX) for key data protection activities of backup, archive, recovery, space management, and disaster planning.											
Note: TPNS 2.3.0, 5662-262; EoS 7/88. TPNS 2.4.0, 5662-262; EoS 10/31/92. TPNS 3.1.0, 5688-121; EoS 07/31/92. TPNS 3.2.0, 5688-121; EoS 10/31/93.											
Note: TPNS = <i>TeleProcessing Network Simulator</i> . Does not include support for the IBM 3705 communications controller.											
TPNS	5688-121 (EoS 1/31/95)	3.3.0 Withdrawn 6/24/94									
TPNS	5688-121 (EoS 9/3/96)	3.4.0 Withdrawn 9/27/96	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
TPNS	5688-121	3.5.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: TQM Corporate PDB 1.1.0, 5764-052, was withdrawn from marketing as of 9/30/97 and ended service in 2Q98.											
Translator Toolkit	5799-EPK	1.1.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
TSCF	5688-139 (EoS 6/24/96)	1.1.0	na	na	na	na	na	na	na	na	na

Table 1 (Page 60 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
TSCF	5688-139 (EoS 4/24/98)	1.2.0	na	na	na	na	na	na	na	na	na
Note: TSCF = Target System Control Facility. VM is supported as target system only -- host system must be on MVS.											
Note: The VALISYS family of products were withdrawn from marketing through the Software Vendor Marketing Program (SVMP) as of 4/1/97. Refer to IBM Announcement letter 997-035, dated February 11, 1997, for additional details.											
VisualGen Host Services feature for VM	5648-078 \$ (EoS 9/30/01)	1.1.0 Withdrawn 6/26/98	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: \$ VisualGen Host Services feature for VM is replaced by VisualAge Generator for MVS, VSE and VM, 5648-B02. See entry on page 62.											
Note: VAST-2 1.1.0, 5798-RXQ; EoS = 06/29/90. VAST-2 1.2.0, 5798-RXQ; EoS = 10/02/92.											
VAST-2	5798-RXQ (EoS 4/24/98)	1.2.1 Withdrawn 2/26/97	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
Note: VAST-2 is a FORTRAN pre-compiler which helps in optimizing programs for vectorization and parallelization. Designed to compliment VS FORTRAN 2.5.0.											
VisualAge COBOL Millennium Language Extensions for MVS & VM	5654-MLE (EoS 4/21/06)	1.1.0 Withdrawn 9/06/00	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
VisualAge COBOL Millennium Language Extensions for OS/390 & VM	5648-MLE (EoS 9/30/02)	1.1.0 Withdrawn 9/05/01	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp	Exp
VisualAge Generator Server for MVS, VSE and VM	5648-B02 (EoS 9/30/09)	1.2.0 Withdrawn 09/08/08	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: This product is a replacement for VisualGen Host Services feature for VM, 5648-078.											
VisualAge PL/I Millennium Language Extensions for MVS & VM	5648-MLX	1.1.0	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *
Note: VM Batch Facility Version 1, 5664-364; EoS = 12/27/91.											
VM Batch Facility	5684-137 (EoS 9/2/94)	2.1.0									

Table 1 (Page 61 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
VM Batch Facility	5684-137	2.2.0	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *
<p>Note: VM Batch Facility V2 R2 is VMSES/E enabled. VM Batch Facility V2 R2 co-reqs RSCS V2 R3 or V3 R1, ISPF V3 R2 and RACF V1 R9 to provide additional function. * GC05375/UG03810 provides 31 bit toleration.</p>											
<p>Note: VM Data Collector 1.0.0, 5798-DZF; EoS = 12/90. VM Data Collector will be withdrawn from marketing effective 7/05/94.</p>											
<p>Note: VM IPCS R5, 5748-SA1; EoS 12/88.</p>											
VM PWSCF	5799-DHH	1.1.2 Withdrawn 3/31/98	\$	\$	\$	\$	\$	\$	\$	\$	\$
<p>Note: PWSCF = <i>Personal Work-Station Communications Facility</i>. VM PWSCF is PRPQ # P81056. Service for the workstation function will be discontinued 04/18/92, superseded by VM PWSCS. \$ The host code has been integrated into CP in VM/ESA Release 1.1 and thus P81056 is not required on VM/ESA R1.1 and beyond.</p>											
<p>Note: VM PWSCS 1.0 , 5684-138; EoS = 6/30/92. VM PWSCS 1.1 , 5684-138; EoS = 9/30/93.</p>											
VM PWSCS	5684-138 (EoS 3/16/95)	1.2 Withdrawn 11/16/94	na	na	na	na	na	na	na	na	na
<p>Note: \$ VM PWSCF is used in conjunction with VM PWSCS for locally optimized VM-to-Workstation connections. PWSCS = <i>Programmable WorkStation Communication Services</i>. * APAR VM52836 is required for Micro Channel to Mainframe Channel support to VM/ESA 1.1. Supports CPI Communications over standard LAN protocols (TCP/IP, IPX/Novell, 802.2) for DOS, Windows, AIX PS/2 AIX V3, OS/2, and NetWare. Supports channel connectivity to VM/ESA and inter-operates with SNA LU6.2 connectivity to MVS/ESA and other SNA LU6.2 systems.</p>											
<p>Note: VM/DIRMAINT 1.2.0 5748-XE4 EoS: February 1990 VM/DIRMAINT 1.3.0 5748-XE4 EoS: September 1994 VM/DIRMAINT 1.4.0 5748-XE4 EoS: October 1996</p>											
VM/DIRMAINT	5748-XE4 \$ (EoS 12/31/05)	1.5.0 ** Withdrawn 8/27/04	Exp XCTol %	-	-	-	-	-	-	-	-
<p>Note: ** VM/DIRMAINT R5 is only supported on VM/ESA V2 and z/VM V3.1. For older versions of VM, see VM/DIRMAINT R4. \$ VM/DIRMAINT is VMSES/E enabled. % VM/DIRMAINT 1.5.0 requires PTF VM62609 for z/VM V3.1. DirMaint 1.5.0 will be withdrawn from marketing effective with the withdrawal of marketing of z/VM V3.1 on August 27, 2004. For DirMaint running on z/VM V4 and later, see page 23.</p>											
<p>Note: VM/DSNX 1.2.0, 5684-009; EoS 6/90.</p>											

Table 1 (Page 62 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
VM/DSNX	5684-009 (EoS 11/01/94)	1.3.0 Withdrawn 5/11/94 @									
<p>Note: * see APAR VM42629 (PTF UV52056) --- available now.</p> <p>@ VM DSNX will be withdrawn from marketing effective 5/01/94.</p>											
<p>Note: VM/ESA R2 FBA Limited Availability, 5799-EPE, PRPQ P81207, was withdrawn from availability with the general availability of VM/ESA V1 R2.2.</p>											
<p>Note: VM/IPF 2.1.0, 5664-318; EoS 12/88. VM/IPF 2.2.0, 5664-318; EoS 12/93.</p>											
VM/IPF	5664-318 (EoS 10/30/99)	2.3.0 Withdrawn 12/31/97									
<p>Note: * see APAR PL60470 (PTF UL90401) and also see Informational APAR II05439.</p> <p>For support of VM/ESA ESA Feature order the CMS Utilities Feature of the VM/ESA product.</p>											
<p>Note: VM/IS PF 1.5.1, 5664-283; EoS = 2/90. VM/IS PF 1.6.0, 5664-283; EoS = 10/30/92. VM/IS PF 5664-283 was withdrawn from marketing 12/27/91.</p>											
<p>Note: VM/ISF 1.1.0 and 1.2.0, 5664-376; EoS = 12/89.</p>											
VM/RTM	5796-PNA (EoS 10/30/99)	1.1.8 Withdrawn % 12/31/97									
<p>Note: * APAR GC03762, PTF UG00219 -- available now.</p> <p>% see informational APARs II03117 and II04072. VM/RTM is superseded by RTM/ESA for the VM/ESA ESA Feature environment.</p>											
<p>Note: VM/SE Release 1.1, 5713-AAK; EoS = 11/88. SE = <i>Software Engineering</i>.</p>											
<p>Note: VM/SE Version 2 5706-200; EoS = 10/30/92.</p>											
<p>Note: VM/SE Work Station Extension Program, 1.1.0, 5799-DBN (PRPQ # P85107); WFM = 3/31/98, EoS = 12/30/90.</p>											
VM/VCNA	5735-RC5	1.0.0 Withdrawn									
<p>Note: VM/VCNA is used only in conjunction with OS/VS1 or VSE. VM/VCNA = <i>VM/VTAM Communication Network Applications</i> .</p>											
<p>Note: VM:Webgateway(TM), 5758-SLM, VM:Webgateway OfficeVision Interface, 5758-SLN, and VM:Backup(TM), 5758-SL2 were withdrawn from marketing through the Software Vendor Marketing Program (SVMP) as of March 2000. Software provider Sterling Software was acquired by Computer Associates Inc. as of April 2000. Contact Computer Associates Inc. at 800-225-5224 or 631-342-5224 or visit their website at http://www.ca.com for additional information.</p>											
<p>Note: VMBACKUP MS 1.5.1, 5664-291; EoS = 9/91.</p>											
<p>Note: VM MAP 1.1.4, 5664-191; EoS 4/89.</p>											

Table 1 (Page 63 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
VMMAP	5664-191 (EoS 10/30/99)	1.1.5 Withdrawn 12/31/97									
<p>Note: * APAR GC02765, PTF UG00221 --- available now.</p> <p>% Since VMMAP does not run on the VM/ESA ESA Feature; the reporting function is provided by VM/PRF in the VM/ESA (ESA) environments. VM/PRF does not include VMMAP type graphics. Graphics can be had with VMPAF and VM/PRF. Limited graphics can also be displayed using RTM/ESA and HMF/VM.</p>											
VMPAF	5684-130 (EoS 05/05/08)	1.1.0 Withdrawn 04/26/91									
VMPAF	5684-130 (EoS 05/05/08)	1.1.1 Withdrawn 12/18/92									
VMPAF	5684-130 (EoS 05/05/08)	1.1.2 Withdrawn 07/09/03									
VMPAF	5684-130 (EoS 05/05/08)	1.1.3 Withdrawn 03/05/07	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *
<p>Note: VMPAF = <i>VM/Performance Analysis Facility</i>.</p> <p>Note: VMPPF Version 1, 5664-179; EoS = 4/05/90. VMPPF Version 2 Release 1 and 2, 5684-090; EoS = 12/31/92. VMPPF Version 2 was withdrawn from marketing 8/19/92.</p> <p>Note: VMPRF 1.1.0, 5684-073; EoS = 2/23/92.</p>											
VMPRF	5684-073 (EoS 3/31/02)	1.2.0 Withdrawn 2/23/01	Exp *	-	-	-	-	-	-	-	-
VMPRF	5684-073 (EoS 12/31/05)	1.2.2 Withdrawn 8/27/04	Exp *	-	-	-	-	-	-	-	-
<p>Note: * ... Apply latest service. See Information APAR II06339. VMPRF works with LE/370 (5688-198), it requires APAR VM59419 and LE/370 service at January 1995 level or later. VMPRF 1.2.2 was withdrawn from marketing effective with the withdrawal of marketing of z/VM V3.1 on August 27, 2004.</p> <p>Note: Starting with z/VM Version 4, VMPRF is shipped as a priced feature of z/VM. See IBM Announcement letter 201-163, dated May 29, 2001, for complete details. See the PRF feature on page 48.</p> <p>Note: VMTAPE MS 1.4.1, 5664-292; EoS = 9/91.</p> <p>Note: VM3812 1.1.3, 5798-DTE; EoS = 12/92. VM3812 V1 was withdrawn from marketing 11/04/92.</p>											
VPCA	5785-GCL (EoS 12/31/94)	1.2.0									
<p>Note: Full name of the above is: <i>VTAM Protocol Conversion Application</i>. VPCA co-req's NetView DM (5684-017).</p> <p>Note: VS COBOL II 1.2.0, 5668-958, 5688-023, and 5688-022; EoS 12/89. VS COBOL II 1.3.x, 5668-958, 5688-023, and 5688-022; EoS 3/26/94 -- VS COBOL II C & L (5688-023), VS COBOL II C, L, D (5668-958), and VS COBOL II Lib (5688-022)</p>											
VS COBOL II C & L	5688-023 (EoS 3/31/01)	1.4.0 Withdrawn 6/30/97	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *

Table 1 (Page 64 of 67). LP's Migration Matrix -- z/VM												
Product	Program Number	V.R.M	z/VM									
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4	
VS COBOL II C, L, D	5668-958 (EoS 3/31/01)	1.4.0 With- drawn	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *
VS COBOL II Lib	5688-022 (EoS 3/31/01)	1.4.0 Withdrawn 6/30/97	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *	Exp *
Note: VS COBOL II Release 4 contains cumulative service rolled into a maintenance release.												
* Release 4.0: see APAR PN33499 relating to VSAM file 31-bit support.												
Note: COBOL: The AD/Cycle COBOL/370 product is IBM's strategic COBOL product for the System/370 and System/390 platform.												
Note: VS FORTRAN 2.3.0, 5668-806; EoS 9/90. VS FORTRAN 2.4.0, 5668-806; EoS 6/92.												
VS FORTRAN C, L, IAD	5668-806 (EoS 12/31/95)	2.5.0 @ Withdrawn 8/27/93	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *
VS FORTRAN C, L, IAD	5668-806	2.6.0	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *	Exp XCExp \$ % *
VS FORTRAN C & L	5688-087 (EoS 12/31/95)	2.5.0 @ Withdrawn 8/27/93	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %
VS FORTRAN C & L	5688-087	2.6.0	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %
Note: VS FORTRAN Version 2 \$ Support of parallelism in VM/ESA requires <i>CMS Support for Parallel Fortran</i> (PRPQ #P81051, 5799-DGW).												
% Support of Extended Common allows dynamic allocation of multiple commons, each up to 2 Gigabytes. This was available 12/91 along with VM/ESA R1.1 support. Fortran applications using Extended Common can exploit VM Data Spaces.												
@ VS/FORTRAN Library Version 2 Release 5 Needs APAR PN24431 (PTF UN32858 or UN32859) for all VM environments.												
Note: VS FORTRAN Comp/Lib 1.4.1, 5748-FO3; EoS = 7/26/91.												
Note: VS FORTRAN Interactive Debug (IAD) 1.2.x, 5668-903; WFM = 3/31/98, EoS = 7/26/91.												
Note: VS FORTRAN LIB 2.3.0, 5668-805; EoS 9/30/90. VS FORTRAN LIB 2.4.0, 5668-805; EoS 6/92.												
VS FORTRAN LIB	5668-805 (EoS 12/31/95)	2.5.0 @ Withdrawn 8/27/93	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %
VS FORTRAN LIB	5668-805	2.6.0	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %
Note: @ VS/FORTRAN Library Version 2 Release 5 Needs APAR PN24431 (PTF UN32858 or UN32859) for all VM environments. Also see APAR PN24241 (PTF UN26001).												
% Fortran applications using Extended Common can exploit VM Data Spaces.												
Note: VS FORTRAN Library 1.4.1, 5748-LM3; WFM = 3/31/98, EoS = 7/26/91.												
Note: VS PASCAL 1.1.0, 5668-767; EoS 6/89.												

Table 1 (Page 65 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
VS PASCAL	5668-767	1.2.0	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *	Tol *
Note: * APAR PL67868 (PTF UN23639) -- available now.											
VS PASCAL LIB	5668-717	1.2.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
VSE/VSAM	5746-AM2 (EoS 9/30/94)	1.4.x Withdrawn 12/18/92	-	-	-	-	-	-	-	-	-
Note: VSE/VSAM Version 1 was withdrawn from marketing 12/18/92 For Maintenance related to VSE/VSAM on VM see Information APAR II05610 (last update 12/09/91). * VSE/VSAM Version 1 Release 4 recommended VM APAR - For the 370 Feature: VM45721 (GCS - UM17096) VM APAR - For the ESA Feature: VM45018 (GCS - UM17076)											
VSE/VSAM	5686-037 (EoS 1/31/01)	2.1.x	-	-	-	-	-	-	-	-	-
Note: For installation see VM50912 and VM51032 (PTF UV90719) New Install Procedures. For Maintenance related to VSE/VSAM on VM see Information APAR II05610 (last update was 02/26/92). * Recommended Service: <ul style="list-style-type: none">Running on VM/ESA Release 1.0 (370 feature) VM45095 (CMS) VM48554 (CMS) VM50836 (CMS) VM45721 (GCS) VM48577 (GCS)											
VSE/VSAM	5686-037 (EoS 1/31/01)	2.2.0	-	-	-	-	-	-	-	-	-
Note: VSE/VSAM Version 2 Release 2.0 pre-reqs VM/ESA R2.1, R2.2 or VM/ESA V2 R1. VSE/VSAM V2 R2 is VMSES/E enabled.											
VSE/VSAM for VM	5686-081 (EoS 2/28/07)	6.1.0 Withdrawn 9/30/05	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
Note: VTAM: see ACF/VTAM on pages 2 and 3.											
Note: WDSF/VM 1.1.0, 5684-122; EoS = 3/31/94. Full name is: <i>IBM Workstation Data Save Facility/VM</i> WDSF/VM was withdrawn from marketing 10/29/93. WDSF/VM is replaced by ADSTAR Distributed Storage Manager (5648-020).											
WLFS/VM	5684-120 (EoS)	1.1.0 Withdrawn	-	-	-	-	-	-	-	-	-
WLFS/VM	5684-120 (EoS 12/17/94)	1.1.1 @ Withdrawn 8/17/94	-	-	-	-	-	-	-	-	-
Note: WLFS/VM = <i>Workstation Local Area Network File Services/VM</i> WLFS/VM pre-reqs C/370 Library V2 (5688-188) @ WLSF/VM R1.1 is VMSES/E enabled. WLFS/VM NFS server and TCP/IP for VM NFS Feature CANNOT coexist on a single VM.											

Table 1 (Page 66 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 *	V5.3	V5.4
WOW Personal	5799-DQZ	1.1.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: WOW = <i>Window on the World</i> , PRPQ # P81076. For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)											
WOW Public	5799-DRA	1.1.0	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: WOW = <i>Window on the World</i> , PRPQ # P81077. For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)											
X.25 NPSI	5668-719	2.1.0 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na
Note: X.400 PROFS Connection 1.1.0, 5785-GCG; EoS = 12/31/91. X.400 PROFS Connection 1.2.0, 5785-GCG; EoS = 6/30/92.											
X.400 PROFS Connection	5785-GCG (EoS 9/1/95)	1.3.0 Withdrawn 3/03/95	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: X.400 PROFS Connection Release 3 replaced Release 2.											
XCOL	5799-EGZ	1.1.0 Withdrawn	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
Note: XCOL = <i>Xedit Column Editing</i> , PRPQ # P81095. For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)											
XI	5685-005 (EoS 3/31/02)	1.2.0 Withdrawn 9/06/00	na	na	na	na	na	na	na	na	na
Note: XI = <i>X.25 SNA Interconnection</i> , Version 1 Release 2 runs on the 3725 controller. XI (5685-005 Version 1 and 5685-035 Version 2) doesn't run under VM; it runs under NCP on the controller, not on the VM host system.											
Note: XI 2.1.0, 5685-035; EoS = 12/31/91. XI 2.2.0, 5685-035; EoS = 12/31/92. XI 2.3.0, 5685-035; EoS = 12/31/93.											
Note: XI = <i>X.25 SNA Interconnection</i> ; Version 2 runs on the 3720 & 3745 controller.											
XI	5685-035 (EoS 10/5/04)	2.4.0 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na
XI	5685-035 (EoS 10/5/04)	2.4.1 Withdrawn 9/03/03	na	na	na	na	na	na	na	na	na
XI	5685-035	2.4.2	na	na	na	na	na	na	na	na	na
Note: 3172 ICP 1.0.0, 5601-400; EoS = 12/30/91. 3172 ICP Version 1 could be upgraded to Version 2. 3172 ICP Version 2 is past end of currency: - 3172 ICP 2.0.0, 5601-433; EoS = 08/28/92. - 3172 ICP 2.1.0, 5601-433; EoS = 12/27/92. - 3172 ICP 2.2.0, 5601-433; EoS = 03/25/93. 3172 ICP Version 2 5601-433 will be withdrawn from marketing 7/08/94. It is replaced by Version 3 5621-425. 3172 ICP 3.1.0, 5621-425; EoS = 03/31/94.											

Table 1 (Page 67 of 67). LP's Migration Matrix -- z/VM											
Product	Program Number	V.R.M	z/VM								
			V3.1 * %	V4.1 * %	V4.2 * %	V4.3 * %	V4.4 * %	V5.1 * %	V5.2 * %	V5.3	V5.4
3172 ICP	5621-425	3.2.0	na	na	na	na	na	na	na	na	na
3172 ICP	5621-425	3.3.0	na	na	na	na	na	na	na	na	na
3172 ICP	5621-425	3.4.0	na	na	na	na	na	na	na	na	na
3172 ICP	5621-425	3.5.0	na	na	na	na	na	na	na	na	na
<p>Note: 3172 ICP supports TCP/IP and SNA protocols and is the control program for the IBM 3172 Controller Models 2 and 3. (Note: the 3172 model 2 controller is withdrawn from marketing, effective 7/08/94.)</p> <p>.... 3172 ICP V3 co-reqs either TCP/IP V2 for VM (5735-FAL) or ACF/VTAM V3 R4 (5664-280 or 5684-095).</p> <p>ICP = <i>Interconnect Controller Program</i>.</p> <p>3172 ICP V3 R2 supports the ESCON and the FDDI features of the 3172-003 controller. ESCON w/ TCP/IP will require the appropriate upgrade to TCP/IP V2 R2.</p>											
Note: 3270 PC FTP 1.0.0 and 1.1.0, 5664-281; EoS = 11/88.											
3270 PC FTP	5664-281 (EoS 9/24/04)	1.1.1 Withdrawn 9/24/04 @	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol	Tol
<p>Note: For PROFS installations of the above see GC02326.</p> <p>3270 PC FTP is shipped as a sample program in V5.1 with no support.</p>											
4700 AMG	5668-934	1.3.1									
Note: AMG = Application Map Generator											
Note: 5210 Printer Support Version 1 5798-DTA; EoS = 4/30/89. Withdrawal from marketing is effective 7/05/94.											
Note: 6670 Use. Aids 1.1.3, 5798-DQF; Withdrawn 12/31/97, EoS 6/86.											
Note: 6670 Utils. Preprocessor 1.1.0, 5798-DKB; EoS = yes.											

Index

Numerics

5601-433	68
5604-095	28
5608-A56	34
5608-C06	34
5608-ISM	61
5608-ISX	61
5612-001	13
5613-201	13, 14
5613-202	14
5613-203	14
5613-204	14
5613-205	14
5613-206	14
5613-207	14
5613-208	14
5613-209	14
5613-210	14
5613-211	14
5613-212	14
5613-213	14
5613-214	14
5613-215	14
5613-216	14
5613-217	14
5613-218	14
5613-219	14
5613-220	14
5613-221	14
5613-222	14
5613-223	14
5613-224	14
5613-226	14
5614-001	62
5614-002	62
5614-003	62
5620-ADM	62
5620-ADN	62
5620-ADP	62
5620-ADQ	62
5621-416	20
5621-425	68, 69
5627-ANI	16
5627-ANS	16
5627-ASS	16
5627-ASU	16
5627-ATT	16
5627-BDG	16
5627-CCC	16
5627-CDA	16
5627-CDM	16
5627-CDS	16
5627-COM	14, 16
5627-DEV	16
5627-DR2	16
5627-DRA	16
5627-DRS	16
5627-ELD	16
5627-ELF	16
5627-ELG	16
5627-ELW	16
5627-FEA	14, 16
5627-FEM	16
5627-FIT	16
5627-FRF	16
5627-GEO	16
5627-GII	16
5627-GPS	16
5627-IGC	16
5627-IGI	16
5627-IMD	16
5627-KIN	16
5627-LIB	16
5627-LIC	16
5627-MAA	16
5627-NAS	16
5627-NC3	16
5627-NC5	16
5627-NCB	16
5627-NCR	16
5627-NES	16
5627-PA3	16
5627-PBG	16
5627-ROC	16
5627-ROS	16
5627-SCH	16
5627-SHE	16
5627-SOE	14, 16
5627-SOM	16

5627-SPA	16	5648-D72	42, 43
5627-SPM	16	5648-DRZ	34
5627-SPN	16	5648-MLE	62
5627-SUD	16	5648-MLX	62
5627-SWE	16	5654-006	48
5627-TU3	16	5654-007	8
5627-TUR	16	5654-009	3, 4
5627-WF3	16	5654-010	4
5627-xxx	14, 15	5654-011	40
5635-001	12	5654-015	60
5635-002	12	5654-025	8
5635-003	12	5654-029	23, 24
5635-004	12	5654-030	17, 58
5635-005	12	5654-033	32
5635-006	12	5654-260	26
5635-007	12	5654-A02	7
5635-008	12	5654-A03	56
5635-009	12	5654-A17	17, 58
5635-010	12	5654-A22	32
5635-014	12	5654-A23	33
5635-110	12	5654-MLE	62
5635-111	12	5655-T13	35
5635-112	12	5658-995	36
5639-B79	46	5662-262	61
5648-001	36	5664-179	65
5648-003	13	5664-185	4
5648-005	6	5664-188	53, 54
5648-010	60	5664-189	57
5648-018	9	5664-191	65
5648-020	7	5664-198	49
5648-038	56	5664-199	48
5648-039	37, 38	5664-200	29
5648-063	2, 3	5664-201	56
5648-077	42	5664-204	39
5648-078	62	5664-280	4
5648-089	43	5664-281	69
5648-092	9	5664-282	36
5648-109	35	5664-283	64
5648-113	7	5664-285	36
5648-141	42	5664-289	3
5648-158	21	5664-291	64
5648-A09	27	5664-292	65
5648-A17	27	5664-293	44
5648-A20	46	5664-296	20
5648-A25	17, 18	5664-307	55
5648-A70	21, 50	5664-309	49
5648-B02	62	5664-310	48
5648-B05	18	5664-312	49
5648-B33	7	5664-315	27

5664-318	64	5668-882	55
5664-322	36	5668-890	27
5664-323	36	5668-897	36
5664-325	22	5668-899	8
5664-327	24	5668-903	66
5664-329	17	5668-904	35
5664-334	38	5668-905	30
5664-335	38	5668-909	45
5664-336	29	5668-910	45
5664-361	44	5668-911	45
5664-363	36	5668-918	19
5664-364	62	5668-919	36
5664-365	7	5668-934	69
5664-366	7	5668-941	30
5664-370	24	5668-951	41
5664-374	17	5668-958	65, 66
5664-376	64	5668-962	9
5664-382	46	5668-963	41
5664-387	48, 49	5668-978	27, 28
5664-388	24	5668-981	40
5664-390	17	5668-996	32
5664-391	26	5668-997	17
5664-392	26	5668-AAA	50
5664-393	46	5684-001	40
5665-397	56	5684-007	30
5667-124	2	5684-009	64
5667-134	21	5684-011	17
5668-717	67	5684-013	45
5668-719	40, 68	5684-014	36
5668-723	29	5684-015	36
5668-738	2	5684-017	39
5668-739	38	5684-025	56
5668-754	2	5684-026	10
5668-757	39	5684-028	40
5668-767	67	5684-038	46
5668-788	24	5684-042	35
5668-795	17	5684-043	36
5668-801	28, 29	5684-048	39
5668-802	28	5684-052	4
5668-805	66	5684-057	20
5668-806	66	5684-058	20
5668-808	8	5684-059	20
5668-812	29	5684-061	46
5668-813	19	5684-062	10
5668-814	19	5684-064	12
5668-815	53	5684-065	46
5668-854	2	5684-073	65
5668-863	26	5684-084	43, 44
5668-865	22	5684-090	65

5684-091	24	5688-040	11
5684-095	4	5688-045	5
5684-096	54	5688-047	35
5684-098	55	5688-050	30
5684-099	4	5688-052	23
5684-100	46	5688-087	66
5684-104	44	5688-091	38
5684-107	46	5688-092	36
5684-111	39	5688-093	29
5684-112	17	5688-094	26
5684-113	24	5688-103	57
5684-120	67	5688-104	48
5684-122	67	5688-108	9
5684-123	36	5688-113	28
5684-124	17	5688-121	61
5684-129	5	5688-127	53
5684-130	65	5688-132	19
5684-134	22	5688-137	46
5684-136	57	5688-139	61, 62
5684-137	62, 63	5688-169	30
5684-138	63	5688-170	60
5684-139	44	5688-171	60
5684-140	9	5688-172	37
5684-141	49, 50	5688-179	55
5684-142	37	5688-187	11
5684-143	55, 56	5688-188	11, 12
5684-157	31, 32	5688-190	48
5684-160	13	5688-191	44
5684-164	25	5688-194	5, 18, 19, 33
5684-168	29, 30	5688-197	5, 32
5685-003	41	5688-198	5, 6, 37
5685-005	68	5688-199	36
5685-010	36, 37	5688-216	5
5685-035	68	5688-224	11
5685-105	30	5688-226	26
5686-037	67	5688-228	8
5686-081	67	5688-229	8
5688-003	8	5688-231	2
5688-004	57	5688-235	6, 33
5688-008	26	5695-013	52, 53
5688-009	11	5695-014	52, 53
5688-013	28	5695-101	26
5688-015	10, 11	5696-234	30, 31
5688-021	10	5696-309	6
5688-022	65, 66	5696-703	21
5688-023	65	5696-737	5, 18
5688-030	39	5697-235	20
5688-035	40, 41	5697-D27	51
5688-039	11	5697-F16	21

5697-F42	21, 50, 51	5747-DS1	35
5697-J05	32	5748-AP1	65
5697-J06	32	5748-FO3	66
5697-J08	34	5748-LM3	66
5697-J10	33	5748-RC1	50
5697-TS9	60	5748-XE4	63
5697-TSO	60	5748-XP1	53
5697-VM3	7, 60	5748-XX1	65
5698-A11	61	5748-XX9	22
5698-A13	61	5748-XXB	24
5698-A36	34, 35	5748-XXJ	57
5706-053	6	5750-ACF	39
5706-113	23	5756-051	40
5706-116	22	5758-BY0	25
5706-200	64	5758-BY1	25
5706-218	38, 39	5758-BY4	25
5706-236	33	5758-BY5	25
5706-255	50, 51	5758-BYA	25
5706-292	6, 7	5758-MT0	63
5706-295	6	5758-MT1	63
5709-019	12	5758-MT2	63
5709-025	6	5758-MT3	63
5709-027	6	5758-MT4	63
5709-031	25	5758-MT5	63
5709-032	25	5758-SL2	64
5713-AAK	64	5758-SL7	64
5713-AGL	38	5758-SL8	64
5717-002	13	5758-SLM	64
5734-LM4	47	5758-SLN	64
5734-LM5	48	5758-SLY	64
5734-PL1	47	5759-025	39
5734-PL2	47	5764-007	25
5734-PL3	47	5764-011	7
5735-FAL	58	5764-029	17
5735-RC5	64	5764-044	7
5735-XX7	42	5764-050	60
5735-XX9	2	5764-052	61
5735-XXB	25	5767-001	9
5739-A03	17, 23, 47, 48, 52, 55, 58, 59	5767-032	9
5740-CB1	45	5767-038	9
5740-LM1	45	5767-062	26, 27
5740-M53	8, 9	5785-ABH	33
5740-XXH	51, 52	5785-DHG	45
5741-A05	23, 47, 52, 54, 59	5785-DJD	10
5746-AM2	67	5785-EET	27
5746-CB1	24	5785-EEY	27
5746-LM4	24	5785-GCG	68
5746-RG1	53	5785-GCH	68
5746-SM2	24	5785-GCL	65

5785-HAH	22	5799-DXP	58
5785-LAT	53	5799-DZR	37
5785-MCB	24	5799-EDY	48
5785-RAC	17	5799-EFR	56
5785-RAE	27	5799-EGE	11
5787-AAF	33	5799-EGW	38
5796-PKR	27	5799-EGZ	68
5796-PNA	64	5799-ELA	56
5797-236	9	5799-ENT	19
5798-DKB	69	5799-EPE	64
5798-DLL	22	5799-EPK	61
5798-DMY	27	5799-EYW	52
5798-DPW	27	5799-EYX	60
5798-DQF	69	5799-FBB	13
5798-DQZ	38	5799-FBK	43
5798-DRT	49	5799-FDF	13
5798-DTE	65	5799-FFC	43
5798-DWD	54, 55	5799-FLP	9
5798-DYR	18	5799-FLT	27
5798-DZF	63	5799-FLX	43
5798-DZX	18	5799-FPL	43
5798-FAL	58	5799-FQW	43
5798-FAP	22	5799-PGX	27
5798-FBB	49, 53	5799-XBA	28
5798-FBG	38	5799-XBB	56
5798-FBJ	49	5799-XBC	2
5798-RXD	36	5799-XBE	38
5798-RXQ	62		
5799-AXX	28	D	
5799-BTB	25	DataJoiner	20
5799-CRJ	50	DB2 WWW	21
5799-CTX	46		
5799-CZE	13		
5799-CZK	43		
5799-DBN	64		
5799-DDK	30		
5799-DDL	30		
5799-DFN	24		
5799-DGW	17		
5799-DHH	63		
5799-DHL	58		
5799-DKF	17		
5799-DKZ	17		
5799-DNE	50		
5799-DQW	39		
5799-DQZ	68		
5799-DRA	68		
5799-DRD	27		
5799-DXN	57		

DSMTB2451W TABLE SPLIT ON PAGE 15.
DSMTB2451W TABLE SPLIT ON PAGE 16.
DSMBEG323I STARTING PASS 2 OF 3.
DSMTB2451W TABLE SPLIT ON PAGE 15.
DSMTB2451W TABLE SPLIT ON PAGE 16.
DSMBEG323I STARTING PASS 3 OF 3.
DSMTB2451W TABLE SPLIT ON PAGE 15.
DSMTB2451W TABLE SPLIT ON PAGE 16.