

**Licensed Products Migration Matrix for z/VM  
or  
WHAT IS SUPPORTED WHERE for z/VM**

=====

**A Migration Planning Aid**

-----

**Version 6 Level 02**

=====

12/02/09

z/VM Platform Management Team  
Contact: Denny Refsnider

IBM Corporation  
z/VM Development  
1701 North Street  
Endicott, NY 13760  
refsnid@us.ibm.com

---

# About This Document

- 1 The following table lists IBM licensed programs that are supported in z/VM version 5 and version 6 environments including Products, Program Offerings, and PRPQ's. It may be useful to you if your applications depend on one or more of these products. The table is arranged alphabetically by product name.
- 2 A revision code of "1" in the left-hand margin identifies changes made in the version dated October 20, 2009.
- 2 A revision code of "2" in the left-hand margin identifies changes made in the version dated December 2, 2009.
- 1 If you require this information for version 3 or version 4, please consult the LP Matrix at:
  - 1 <http://www.ibm.com/vm/techinfo/lpmigr/vmlp540.pdf>

This document contains information from many different sources.

This information has been collected and verified to the best of our abilities.

Licensed products that have been withdrawn from marketing may not have been tested nor operate correctly on z/VM releases that became available after the withdrawal date of the licensed product.

If you know of an error or a problem please let us know. All input and corrections are welcome and should be directed to the author.

**This document has not been subject to any formal IBM test and is distributed on an "as is" basis without any warranty either expressed or implied.**

---

## Definitions

A blank cell indicates that support information for this Version.Release.Modification level was not available at the time of publication. You should contact IBM Service for specific questions.

Some symbols and acronyms used in the table are:

- |             |                                                                                                                                                   |
|-------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>X</b>    | Indicates that this Version.Release.Modification level of this product is supported in the environment represented by that column.                |
| <b>na</b>   | Mode is not applicable. Product does not run in the host. But is supported with this z/VM environment.                                            |
| -           | Indicates product is not support by IBM in a given z/VM environment. Some "AS-IS" products have programming support services available for a fee. |
| <b>EoS</b>  | End of Service (synonym = End of Currency).                                                                                                       |
| <b>FCS</b>  | First Customer Ship.                                                                                                                              |
| <b>GA</b>   | General Availability.                                                                                                                             |
| <b>PRPQ</b> | Programming Request for Price Quotation (IBM custom built program products).                                                                      |
| <b>TBD</b>  | To Be Determined.                                                                                                                                 |
| <b>WEM</b>  | Equates to: Withdrawal from Marketing (synonym = End of Marketing).                                                                               |
|             | In the left margin denotes new products and note changes since the last version.                                                                  |

\* \$ % @ + \*\*

Indicate there is information in the first table note below this row. The information may relate to service or some special information about this product running on a specific level of z/VM.

**Note:** Due to space constraints, we cannot list all the information which may be relevant to running a particular product in a particular z/VM environment. You should always check with your IBM Service representative or on OITools for the latest information on installation and service.

Service for PRPQs ranges from full Central Support, to 100 days of support, to none.

(C) Copyright 2000, 2002, 2004, 2005, 2006, 2007, 2008, 2009 by International Business Machines Corp. All rights reserved.

The following symbols are used in the z/VM columns:

- 370** Executes in a 370 mode virtual machine using 24-bit addressing, and 370 I/O.
- Tol** Toleration mode: Executes in an XA mode virtual machine using 24-bit addressing and XA I/O. Tol means 370-XA architecture toleration.
- Note:** some translators (eg. HLASM, PL/I V2, PASCAL) will generate code that will use 31-bit addressing.
- Exp** Exploitation mode: Executes in an XA mode virtual machine using 31-bit addressing and XA I/O. Exp means 370-XA architecture exploitation. Some products which exploit 31 bit addressing may require that a segment be saved below the 16 megabyte line. This information is contained in the individual product documentation. I will note this when I have that information.
- Svm** At least one Server machine runs only in a 370 mode virtual machine, user code will run in an XA or XC mode virtual machine.
- XCTol** XC Toleration: Executes in an XC mode virtual machine and is either XA-370 Tolerant (see definition of *Tol* above) or XA-370 Exploitive (see definition of *Exp* above). VM Data Space Support is not exploited.
- XCExp** XC Exploitation: Executes in an XC mode virtual machine and uses/exploits the VM Data Space Support offered by the ESA/XC architecture.
- 370A** 370 Accomodation: Program(s) *must* execute in a virtual machine with 370 Accomodation mode set to ON.

## 1 **New in Version dated 10/20/09**

- 1 • Added a column for z/VM version 6 release 1.
- 1 • Removed columns for z/VM version 3 and versions 4.
- 1 • Added DirMaint FL610 feature (5741-A07).
- 1 • Added RACF Security Server FL610 feature (5741-A07).
- 1 • Added Performance Toolkit for VM FL610 feature (5741-A07).
- 1 • Added RSCS Networking FL610 feature (5741-A07).
- 1 • Added TCP/IP FL610 feature (5741-A07).
- 1 • Added IBM Systems Director VMControl Image Manager for Linux on System z, V2.1 (5648-I2Z).
- 1 • Added the discontinuance of service of Callup V1.3 (5684-160) effective September 30, 2010 as announced in  
1 909-011 (US), dated August 4, 2009.

## 2 **Updated in Version dated 12/02/09**

- 2 • Added the withdrawal from marketing of IBM SearchManager/370 under VM V1.3.0 (5684-143) effective  
2 December 14, 2009 as announced in 909-291 (US), dated December 1, 2009.

---

## How to Get an Updated Document

The LPs Migration Matrix is a point in time compilation of information regarding IBM LPs that run on the z/VM operating system from IBM. The most current version is available on the z/VM home page on the World Wide Web at URL <http://www.ibm.com/vm/techinfo/lpmigr/>

To find the most current information concerning IBM Licensed Products consult the IBM Sales Manual (available online at <http://www.ibm.com/common/ssi/>, your IBM Representative, or authorized IBM Business Partner.

---

# SUMMARY of Which z/VM Release to Order and What is Supported

2 As of December 2, 2009, you can order:

- z/VM V5.4.0

**Note:** This includes the optional, priced features for z/VM V5.4 including the RACF Security Server FL540, the Performance Toolkit for VM FL540, Directory Maintenance (DirMaint) FL540, and RSCS FL540.

- z/VM V6.1.0

**Note:** This includes the optional, priced features for z/VM V6.1 including the RACF Security Server FL610, the Performance Toolkit for VM FL610, Directory Maintenance (DirMaint) FL610, and RSCS Networking FL610.

2 As of December 2, 2009, IBM supports:

- z/VM V6.1 is planned to be supported until April 30, 2013.

**Note:** z/VM V6.1 supports only the IBM System z10 Enterprise Class (z10 EC) and System z10 Business Class (z10 BC) servers.

- z/VM V5.4 is planned to be supported until September 30, 2013.

**Note:** z/VM V5.4.0 was originally planned to be supported until September 30, 2011 but was extended until September 30, 2013 as announced in the z/VM V6.1 announcement letter 209-207 (US), dated July 7, 2009.

- z/VM V5.3 is planned to be supported until September 30, 2010.

---

## VM End of Service/End of Marketing Dates

For the current End of Service dates for z/VM, refer to the z/VM Web site at:

<http://www.vm.ibm.com/techinfo/lpmigr/vmleos.html>

For the current End of Marketing dates for z/VM, refer to the z/VM Web site at:

<http://www.vm.ibm.com/techinfo/lpmigr/vmlwfm.html>

---

# Licensed Products Migration Matrix for z/VM

## NOTES:

1. Date in parenthesis after (or below) Program Number is the planned availability date for announced products which are not yet available (or the date is labeled EoS; see Definitions, page iii).
2. An asterisk (\*) in the header of the table indicates that release level of the VM product has been withdrawn from marketing.
3. A percent sign (%) in the header of the table indicates that release level of the VM product has ended service.
4. Table notes apply to the record(s) above that note, unless otherwise stated.

**Please note that the appearance of a product in this document does not imply the product is available in all countries.**



All product information in this matrix is "point in time" information and may be out of date. For the most current and accurate product information, you should check the IBM Sales Manual website at URL:

<http://www.ibm.com/common/ssi/>

Table 1 (Page 1 of 66). LP's Migration Matrix -- z/VM							
Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>Note:</b> Access Security Exits, 5799-XBC, PRPQ #P81067, is no longer available.							
<b>Note:</b> ACF/NCP Version 2, 5735-XX9; EoS = 6/30/91. ACF/NCP 3.x.0, 5667-124; EoS = 12/31/92. ACF/NCP = <i>Advanced Communications Function/Network Control Program</i>							
ACF/NCP	5668-854 (EoS 9/30/95)	<b>4.2.0 Withdrawn @ 12/31/93</b>	-	-	-	-	-
<b>Note:</b> @ .... ACF/NCP Version 4 Release 2 was withdrawn from marketing 12/31/93.							
<b>Note:</b> ACF/NCP 4.3.0, 5668-854; EoS = 6/30/90.							
ACF/NCP	5668-854	<b>4.3.1 Withdrawn 9/03/03</b>	na	na	na	na	na
<b>Note:</b> ACF/NCP V4 Subset 4.0.0, 5668-754; EoS = 12/31/92. ACF/NCP V4 Subset has been replaced by ACF/NCP Version 5.							
<b>Note:</b> ACF/NCP 5.2.0, 5668-738; EoS = 6/30/90. ACF/NCP 5.2.1, 5668-738; EoS = 12/91. ACF/NCP 5.3.0, 5668-738; EoS = 12/92. ACF/NCP V5 R3.0 was withdrawn from marketing 9/21/93.							
ACF/NCP	5668-738	<b>5.4.0 Withdrawn 9/03/03</b>	na	na	na	na	na
ACF/NCP	5688-231 (EoS 9/95)	<b>6.1.0 Withdrawn 9/25/93</b>	-	-	-	-	-
<b>Note:</b> ACF/NCP 6.1.0 includes support of the 3745.							
ACF/NCP	5688-231 (EoS 9/96)	<b>6.2.0 Withdrawn 1/28/94</b>	na	na	na	na	na
<b>Note:</b> ACF/NCP V6.2.0 supports the new IBM 3745 expansion frame and the IBM 3746 Model 900. The IBM 3745-31A and 3745-61A 16MB storage capability is also supported.							
ACF/NCP	5688-231	<b>6.3.0 Withdrawn 9/06/00</b>	na	na	na	na	na
ACF/NCP	5648-063 (EoS 12/97)	<b>7.1.0 Withdrawn 10/28/94</b>	na	na	na	na	na
ACF/NCP	5648-063 (EoS 10/31/98)	<b>7.2.0 Withdrawn 6/30/95</b>	na	na	na	na	na
ACF/NCP	5648-063	<b>7.3.0 Withdrawn 3/29/96</b>	na	na	na	na	na

Table 1 (Page 2 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
ACF/NCP	5648-063	<b>7.4.0 Withdrawn 11/29/96</b>	na	na	na	na	na
ACF/NCP	5648-063	<b>7.5.0 Withdrawn 9/26/97</b>	na	na	na	na	na
ACF/NCP	5648-063	<b>7.6.0 Withdrawn 10/30/98</b>	na	na	na	na	na
ACF/NCP	5648-063	<b>7.7.0 Withdrawn 9/24/99</b>	na	na	na	na	na
ACF/NCP	5648-063	<b>7.8.0 Withdrawn 7/27/01</b>	na	na	na	na	na
ACF/NCP	5648-063	<b>7.8.1</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> The tuning feature of NTuneNCP, 5648-089, is now shipped with ACF/NCP Version 7 Release 8.1 Refer to IBM Announcement Letter 201-169, dated June 12, 2001 for additional details.</p>							
<p><b>Note:</b>  ACF/SSP = <i>Advanced Communications Function/System Support Program</i>  ACF/SSP 3.4.1, 5664-289 EoS = 1/31/91.  ACF/SSP 3.5.0 5664-289 EoS = 6/92.  ACF/SSP 3.6.0 5664-289 EoS = 6/93.  ACF/SSP 3.7.0 5664-289 EoS = 6/94.</p>							
ACF/SSP	5664-289 (EoS 1/96)	<b>3.8.0 Withdrawn 9/06/00</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> ACF/SSP 3.8.0 includes a new feature, NCPMON. This was available for ACF/SSP 3.7.0 9/92.</p>							
ACF/SSP	5654-009 (EoS 1/31/01)	<b>4.1.0 Withdrawn 6/30/95</b>	Tol	Tol	Tol	Tol	Tol
ACF/SSP	5654-009	<b>4.3.0 Withdrawn 3/29/96</b>	Tol	Tol	Tol	Tol	Tol
ACF/SSP	5654-009	<b>4.4.0 Withdrawn 11/29/96</b>	Tol	Tol	Tol	Tol	Tol
ACF/SSP	5654-009	<b>4.5.0 Withdrawn 9/26/97</b>	Tol	Tol	Tol	Tol	Tol
ACF/SSP	5654-009	<b>4.6.0 Withdrawn 10/30/98</b>	Tol	Tol	Tol	Tol	Tol
ACF/SSP	5654-009	<b>4.7.0 Withdrawn 9/24/99</b>	Tol	Tol	Tol	Tol	Tol
ACF/SSP	5654-009	<b>4.8.0 Withdrawn 7/27/01</b>	Tol	Tol	Tol	Tol	Tol

Table 1 (Page 3 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
ACF/SSP	5654-009	4.8.1	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> The tuning feature of NTuneNCP, 5648-089, is now shipped with ACF/SSP Version 4 Release 8.1 Refer to IBM Announcement Letter 201-169, dated June 12, 2001, for additional details.</p>							
<p><b>Note:</b> ACF/VTAM = <i>Advanced Communications Function/Virtual Telecommunications Access Method</i>                      ACF/VTAM V3 for VM/ESA 3.3.0, 5684-095; EoS = 12/31/93.                      ACF/VTAM V3 for VM/ESA 3.4.0, 5684-095; EoS = 01/31/96.</p>							
ACF/VTAM V3 for VM/ESA	5684-095 (EoS 1/31/01)	3.4.1 Withdrawn	-	-	-	-	-
<p><b>Note:</b> VTAM 3.4.1 provides VTAM data compression capability.</p> <p>\$ .... New features - DBCS for VSCS, NPM/VTAM Performance Monitor, and Variable MORE/HOLD - are only supported on VM/ESA R2 and later.</p>							
<p><b>Note:</b> ACF/VTAM V3 for VM/SP Release 1.1 and 1.2, 5664-280; EoS = 6/91.                      ACF/VTAM V3 for VM/SP 3.2.0, 5664-280; EoS = 12/92.                      ACF/VTAM V3 for VM/SP 3.3.0, 5664-280; EoS = 12/93.</p>							
ACF/VTAM V3 for VM/SP	5664-280 (EoS 1/31/01)	3.4.0 Withdrawn 3/31/00	\$	\$	\$	\$	\$
ACF/VTAM V3 for VM/SP	5664-280 (EoS 1/31/01)	3.4.1 Withdrawn 3/31/01	\$	\$	\$	\$	\$
<p><b>Note:</b> ACF/VTAM for VM/SP 3.4.1 is the last release of this product - future enhancements will be in the ACF/VTAM for VM/ESA (5684-095) product. VTAM 3.4.1 provides VTAM data compression capability.</p> <p>.... VTAM V3 R4 for VM/SP does NOT support the Integrated Communication Adapter in the VM/ESA R1.0 ESA Feature environment.</p> <p>\$ .... For VM/ESA Version 2 you must use ACF/VTAM V3 for VM/ESA (5684-095) or ACF/VTAM V4 for VM/ESA and VSE/ESA (5654-010).</p>							
ACF/VTAM V4 for VM/ESA and VSE/ESA	5654-010	4.2.0 *	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> * .... VTAM Version 4 Release 2 for VM/ESA requires, at a minimum, operating system VM/ESA Version 1 Release 2.1 (5684-112). However, Release 2.1 and Release 2.2 do not support all of the VTAM V4R2 functions. Those functions are full VSCS network-qualified names and full buffer trace. Release 2.2 does support full VSCS network-qualified names. Support for all functions is provided in VM/ESA Version 2 Release 1 (5654-030).</p>							
<p><b>Note:</b> ACF/VTAM V3 for 9370 3.2.0, 5684-052; EoS = 12/92.                      ACF/VTAM for 9370 will not run on ES/9000 processors.</p>							
ACF/VTAM V3 for 9370	5684-052 (EoS 5/31/96)	3.3.0 Withdrawn 3/31/95	-	-	-	-	-
<p><b>Note:</b> AConnS = <i>IBM SAA Application Connection Services</i>                      .... SAA AConnS/VM Version 1 was withdrawn from marketing 12/20/93.                      AConnS R1.2, 5684-099; EoS = 4/94.                      AConnS R1.3, 5684-099; EoS = 4/94.</p>							
<p><b>Note:</b> ACRITH = <i>high-ACcuracy aRITHmetic</i>                      ACRITH was withdrawn from marketing effective 5/31/91.                      ACRITH is replaced by ACRITH XSC.                      XSC = <i>eXtended Scientific Computation</i>                      ACRITH 1.3.0, 5664-185; EoS = 3/25/92.</p>							

Table 1 (Page 4 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
<b>ACRITH XSC</b>	5684-129 (EoS 7/07/94)	<b>1.1.0 Withdrawn</b>	-	-	-	-	-
<p><b>Note:</b> * ... ACRITH XSC APAR PN02105 is needed.                      @ .... ACRITH XSC Version 1 was withdrawn from marketing 3/07/94.</p>							
<p><b>Note:</b> AD/Cycle C/370 R1.1, 5688-216, EoS 6/95.</p>							
<b>AD/Cycle C/370</b>	5688-216	<b>1.2.0 *</b>	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %
<p><b>Note:</b> % .... C/370 (V1.2 and V2.1) and AD/Cycle C/370 will exploit 31-bit addressing as long as VSAM datasets are not used. If VSAM datasets are used, the mode is 370/TOL.                      * AD/Cycle C/370 1.2.0 is <b>VMSES/E</b> enabled                      AD/Cycle C/370 R2 requires one of:                      • AD/Cycle LE/370 R3 or later                      • C/370 Library V2R2 (5688-188)                      AD/Cycle C/370 R2 replaces the <b>C/370 Compiler V2R1</b> (5688-187)                      AD/Cycle C/370 is replaced by <b>IBM C/370 for VM/ESA</b> (5654-033). See entry on</p>							
<p><b>Note:</b> AD/Cycle COBOL SF/MVS &amp; VM V2 Release 1, 5688-045; EoS = 6/30/93.</p>							
<b>AD/Cycle COBOL SF</b>	5688-045 (EoS 2/24/95)	<b>2.2.0 Withdrawn 8/24/94</b>	-	-	-	-	-
<b>AD/Cycle COBOL SF</b>	5696-737 (EoS 9/30/02)	<b>3.1.0 Withdrawn 3/05/01</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> Full name = <i>IBM SAA AD/Cycle COBOL Structuring Facility/MVS and VM</i>.                      AD/Cycle COBOL SF is replaced by IBM Cobol SF/MVS &amp; VM, 5696-737</p>							
<b>AD/Cycle COBOL/370 \$</b>	5688-197 (EoS 9/30/97)	<b>1.1.0 Withdrawn 9/06/00</b>	Exp *	Exp *	Exp *	Exp *	Exp *
<p><b>Note:</b> AD/Cycle COBOL/370 Version 1 is a follow on to VS COBOL II Version 1 Release 3.                      \$ .... AD/Cycle Cobol/370 has been renamed to <b>IBM Cobol for MVS &amp; VM</b>                      * .... See APAR PN28726 (PTFs: UN45227 - 45238) relating to VSAM file 31-bit support.</p>							
<p><b>Note:</b> AD/Cycle <b>CODE/370</b> R1 (5688-194) see <b>CODE/370</b>.</p>							
<p><b>Note:</b> AD/Cycle Language Environment/370 Release 1, 5688-198; EoS = 12/31/93.</p>							
<b>AD/Cycle Language Environment/370</b>	5688-198 (EoS 3/31/96)	<b>1.2.0 Withdrawn 4/30/93</b>	-	-	-	-	-

Table 1 (Page 5 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
<b>AD/Cycle Language Environment/370</b>	5688-198 (EoS 3/31/97)	<b>1.3.0 Withdrawn 3/31/95</b>	-	-	-	-	-
<p><b>Note:</b> AD/Cycle LE/370 is a runtime environment and library for programming languages. <i>AD/Cycle C/370, AD/Cycle Cobol/370 and AD/Cycle PL/I</i> are all supported.</p> <p>.... AD/Cycle LE/370 is <b>VMSES/E</b> enabled beginning at the Release 3 level.</p> <p>.... VMPRF (5684-073) works with LE/370, it requires APAR VM59419 and LE/370 service at January 1995 level or later.</p> <p>.... AD/Cycle LE/370 has been renamed to <b>(IBM) Language Environment</b></p>							
<b>AD/Cycle PL/I MVS &amp; VM</b>	5688-235 (EoS 6/30/96)	<b>1.1.0 Withdrawn 6/30/95</b>	-	-	-	-	-
<b>AD/Cycle PL/I MVS &amp; VM</b>	5688-235	<b>1.1.1</b>	-	-	-	-	-
<p><b>Note:</b> AD/Cycle PL/I MVS &amp; VM R1 does not support AD/Cycle CODE debugging of PL/I applications.</p> <p>.... AD/Cycle PL/I MVS &amp; VM has been renamed to <b>IBM PL/I for MVS &amp; VM</b></p>							
<b>AD/Cycle PrDM/MVS &amp; VM</b>	5648-005 (EoS 4Q94)	<b>1.1.0 Withdrawn 3Q94</b>	Exp * %	Exp * %	Exp * %	Exp * %	Exp * %
<p><b>Note:</b> Full name of AD/Cycle PrDM is: <i>IBM SAA AD/Cycle Professional Document Manager/MVS &amp; VM Version 1.</i> AD/Cycle PrDM pre-reqs: ISPF V3 R2 (5684-043), ISPF/PDF V3 R2 (5684-123), and DCF V1 R4 (5748-XX9).</p> <p>* .... ISPF/PDF needs to be at PUT9303 in the VM/ESA environment. % .... needs ISPF/PDF APAR: VM56757 (PTF UM25101).</p>							
<b>AD/Cycle PROLOG</b>	5696-309 (EoS 6/30/96)	<b>1.1.0 Withdrawn 2/29/96</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>AD/Cycle PROLOG</b>	5696-309 (EoS 6/30/96)	<b>1.1.1 Withdrawn 2/29/96</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> Full name of AD/Cycle PROLOG: <i>IBM AD/Cycle PROLOG/MVS &amp; VM.</i> AD/Cycle PROLOG is a follow on product to IBM Prolog (5706-236). AD/Cycle PROLOG provides full code compatibility between the VM host and the OS/2 environment with the AD/Cycle PROLOG/2 product.</p>							
<b>Note:</b> Ada Compiler/370 VM/CMS 2.1.2, 5709-025; EoS = 9/27/91.							
<b>Note:</b> Ada VM to MVS Compiler 2.1.2, 5706-053; EoS = 9/27/91.							
<b>Note:</b> Ada Runtime Lib VM/CMS 2.1.2, 5709-027; EoS = 9/27/91.							
<p><b>Note:</b> Ada Runtime Lib/370 1.1.0, 5706-295; EoS = 4/30/92. Ada Runtime Lib/370 1.2.0, 5706-295; EoS = 5/31/93. Ada Runtime Lib/370 1.3.0, 5706-295; EoS = 8/31/94.</p> <p>Ada/370 1.1.0, 5706-292; EoS = 4/30/92. Ada/370 1.2.0, 5706-292; EoS = 5/31/93. Ada/370 1.3.0, 5706-292; EoS = 8/31/94.</p>							
<b>Ada Runtime Lib/370</b>	5706-295 (EoS 11/30/94)	<b>1.4.1 @ Withdrawn 8/31/04</b>	Exp	Exp	Exp	Exp	Exp

Table 1 (Page 6 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
Ada/370	5706-292 (EoS 11/30/94)	1.4.1 Withdrawn 8/31/04 @	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> @ .... Ada/370 and Ada/Runtime Library/370 were withdrawn from marketing effective 5/25/94.</p> <p>ADA/370 R3 and ADA Runtime Library/370 R3 development tools can run in XA Toleration mode and the compiler runs below the 16MB line. The ADA/370 R3 compiler will produce code that can exploit 31-bit addressing.</p> <p>Ada/370 pre-reqs the Ada Runtime Library/370.</p>							
ADPS/M	5664-365 (EoS 12/01/95)	1.1.1 Withdrawn @	-	-	-	-	-
ADPS/P	5664-366 (EoS 12/01/95)	1.1.1 Withdrawn @	-	-	-	-	-
<p><b>Note:</b> @ .... ADPS/M and ADPS/P (5664-365 and 5664-366) were withdrawn from marketing effective 7/05/94.</p> <p>ADPS/P = <i>Application Development Project Support/Process Mechanism</i>  ADPS/M = <i>Application Development Project Support/Application Development Model</i></p>							
ADSTAR Distributed Storage Manager (ADSM)	5648-020 (EoS 4/24/98)	1.1.0 Withdrawn 1/08/97	-	-	-	-	-
ADSTAR Distributed Storage Manager (ADSM)	5654-A02 (EoS 1/31/01)	2.1.0 \$ Withdrawn 12/31/99	-	-	-	-	-
(Tivoli) ADSTAR Distributed Storage Manager (ADSM)	5697-VM3 (EoS 1/31/01)	3.1.2 Withdrawn 12/31/99	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b></p> <p>Tivoli ADSM V3 R1 is replaced by Tivoli Storage Manager, S/390 See Announcement Letter 299-282, dated 9/28/99, for details on Tivoli Storage Manager V3 R7.</p>							
AE/FORMS	5764-044	1.1.0	Tol *	Tol *	Tol *	Tol *	Tol *
<p><b>Note:</b> * .... AE/FORMS V1 R1 runs in at least XA Toleration mode.</p> <p><b>Note:</b> AE = <i>Application Enabling</i>.</p> <p>AE/FORMS is PRPQ #P04231 and is marketed "AS-IS". Optional support service is available.</p>							
AFP FONT Collection	5648-113 (EoS 1/31/01)	1.1.0 Withdrawn 3/31/99	X	X	X	X	X
<p><b>Note:</b> Replaces the Font Feature of PSF/VM (5684-141) which was withdrawn 5/95.</p>							
AFP FONT Collection for MVS, OS/390, VM and VSE	5648-B33	2.1.0	X	X	X	X	X
<p><b>Note:</b> This font collection contains support for the new Euro currency and support for the new code pages.</p>							
<p><b>Note:</b> AGSS/VM 1.1.1, PRPQ #P04246 (5764-011), was withdrawn from marketing 9/30/97 and ended service in 1998.</p>							
ANO/VM	5654-007 (EoS 4/24/98)	1.1.0 Withdrawn 6/27/97	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> ANO = <i>Automated Network Operations</i>. ANO/VM is VMSES/E enabled.</p>							

Table 1 (Page 7 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
APE	5668-808	2.1.0	Tol	Tol	Tol	Tol	Tol
APE	5668-808	2.1.1	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> APL2 1.2.0, 5668-899; EoS = 11/88.                      APL2 and APL2 AE 1.3.0, 5668-899 and 5688-003; EoS = 3/94.</p> <p>APL2 &amp; APL2 AE Version 1 were withdrawn from marketing 12/18/92.                      APL2 Version 2 (5688-228) replaces APL2 Version 1.</p>							
<p><b>Note:</b> APL2 2.1.0, 5688-228; EoS = 9/25/94.</p> <p>APL2 AE 2.1.0, 5688-229; EoS = 9/25/94.</p>							
APL2	5688-228	2.2.0 %	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> .... When APL2 is installed in saved segments, one of the saved segments must reside below the 16 Meg line.</p> <p>% .... APL Version 2 Release 2 provides extended cross-system compatibility and cooperative processing with other IBM APL2 platform products. Cooperative processing is now available across TCP/IP-connected APL2 systems running on VM, MVS, AIX/6000, OS/2, and Sun Solaris. APL2 V2 R2 was available 3/25/94.</p>							
APL2 AE	5688-229	2.2.0	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$
<p><b>Note:</b> \$ .... When APL2 AE is installed in saved segments, one of the saved segments must reside below the 16 Meg line.</p>							
APPC Application Suites for MVS/ESA and VM/ESA	5654-025 (EoS 1/31/01)	1.1.0 Withdrawn 3/31/00	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> APT-AC 1.4.2, 5740-M53; EoS = 8/26/93.</p>							
APT-AC	5740-M53 Withdrawn	1.5.0	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
APT-AC	5740-M53	1.5.1 Withdrawn 9/03/03	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<p><b>Note:</b> APT-AC = <i>Automatically Programmed Tool - Advanced Contouring</i>. APT-AC R5 pre-reqs the VS FORTRAN Version 2 Release 5 Library.</p>							
<p><b>Note:</b> AS Version 1 Releases 2, 3, and 4: EoS 12/87.                      AS Version 1 Release 5, 5767-001 and 5767-032: EoS 12/31/92.</p> <p>AS Version 2 Release 1, 5688-108: EoS 3/31/94.                      AS Version 2 Release 2, 5688-108: EoS 11/28/97.</p> <p>AS Version 3 Release 1: EoS 10/31/95.                      AS Version 3 Release 2: EoS 11/28/97.</p> <p>AS Version 4 Release 1: EoS 01/31/2001                      AS Version 4 Release 2: EoS 01/31/2001</p> <p>AS is now supported by ASTRAC, a privately owned company based in Warwick, U.K. A new version of AS, Version 5, was made available by ASTRAC in 3Q 1998. Additional information on ASTRAC and their support for AS is available at their website, <a href="http://www.astrac.com/as/">http://www.astrac.com/as/</a>, by e-mail to Rob Copley, ASTRAC Managing Director, <a href="mailto:rob.copley@astrac.com">rob.copley@astrac.com</a>, or by calling ASTRAC at +44 1926 623060.</p>							
AS PMC	5767-038	1.1.0 Withdrawn 12/31/97					
<p><b>Note:</b> Full name for AS PMC is: <i>Application System Project Management Costing</i>.</p>							

Table 1 (Page 8 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>ASCII Application Access for MVS &amp; VM</b>	5797-236 @	<b>1.1.0</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> @ ASCII Application Access runs as a VTAM application under GCS.							
<b>Note:</b> Assembler: see also <i>High Level Assembler</i> (5696-234).							
<b>ASSEMBLER H</b>	5668-962 (EoS 10/31/95)	<b>2.1.0 Withdrawn</b>					
<b>Note:</b> HLASM (5696-234) is intended to replace H Assembler Version 2.							
* .... to support VM: PTF UN23457 (avail 3/93) supersedes; PTFs: UL68992 (APAR PL56877), UL69939, and UN04112.							
• ASSEMBLER H 2.1.0 replaces OS Assembler H 1.5.0.							
<b>Note:</b> Attachable Media Manager/VM 1.1.0, 5684-140; EoS = 6/92.							
<b>Attachable Media Manager/VM</b>	5684-140 (EoS 11/01/94)	<b>1.2.0 Withdrawn 5/01/94 @</b>					
<b>Note:</b> @... AMMR was withdrawn from marketing effective 5/01/94.							
* ... see APAR VM55227 (for 3490 device support).							
% ... see APAR VM55955 (open - 4/30/93 ISPF panel problem).							
<b>AWAY Facility/VM</b>	5799-FLP (EoS 1994)	<b>1.1.0 Withdrawn</b>	-	-	-	-	-
<b>AWAY Facility/VM</b>	5799-FLP	<b>2.0.0</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> AWAY/VM is a PRPQ, number P81237.							
<b>Bar Code OCR</b>	5688-021	<b>1.1.0</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<b>Note:</b> BARS/VM 1.1.0, 5785-DJD; EoS = 12/31/93.							
<b>BARS/VM</b>	5785-DJD (EoS 10/31/99)	<b>1.1.1</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<b>Note:</b> BARS/VM is an EMEA only product. BARS = <i>Backup, Archive, and Retrieval System</i>							
<b>Note:</b> <b>BASIC</b> see <i>IBM Basic</i>							
<b>BookManager BUILD</b>	5684-026 (EoS 3/29/96)	<b>1.1.0</b>	-	-	-	-	-
<b>BookManager BUILD</b>	5684-026 (EoS 3/29/96)	<b>1.2.0 * Withdrawn 3/29/96</b>	-	-	-	-	-
<b>Note:</b> % .... PTF UM20014 (APAR VM49060) in the VM/ESA R1.1 environment (for NLS use). * .... PTF UG00374							
\$ .... BookManager BUILD 1.2.0 was generally available on 09/28/90. This level did not provide 31-Bit Addressing exploitation. 03/31/91 Release 2 was refreshed and the refreshed copy of this product will provide 31-Bit addressing exploitation on VM/ESA R2+. All customers with BookManager BUILD 1.2.0 should have re-ordered the product from ISMD.							
<b>BookManager BUILD/VM</b>	5684-026	<b>1.3.0</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol



Table 1 (Page 9 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
<b>BookManager READ</b>	5684-062 (EoS 3/29/96)	<b>1.1.0</b>	-	-	-	-	-
<b>BookManager READ</b>	5684-062 (EoS 3/29/96)	<b>1.2.0 +</b>	-	-	-	-	-
<p><b>Note:</b> * ... PTF UG00366 (APAR GC04233) is needed for installation.                      + .... PTF UG00373 (superseded by UG00499, available 2/93).                      % .... PTF UM20014 (APAR VM49060) in the VM/ESA R1.1 environment (for NLS use).                      \$ .... BookManager READ 1.2.0 was generally available on 09/28/90. This level did not provide 31-Bit Addressing exploitation. 03/31/91 Release 2 was refreshed and the refreshed copy of this product will provide 31-Bit Addressing exploitation on VM/ESA R2+. All customers with BookManager READ 1.2.0 should have re-ordered the product from ISMD.</p>							
<b>BookManager READ/VM</b>	5684-062	<b>1.3.0</b>	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *
<p><b>Note:</b> * .... PTF GC05366 is needed with VM/ESA V2 R1.0 and above</p> <p><b>Note:</b> BookMaster Release 2, 5668-015; EoS = 3/29/91.                      BookMaster Release 3, 5668-015; EoS = 2/12/93.</p>							
<b>BookMaster</b>	5688-015 (EoS 09/30/09)	<b>1.4.0 Withdrawn 11/05/08</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> BookMaster Version 1 Release 4, 5688-015; only is supported in environments where the VM components CP and CMS, are at the same Release level.</p> <p>BookMaster Release 4 works with DCF and can Exploit the XA environment when installed with DCF Release 4.                      The full IBM trademark name is <i>Publishing Systems BookMaster</i>.</p>							
<p><b>Note:</b> BrowseMaster Version 1, 5688-009; EoS = 12/31/91.                      BrowseMaster Version 1 is replaced by BrowseMaster Version 2</p>							
<b>BrowseMaster</b>	5688-224	<b>2.1.0</b>					
<b>BrowseMaster</b>	5688-224	<b>2.1.1</b>	Exp *	Exp *	Exp *	Exp *	Exp *
<p><b>Note:</b> * .... BrowseMaster Version 2 needs the VS PASCAL Runtime Library present to exploit in the XA or ESA environments.                      Note that not all utilities are supported in 31-bit mode. Please refer to product documentation for details.</p>							
<b>Bulletin/VM</b>	5799-EGE	<b>1.1.0 Withdrawn</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> Bulletin/VM is PRPQ # P81094.</p>							
<p><b>Note:</b> C for System/370 1.1.1, 5713-AAH; EoS 9/89.</p>							
<p><b>Note:</b> C/370 Compiler 1.1.1, 5688-040; EoS = 12/90.                      C/370 Compiler 1.2.0, 5688-040; EoS = 12/93. C/370 Compiler Version 1 was withdrawn from marketing 8/30/91.</p>							

Table 1 (Page 10 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4 %	V6.1 %
<b>C/370 Compiler V2</b>	5688-187	<b>2.1.0 Withdrawn 6/30/98</b>	-	-	-	-	-
<p><b>Note:</b> The C/370 Compiler Version 2 (VM and MVS Features) was withdrawn from marketing effective 10/31/94. It is replaced by AD/Cycle C/370 Version 1 Release 2 (5688-216) for use with either C/370 Library V2 R2 or AD/Cycle LE/370 R3 (VSE features of C/370 Compiler V2 will remain available).</p> <p>% .... C/370 (V1.2 and V2.1) and AD/Cycle C/370 will exploit 31-bit addressing as long as VSAM datasets are not used. If VSAM datasets are used, the mode is 370/TOL. C/370 Compiler requires one segment be saved below the 16 Meg line on VM/ESA (ESA) environments.</p> <p>The C/370 Compiler is replaced by <b>AD/Cycle C/370</b> (5688-216).</p>							
<p><b>Note:</b> C/370 Library 1.1.1, 5688-039; EoS = 12/90. C/370 Library 1.2.0, 5688-039; EoS = 12/93. C/370 Library Version 1 was withdrawn from marketing 9/30/93.</p>							
<b>C/370 Library V2</b>	5688-188	<b>2.1.0 Withdrawn 6/30/98</b>	-	-	-	-	-
<b>C/370 Library V2</b>	5688-188	<b>2.2.0 @</b>	370 Exp XCTol %	370 Exp XCTol %	Exp XCTol %	Exp XCTol %	Exp XCTol %
<p><b>Note:</b> @ .... C/370 Library Version 2 Release 2 is <b>VMSES/E</b> enabled.</p> <p>The C/370 Library V2 R2 supports AD/Cycle C/370 Compiler Release 2 (5688-216). The V2 R2 Library supports the C/370 Compiler V2R1 (5688-187) for compatibility, but no enhancements are provided in the Version 2 Compiler for support/exploitation of new features in the new release of the library;</p> <p>% .... The C/370 Library component and the Common Execution Library (CEL) interface from the Language Environment for MVS &amp; VM (5688-198) are included in VM/ESA V2 at no additional charge.</p>							

Table 1 (Page 11 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
CADAM	5635-001	<b>3.3.0 Withdrawn 9/03/03</b>	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$
<p><b>Note:</b> \$ .... For VM/ESA R2.2, V2R1 and V2R2, CADAM 3.3.0 must be at PTF level 4 or higher. Also, GAM/SP R3.1 must have APARs PN13752 and PN54236 installed.</p> <p>CADAM pre-reqs GAM/SP R3 and Assembler H V2 or High Level Assembler. The associated products of the CADAM Version 3.3 family are also supported on the above levels of VM</p> <p>The following products are associated products in the CADAM Version 3.3 family:</p> <p>Three new products:</p> <ul style="list-style-type: none"> <li>• 5635-110 ... HVAC (Heating, Ventilation, Air Conditioning)</li> <li>• 5635-111 ... P&amp;ID and Piping Systems Integrator</li> <li>• 5635-112 ... Media Output for Shaded Images</li> </ul> <p>And these products for V3 R3:</p> <ul style="list-style-type: none"> <li>• 5635-001 ... Interactive Design System</li> <li>• 5635-002 ... Manufacturing System</li> <li>• 5635-003 ... 3D Piping</li> <li>• 5635-004 ... 3D Structures</li> <li>• 5635-005 ... Interference Manager</li> <li>• 5635-006 ... Engineering Catalog Design Base</li> <li>• 5635-008 ... 3D Mesh Geometry</li> <li>• 5635-014 ... AEC Schematics</li> </ul> <p>The following products are stabilized at their current levels but may be installed and supported with CADAM V3 R3.</p> <ul style="list-style-type: none"> <li>• 5635-007 ... Interactive Solids Design % (<b>Withdrawn</b>)</li> <li>• 5635-009 ... Lathe (<b>Withdrawn</b>)</li> <li>• 5635-010 ... CADIMS (Computer-Aided Dimensional Inspection Management System) % (<b>Withdrawn</b>)</li> </ul> <p>% .... These 2 products were withdrawn from marketing 3/01/94 and ended service in 1994.</p>							
CADI	5684-064	<b>1.1.2</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> CAEDS Version 3, 5709-019; EoS = 1/29/93.</p>							
CAEDS	5717-002 (EoS 12/31/94)	<b>4.1.0 Withdrawn</b>					
<p><b>Note:</b> .... CAEDS Version 4 was withdrawn from marketing 3/31/94. It is replaced by I-DEAS Master Series Programs (on the RS/6000) see announcement letter 293-668.</p>							
<p><b>Note:</b> CallUp Version 1 Release 1 and 2, 5799-CZE; EoS = 12/31/92.</p> <p>CallUp R1 and R2 were PRPQ P85094. CallUp the program product (5684-160, below) replaces the PRPQ (5799-CZE, above).</p>							
<p><b>Note:</b> CallUp 1.3.0, 5684-160; EoS = 3/31/94. APARs VM53726 and VM53744 (PTF UV56099), and APAR VM54252 (PTF UV56075) were needed in the VM/ESA R2 environment.</p>							
CallUp	5684-160 (EoS 09/30/10)	<b>1.3.1 Withdrawn 03/05/07</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
CallUp Directory EXT/VM	5799-FDF	<b>1.1.0</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> CallUp Directory Extensions/VM PRPQ # P81223; Allows organizational charting. For TECHNICAL ASSISTANCE (USA Only): 1-800-237-5511 (specify product CUA2001)</p>							

Table 1 (Page 12 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
CalWeek/VM	5799-FBB (EoS 1995)	<b>1.1.0 Withdrawn</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> CalWeek/VM is PRPQ # P81221.                      For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)</p>							
CAMkit/370	5648-003 (EoS 4/15/02)	<b>1.1.0 Withdrawn 8/27/97</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<p><b>Note:</b> CAMkit/370 requires (1) CADAM Interactive Base R21 (5668-840) and CADAM Access (5713-ADT), or (2) CADAM Interactive Design System V3 (5635-001). Optionally, requires other products, please see the CAMkit/370 announcement and product documentation.</p>							
<p><b>Note:</b> CATIA Version 3 Release 1, 5612-001; EoS = 12/31/91.                      CATIA Version 3 Release 2.1, 5612-001; EoS = 11/92.                      CATIA Version 3 Release 2.3, 5612-001; EoS = 8/93.</p> <p>Due to performance and user space constraints CATIA Version 3 Release 2 was the last release for the VM/SP and VM/ESA 370 Feature environments.</p>							
CATIA	5613-201	<b>3.2.1 Withdrawn 8/11/92</b>					
<p><b>Note:</b> CATIA 3.2.1 is a pre-req to CATIA 3.2.3</p>							
<p><b>Note:</b> CATIA 3.2.2 (5613-201) was never generally available and was withdrawn.</p>							
CATIA	5613-201 (EoS 9/94)	<b>3.2.3 Withdrawn 8/11/92</b>					
<p><b>Note:</b> @ .... CATIA Version 3 Releases 2.3 REQUIRED HB35343 (PTF UB07276) in the VM/ESA R2 environment.                      \$ .... APAR HB33414 (PTF UB06538) is needed for FBA support.                      * .... APAR HB37480 for the VM/ESA R2.1 environment (PTF UB08388).</p> <p>CATIA V3 R2.3 pre-reqs CATIA V3 R2.1 .</p>							
CATIA	5613-201 (EoS 1995)	<b>3.2.5</b>					
<p><b>Note:</b> CATIA Version 3 Release 2.5 was replaced by CATIA Solutions, 5627-xxx.</p> <p>@ .... CATIA Version 3 Releases 2.5 requires APAR HB35343 (PTF UB07287) in the VM/ESA R2 environment. See also APAR HB35403.</p> <p>* .... See APAR HB37480 for the VM/ESA R2.1 environment.</p> <p>\$ .... APAR HB33414 (PTF UB06807) is needed for FBA support.</p> <p>CATIA 3.2.5, a complete refresh of the product, is a maintenance release.</p> <p>% .... co-reqs GAM/SP Version 1 Release 3.1 .</p> <p>CATIA support for the V3 R2.3 and R2.4 environments is extended until 09/30/94.</p>							
CATIA Solutions	5627-xxx	<b>4.1.0 Withdrawn 3/31/98</b>					
<p><b>Note:</b> See table note on the next page for CATIA Version 4 Solutions products detailed list. CATIA Version 4 will be shipped under the system program order # 5628-VCA for VM systems.</p>							

Table 1 (Page 13 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
CATIA Solutions	5627-xxx	4.1.1 Withdrawn 3/31/99					
<p><b>Note:</b> CATIA Version 4 Release 1.1 includes the following:</p> <ol style="list-style-type: none"> <li>1. Functional enhancements for CATIA.Exact Solids Product * (5627-SOE)</li> <li>2. CATIA.Feature-Based Design Product * (5627-FEA).</li> <li>3. a preventative maintenance refresh for all Version 4 Release 1.0 products.</li> </ol> <p>* .... both 1 and 2 above pre-req CATIA.Object Manager Product (5627-COM).</p>							
CATIA Solutions	5627-xxx	4.1.3 Withdrawn 3/31/99					
CATIA Solutions	5627-xxx	4.1.4 Withdrawn 3/31/99					
CATIA Solutions	5627-xxx	4.1.5 Withdrawn 3/31/99	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> .... See the entry for a more current release of CATIA V4 Solutions for a list of the component products or see announcement letter 295-381 for more details.</p>							
CATIA Solutions	5627-xxx	4.1.6 Withdrawn 3/31/99	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$
<p><b>Note:</b> .... See the entry for a more current release of CATIA V4 Solutions for a list of the component products or see announcement letters 296-062 and 296-064 for more details.</p>							

Table 1 (Page 14 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
CATIA Solutions	5627-xxx (EoS 10/03/05)	4.1.7 Withdrawn 3/31/99	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$

1  
1

**Note:** .... CATIA V4 Solutions model data is fully compatible between the supported operating systems. See announce letters 296-406 and 296-408 for complete details.

CATIA Solutions Version 4 pre-reqs GAM/SP Release 3.1 Put 9105 (5668-978) and VS FORTRAN Library Version 2 Release 5 (5668-805) or later.

\$ For Catia Object Manager running in this environment you must install APAR PN54236 for GAM/SP R3.1.

@ If APAR VM57904 is installed on VM/ESA R2.1, you must install APAR PN54236 for GAM/SP R3.1. EoS for CATIA solutions will be effective October 30, 2005.

-----  
**CATIA Solutions Version 4 include the following application solutions. Highlighted products are enhanced in V4.1.7:**

--- CATIA Application Architecture Infrastructure ---  
5627-ATT CATIA.CPW/Automated Test Tools Product  
**5627-CCC CATIA/CADAM Coupler Product**  
5627-CDA CATIA.Data Management - Access Product  
5627-CDM CATIA.Data Management Product  
5627-CDS CATIA.Distributed Services Product  
**5627-COM CATIA.Object Manager Product**  
5627-DR2 CATIA.2D Wireframe and Annotation  
5627-GII CATIA.Graphics Interactive Interface  
5627-IGC CATIA.IGES Mil Standard 28000 Product  
5627-IGI CATIA.IGES Interface Product  
5627-IMD CATIA.Image Design Product  
5627-LIB CATIA.Library Product  
5627-LIC CATIA.Data Management - Library Product  
**5627-PA3 CATIA.3D Parametric Variational Modeler**  
5627-PBG CATIA.Publishing Product (pre-reqs: 5627-COM Obj. Mgr.)  
**5627-SOE CATIA.Exact Solids Product (V4 R1.1) (pre-reqs: 5627-COM Obj. Mgr.)**  
5627-SOM CATIA.Solid Mock-up Product  
5627-SWE CATIA.CPW/Software Environment Product  
5627-WF3 CATIA.3D Wireframe Product  
--- Equipment & Systems Engineering (ESE) Solutions ---  
5627-BDG CATIA.2D Building Design Product  
5627-ELD CATIA.Electrical Device and Support Modeling  
**5627-ELG CATIA.Electrical Generative Formboard Product**  
**5627-ELW CATIA.Electrical Wire Bundle Installation**  
**5627-FIT CATIA.Fitting Simulation Product**  
5627-SCH CATIA.System Schematics Product  
**5627-SPA CATIA.Space Analysis Product**  
**5627-SPN CATIA.Space Navigation Product**  
**5627-TU3 CATIA.3D Tubing Design Product**  
--- Mechanical Design Solutions (Mech) Version 4 products: ---  
**5627-ASS CATIA.Assembly Modeling Product**  
**5627-DRA CATIA.Drafting Product**  
5627-DRS CATIA.Draw-Space (2D/3D) Integration Product  
5627-FEA CATIA.Feature-Based Design Product (V4 R1.1) (pre-reqs: 5627-COM Obj. Mgr.)  
**5627-SHE CATIA.Sheetmetal Design Product**  
--- Manufacturing (MFG) Solutions Version 4 products: ---  
5627-MAA CATIA.Milling Analysis Product  
5627-NCB CATIA.Manufacturing Infrastructure  
5627-NCR CATIA.Rough Cutting Product  
5627-NC3 CATIA.Fixed Axis Milling Product  
5627-NC5 CATIA.Multiple Axis Milling Product  
5627-NES CATIA.Nesting Product  
5627-ROC CATIA.Robot and Controller Definition  
**5627-ROS CATIA.Cell Design and Robot Programming**  
5627-TUR CATIA.Lathe Product  
--- Shape Design & Styling Solutions (SDS) Version 4 products: ---  
**5627-ASU CATIA.Advanced Surface Design Product**  
5627-DEV CATIA.Develop Product  
**5627-FRF CATIA.Free Form Design Product**  
5627-GEO CATIA.Geodesic Product  
5627-SUD CATIA.Surface Design Product  
--- Analysis & Simulation (ANS) Solutions Version 4 products: ---  
5627-ANI CATIA.Analysis Infrastructure Product  
5627-ANS CATIA.ANSYS Interface Product  
**5627-ELF CATIA.ELFINI Solver Product**  
**5627-FEM CATIA.Finite Element Modeler Product**  
**5627-GPS CATIA.Generative Parts Stress Analysis Product**  
5627-KIN CATIA.Kinematics Product  
5627-NAS CATIA.NASTRAN Interface Product  
5627-SPM CATIA.Scientific Presentation Manager

<b>Note:</b> CDPF 1.2.0, 5668-997; EoS = 11/21/90.							
<b>Note:</b> CFSearch/370 1.1.3, 5664-329; EoS = 7/18/91.							
<b>Note:</b> CICS/CMS 1.1.0, 5668-795; EoS = 12/31/93.							
<b>Note:</b> CICS/VM 1.1.0, 5684-011; EoS = 2/90. CICS/VM 1.2.0, 5684-011; EoS = 12/31/93. CICS/VM was withdrawn from marketing 12/31/92.							
<b>Note:</b> CIEDS/CBDS 4.3.0, 5664-374; EoS = 6/30/89. .... CIEDS/CBDS 4.4.0, 5664-374; EoS = 9/30/91. .... CIEDS/CBDS 4.5.0, 5664-374; EoS = 12/31/92.  CIEDS/CBDS = <i>Computer-Integrated Electrical Design Series/Circuit Board Design System.</i>							
<b>Note:</b> Cleanroom Certification Assistant 1.1.0, PRPQ # P04262 (5764-029), was withdrawn from marketing and ended service in 1994.							
<b>Note:</b> Clustered FORTRAN (5799-DKZ, PRPQ # P88040) has been withdrawn effective 5/92.							
<b>CMS Parallel Fortran RPQ</b>	5799-DGW (EoS 1996)	<b>1.1.0 Withdrawn 3/31/98</b>					
<b>Note:</b> The above PRPQ (P81051) pre-reqs, VS FORTRAN 2.5.0. PRPQ is titled <i>CMS Support for VS Fortran</i> .							
<b>CMS Pipelines / LEXX</b>	5799-DKF *	<b>1.1.1</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> * .... CMS PIPELINES code, excluding LEXX, is shipped as part of the VM/ESA base, starting with VM/ESA R1.1. As of January 31, 2003, LEXX is available from the VM Downloads page at <a href="http://www.ibm.com/download/packages/">http://www.ibm.com/download/packages/</a> . It has been updated to support the latest levels of z/VM, however the package is provided <b>As-Is</b> , with no support.							
<b>Note:</b> CMS Pipelines 1.1.4, 1.1.5, and 1.1.6, 5785-RAC, ended service as of 3/31/92.							
<b>CMS REXX Compiler</b>	5664-390 (EoS 9/22/94)	<b>1.1.0 Withdrawn 3/31/92</b>	-	-	-	-	-
<b>Note:</b> CMS REXX Compiler is replaced by <i>REXX/370 Compiler</i> 5695-013 and <i>REXX/370 Library</i> 5695-014.							
<b>CMS REXX Library</b>	5684-124 (EoS 9/22/94)	<b>1.1.0 Withdrawn 3/31/92</b>	-	-	-	-	-
<b>Note:</b> CMS REXX Library 5684-124 is replaced by <i>REXX/370 Library</i> 5695-014.  CMS REXX was withdrawn from marketing 3/92.							
<b>Note:</b> CMS Utilities Feature 1.1.0 - Feature of 5684-112; EoS = 12/31/93.							
<b>CMS Utilities Feature</b>	*		Exp	Exp	Exp	Exp	Exp
<b>Note:</b> * .... The CMS Utilities function is a priced feature of VM/ESA and z/VM V3. With z/VM V4 and later, the CMS Utilities function is no longer priced and is integrated into base z/VM.							
<b>Note:</b> <b>COBOL:</b> see also <i>VS/COBOL II</i> or <i>AD/Cycle COBOL/370</i> (or <i>OS COBOL</i> ).							
<b>(IBM) COBOL for OS/390 &amp; VM</b>	5648-A25	<b>2.1.0 Withdrawn 9/29/00</b>	Exp	Exp	Exp	Exp	Exp
<b>(IBM) COBOL for OS/390 &amp; VM</b>	5648-A25	<b>2.2.0 Withdrawn 3/06/06</b>	Exp	Exp	Exp	Exp	Exp
<b>Note:</b> IBM COBOL for OS/390 & VM is a replacement for IBM Cobol for MVS & VM, 5688-197. See IBM Announcement Letter 297-131, dated May 6, 1997, for additional information. COBOL for OS/390 and VM V2, (5648-A25) consists of a COBOL compiler and a debugger. The compiler continues to be available as part of the existing COBOL for OS/390 Alternate Function Offering. The debugger is replaced by Debug Tool for z/VM V4.1, (5654-A23) announced in Software Announcement 204-212 dated September 21, 2004.							
<b>(IBM) COBOL and CICS Command Level Conversion Aid for OS/390 and VM</b>	5648-B05	<b>2.1.0 Withdrawn 9/06/06</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> Short name: CCCA							



Table 1 (Page 16 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4 %	V6.1 %
(IBM) COBOL Workstation Function for IBM Cobol for OS/390 & VM	Feature of 5648-A25	2.1.0	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> IBM Cobol Workstation Function is a feature of IBM Cobol for OS/390 &amp; VM.</p> <p>IBM Cobol Workstation Function may be ordered as an MES for installed users of IBM Cobol for OS/390 &amp; VM or IBM Cobol for MVS &amp; VM. The charge type selected for the base program must be a monthly license charge.</p> <p><b>Note:</b> COBOL IAD (InterActive Debug) see OS VS COBOL IAD (5734-CB4).</p>							
COBOL Report Writer Pre-compiler and Libraries	5798-DYR (EoS 12/31/94)	1.3.0	-	-	-	-	-
COBOL Report Writer Pre-compiler and Libraries	5798-DYR \$	1.4.0	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %
<p><b>Note:</b> The pre-compiler must run in 24-bit mode but will generates code that will run in 31-bit mode.</p> <p>% Support is required for VM/ESA V2. Contact the support hotline at (206) 725-7431 or 011-44-181-540-8409 for the most current support.</p> <p>\$ .... As of 9/1/98 program services have been extended indefinitely for this product.</p> <p><b>Note:</b> COBOL Report Writer Library 1.2.0, 5798-DZX, ended service as of 12/31/92.</p>							
COBOL Report Writer Library	5798-DZX \$	1.4.0	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %	Tol Exp XCTol %
<p><b>Note:</b> % .... Support is required for VM/ESA V2. Contact the support hotline at (206) 725-7431 or 011-44-181-540-8409 for the most current support.</p> <p>\$ .... As of 9/1/98 program services have been extended indefinitely for this product.</p>							
(IBM) COBOL SF	5696-737	3.1.0 Withdrawn 3/05/01	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> * .... IBM CODE/370 V1 R1 and V1 R1.1 were withdrawn from marketing in 1994 and ended service in August 1995.</p>							
CODE/370	5688-194 (EoS 3/31/03)	1.2.0 * Withdrawn	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> Full name of the above is <i>CoOperative Development Environment/370 Version 1</i>. This is an editing, compiling and debugging environment. It replaces COBOL IAD (5734-CB4) and the VS COBOL II (5668-958) Debugger. It is a follow on to INSPECT for C/370 and PL/I.</p> <p>See the <i>CODE/370 General Information Manual</i> (GC26-4661) for more details on using this product.</p> <p>* .... This product has been renamed to <b>IBM Debug Tool for z/OS and OS/390</b>. See the entry on</p>							
CRS	5799-ENT	1.1.0	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<p><b>Note:</b> CRS = <i>Conference Room Scheduler</i>, and is PRPQ # P81204.</p> <p>For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)</p> <p>Pre-reqs: ISPF V2 R2 and later, and WAKEUP and GETFMADR modules from VM/IPF or the CMS Utilities Feature of VM/ESA.</p> <p><b>Note:</b> CSFI 1.1.1, 5688-132; EoS = 1/31/94.</p>							
CSFI	5688-132	1.2.1 Withdrawn					

Table 1 (Page 17 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
CSFI	5688-132	1.3.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> CSFI = <i>Communications Subsystem for Interconnection</i>. CSFI replaces GTMOSI (an EMEA only Program Offering) 5785-ABZ.</p>							
<p><b>Note:</b> CSP/AD 3.1.1 (5668-813) EoS = 6/89. CSP/AD Version 3 Release 2 (5668-813), EoS = 8/28/92. CSP = <i>Cross System Product</i>.</p>							
CSP/AD	5668-813 \$ (EoS 12/31/98)	3.3.0 Withdrawn 12/31/97	-	-	-	-	-
<p><b>Note:</b> * .... Requires PTF UN75001 (this PTF supersedes UN48800) - available now. Please check the product install bucket on RETAIN for the most current information.</p> <p>\$ .... CSP/AD V3 R3 is <b>not</b> enabled for Year 2000. Year 2000 Toleration is provided by APAR PN87466, available from CSP service, 1-800-237-5511. See also Information APAR II09591.</p> <p>.... The EZ-PREP, EZ-RUN and PWS features of CSP/AD V3 R3 are withdrawn from marketing as of 1/29/97 and ended service as of 11/28/97. See IBM announce letter 996-273 for feature codes.</p>							
<p><b>Note:</b> CSP/AE 3.1.1 (5668-814) EoS 6/89. CSP/AE Version 3 Release 2 (5668-814), EoS 8/28/92.</p>							
CSP/AE	5668-814 \$ (EoS 12/31/98)	3.3.0 Withdrawn 12/31/97	-	-	-	-	-
<p><b>Note:</b> * .... Requires PTF UN75004 (this PTF supersedes UN48798) - available now. Please check the product install bucket on RETAIN for the most current information.</p> <p>\$ .... CSP/AE V3 R3 is <b>not</b> enabled for Year 2000. Year 2000 Toleration is provided by APAR PN87466, available from CSP service, 1-800-237-5511. See also Information APAR II09591.</p>							
<p><b>Note:</b> CSP/QUERY 1.2.1, 5668-918; EoS = 12/31/90.</p>							
<p><b>Note:</b> CUF see <i>CMS Utilities Feature</i>.</p>							
Current-OV/VM Workgroup Program	5621-416	1.1.0 Withdrawn 5/31/97	na	na	na	na	na
<p><b>Note:</b> Co-reqs on the Host OfficeVision/VM and one of the REXX Libraries (5695-014 or 5684-124). Current-OV/VM Workgroup is withdrawn from marketing effective 5/31/97. It is replaced by <b>IBM OV/VM support for Lotus Notes Clients</b>, announcement number 296-358, dated 9/24/96.</p>							
CVIEW	5664-296 (EoS 6/30/94)	2.1.3 Withdrawn	-	-	-	-	-
<p><b>Note:</b> CVIEW was withdrawn from marketing 11/30/93. Replacement: CVIEW is being packaged as a component of the Pass-Through product (5684-100), starting with Version 2 Release 1.1.</p>							
<p><b>Note:</b> DAE (<i>Distributed Automation Edition</i>) - Communications System/VM 1.1.0, 5684-057; EoS = 9/27/91.</p>							
DAE - Communications System/VM	5684-057 (EoS 10/16/98)	1.2.0 Withdrawn	-	-	-	-	-
DAE - Communications System/VM	5684-057 (EoS 10/16/98)	1.2.1 Withdrawn	-	-	-	-	-

Table 1 (Page 18 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>DAE - Communications System/VM</b>	5684-057 (EoS 10/16/98)	<b>1.2.2 Withdrawn 9/24/97</b>	-	-	-	-	-
<b>Note:</b> * .... The 'CS2POOLS' segment must be saved below the 16 Meg. line for DAE - Communications System/VM in the VM/ESA environment.							
<b>Note:</b> DAE - Host Link/VM 1.1.0, 5684-059; EoS = 9/27/91.							
<b>DAE - Host Link/VM</b>	5684-059 (EoS 10/16/98)	<b>1.2.0 Withdrawn</b>	-	-	-	-	-
<b>DAE - Host Link/VM</b>	5684-059 (EoS 10/16/98)	<b>1.2.1 Withdrawn</b>	-	-	-	-	-
<b>DAE - Host Link/VM</b>	5684-059 (EoS 10/16/98)	<b>1.2.2 Withdrawn 9/24/97</b>	-	-	-	-	-
<b>DAE - Logistics</b>	5684-058 (EoS 4/24/98)	<b>1.1.0 Withdrawn 6/04/97</b>	-	-	-	-	-
<b>Note:</b> .... DAE - Logistics was withdrawn from marketing effective 7/05/94.							
DAE = <i>Distributed Automation Edition.</i>							
<b>Data Compression Program for VM/ESA</b>	5697-235 (EoS 1/31/01)	<b>1.1.0 Withdrawn 11/30/99</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> Data Compression Program for VM/ESA requires PTF UM27737							
<b>DB2™ Datajoinder</b>	*	<b>2.1.0</b>	na	na	na	na	na
<b>DB2™ Datajoinder</b>	*	<b>2.1.1</b>	na	na	na	na	na
<b>Note:</b> *... This product is packaged for AIX and Windows NT. The DRDA Application Server support allows Application Requestors to access multi-vendor data via Datajoinder. See IBM Announcement letters 297-363, dated 9/16/97, and 298-264, dated 7/28/98, for additional details.							
<b>DB2™ for VSE &amp; VM</b>	5648-158 (EoS 1/31/01)	<b>5.1.0 Withdrawn 10/20/99</b>	-	-	-	-	-
<b>DB2™ for VSE &amp; VM</b>	5648-A70 (EoS 9/30/02)	<b>6.1.0 Withdrawn 9/05/01</b>	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
<b>DB2™ for VSE &amp; VM</b>	5697-F42 (EoS 5/02/05)	<b>7.1.0 Withdrawn 12/14/01</b>	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
<b>DB2™ for VSE &amp; VM</b>	5697-F42 (EoS 3/31/06)	<b>7.2.0 Withdrawn 3/28/03</b>	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
<b>DB2™ for VSE &amp; VM</b>	5697-F42	<b>7.3.0 Withdrawn 9/17/04</b>	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$

Table 1 (Page 19 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
<b>DB2™ for VSE &amp; VM</b>	5697-F42	<b>7.4.0 Withdrawn 11/30/07</b>	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
<b>Note:</b> DB2 for VSE & VM can be licensed only on standard processor engines. \$... The DB2 DataSpaces Support Option will exploit VM/ESA DataSpaces .							
<b>DB2™ for VSE &amp; VM</b>	5697-F42	<b>7.5.0</b>	-	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
<b>Note:</b> DB2 for VSE & VM can be licensed only on standard processor engines.							
<b>DB2 Forms for VM and VSE</b>	5697-F16 (EoS 4/04/04)	<b>1.1.0 Withdrawn 3/14/03</b>	*	*	*	*	*
<b>Note:</b> * .... DB2 Forms runs on a workstation and allows you to easily create and display Windows-based DB2 applications. See IBM Announcement Letter 299-099, dated April 27, 1999, or the IBM Sales Manual entry for 5697-F16 for additional details.							
<b>DB2 WWW Connection for VM/ESA</b>	*	<b>1.1.0 Withdrawn</b>	Exp XCTol	-	-	-	-
<b>Note:</b> *... DB2 World Wide Web (WWW) Connection for VM/ESA, originally made available at no-charge as an "as is" product, is no longer available for download.							
<b>DataHub/2</b>	5667-134 (EoS 6/16/95)	<b>1.2.0 Withdrawn 10/05/95</b>	X	X	X	X	X
<b>Note:</b> <b>DataHub Support/VM</b> is a feature of SQL/DS Version 3 and available 6/25/93. See also the <i>SQL/DS</i> entry later in this table.							
<b>DataRefresher</b>	5696-703	<b>1.1.0 Withdrawn 4/27/99</b>	Exp	Exp	Exp	Exp	Exp
<b>Note:</b> DataRefresher replaces DXT V2, 5668-788.							
<b>Note:</b> DBEDIT 1.1.0 (5798-DLL) EoS 2/87.							
<b>DBEDIT</b>	5798-DLL (EoS)	<b>1.3.3 Withdrawn</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> DBEDIT is no longer supported.							
<b>Note:</b> DBRAD VM 1.1.0, 5798-FAP; Withdrawn 12/31/97, EoS = 3/90. DBRAD = <i>Data Base Relational Application Directory</i> , an EMEA Product Offering.							
<b>Note:</b> DCF 1.3.2, 5748-XX9 EoS = 11/04/91. DCF = <i>Document Composition Facility</i>							

Table 1 (Page 20 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
DCF	5748-XX9	1.4.0 % **	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> % ... See Information APAR II06220 for DCF Release 4 (last update 12/28/92).</p> <p>DCF Release 4 enhanced: Double Byte Character (DBC) Feature provides DBC support and support for the CICS command level interface.</p> <p>** ... New DCF Release 4 enhancements were announced 3/95 (see announcement letter 295-129) available via PTF 4/95 and DCF Viewer Feature 7/28/95.</p>							
<p><b>Note:</b> DCP/VM Version 1 (5664-362); EoS = 6/93. DCP/VM was withdrawn from marketing 3/93. DCP was a JAPANESE only product.</p>							
<p><b>Note:</b> DCS/CDF 1.1.0 5668-865 EoS 12/86.</p>							
DCS	5668-865 (EoS 7/30/94)	1.2.4 Withdrawn 3/31/98					
<p><b>Note:</b> DCS = <i>Data Communication Service</i></p>							
<p><b>Note:</b> DFDSM is now: <i>ADSTAR Distributed Storage Manager</i>.</p>							
<p><b>Note:</b> DFSMS/VM Version 1 Release 1, 5706-116: EoS 10/31/99</p>							
DFSMS/VM	Feature of 5741-A05	221	*	*	*	*	-
<p><b>Note:</b> \$ .... DFSMS/VM Function Level 210 is an unpriced, orderable feature of the z/VM V5 SDO.</p> <p>* .... DFSMS/VM Function Level 221 became available 3/26/93.</p>							
DFSMS/VM	Feature of 5741-A07	221	-	-	-	-	*
<p><b>Note:</b> \$ .... DFSMS/VM Function Level 210 is an unpriced, orderable feature of the z/VM V6 SDO.</p>							
<p><b>Note:</b> DFSORT /CMS 1.1.0, 5664-325; EoS = 4/30/91.</p>							
DFSORT /CMS	5684-134	2.1.0 @	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> @ .... See the Install Bucket for DFSORT/CMS for current installation requirements.</p>							
<p><b>Note:</b> DIOF Version 2.1.0, 5785-HAH (a program offering in EMEA) was withdrawn from marketing 10/91 and has been EoS since 3/86.</p>							
<p><b>Note:</b> DIOF V3.1.0, 5785-HAX; EoS = 4/30/92. DIOF = <i>Display Input/Output Facility</i>, a program offering in EMEA and A/FE only.</p>							
DirMaint	Feature of 5741-A05 (EoS 9/30/07) (EoS 4/30/09)	FL510 Withdrawn 06/15/07	Exp	Exp	-	-	-
<p><b>Note:</b></p> <p>The DirMaint FL510 feature has been withdrawn from marketing effective June 15, 2007. See IBM Announcement Letter 207-019 dated February 6, 2007.</p> <p>The date for discontinuing service support for the IBM DirMaint Feature FL510 has been extended to April 30, 2009 for z/VM V5.2 and this extension applies only to z/VM V5.2. The date remains September 30, 2007 for the Common Criteria Certification feature, formerly known as z/VM V5.1.</p>							

Table 1 (Page 21 of 66). LP's Migration Matrix -- z/VM							
Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>DirMaint FL530</b>	Feature of 5741-A05 (EoS 09/30/10)	<b>FL530 Withdrawn 09/08/08</b>	-	-	Exp	-	-
<b>Note:</b> DirMaint FL530 feature can only be licensed on z/VM V5.3 and is only supported on z/VM V5.3. The DirMaint FL530 feature was withdrawn from marketing effective September 8, 2008. See IBM Announcement Letter 208-249 dated August 5, 2008.							
<b>DirMaint FL540</b>	Feature of 5741-A05 (EoS 09/30/13)	<b>FL540</b>	-	-	-	Exp	-
<b>Note:</b> DirMaint FL540 feature can only be licensed on z/VM V5.4 and is only supported on z/VM V5.4.							
<b>DirMaint FL610</b>	Feature of 5741-A07	<b>FL610</b>	-	-	-	-	Exp
<b>Note:</b> DirMaint FL610 feature can only be licensed on z/VM V6.1 and is only supported on z/VM V6.1.							
<b>Note:</b> DIS Release 1, 5706-113; EoS = 3/91. DIS Rmlease 2, 5706-113; EoS = 5/22/92.							
<b>Note:</b> <b>DIS Version 1</b> (5706-113) has been transferred from an IBM to a Metaphor brand name.							
<b>Note:</b> DITTO V3 R1.0, 5688-052; EoS = 11/28/97							
<b>DITTO</b>	5688-052 (EoS 12/31/01)	<b>3.2.0 Withdrawn 6/30/00</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> * .... PTFs UN55037 and UN70819 are required for VM/ESA V2 R1.0 and higher. .... DITTO Version 3 Release 2 Productivity Feature for VM was available 12/93.							
<b>DITTO/ESA</b>	5654-029 (EoS 12/31/97)	<b>1.1.0 * Withdrawn 12/31/97</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> * .... DITTO/ESA 1.1.0 is <b>VMSES/E</b> enabled.							
<b>DITTO/ESA</b>	5654-029 (EoS 3/31/01)	<b>1.2.0 * Withdrawn 06/25/99</b>	Tol	Tol	Tol	Tol	Tol
<b>DITTO/ESA</b>	5654-029	<b>1.3.0 *</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> * .... DITTO/ESA 1.2.0 and future releases are <b>VMSES/E</b> enabled.							
<b>Note:</b> DMS/CMS 1.2.0, 5748-XXB; EoS = 6/27/92. DMS/CMS Version 1 was withdrawn from marketing effective 8/30/91. DMS = <i>Display Management System</i>							
<b>DMS/CMS</b>	5684-113	<b>2.1.0</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> DOS/VS COBOL Version 1 Release 2 (5746-CB1 & 5746-LM4) Withdrawn 12/31/99, EoS = 3/26/92.							

Table 1 (Page 22 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>DOS/VS-VM/SP SORT/MERGE</b>	5746-SM2 (EoS 4/30/99)	<b>2.5.0 Withdrawn 12/29/97</b>					
<b>Note:</b> DrawMaster 1.1.0, 5664-388; EoS 4/30/89. DrawMaster 1.1.1, 5664-388; EoS 8/26/93.							
<b>Note:</b> DW/370 1.1.1, 5664-370; EoS 9/88 DW/370 1.2.0, 5664-370; EoS 10/17/92 DW/370 1.2.1, 5664-370; EoS 12/31/94 DW/370 2.1.0, 5684-091; EoS 06/30/96							
<b>DW/370</b>	5684-091 (EoS 5/03/04)	<b>2.2.0 Withdrawn 3/03/03</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> DW/370 = <i>DisplayWrite/370</i> . A per user based fee structure is available 6/93 for DW/370 Version 2.							
<b>Note:</b> DXT 2.3.0, 5668-788; EoS = 12/90. DXT 2.4.0, 5668-788; EoS = 12/31/92.							
<b>DXT</b>	5668-788 (EoS 12/15/99 \$)	<b>2.5.0 Withdrawn 10/05/95</b>	Exp	Exp	Exp	Exp	Exp
<b>Note:</b> \$ .... DXT is replaced by DataRefresher, 5696-703. See							
<b>Note:</b> ECF Version 1 Release 1 (5664-327); EoS = 7/01/91. ECF Version 1 Release 2 (5664-327); EoS = 11/28/97.							
<b>Note:</b> ECFORMS Version 1 Release 2 (5799-DFN); EoS = 6/91. ECFORMS version 1 was withdrawn from marketing 8/18/93 (withdrawn in EMEA effective 5/31/93). ECFORMS Version 1 Release 3 (5785-MCB); EoS = 12/18/93.							
<b>ECFORMS</b>	5684-164 (EoS 4/24/98)	<b>2.1.0 Withdrawn 06/27/97</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> ECFORMS Version 2 replaces ECFORMS Version 1 Release 3. A per user based fee structure is available with Version 2. Full name is <i>IBM Electronic Forms Management Systems</i> .							
<b>Note:</b> ELSAP 1.1.0, PRPQ #P04242 (5764-007), was withdrawn from marketing as of 4Q97 and ended service in 2Q98.							
<b>Note:</b> EMCS Version 1 Release 2 (5709-031); EoS = 5/91. <i>EMCS</i> = <i>Enterprise Management Control Series</i> .							
<b>Note:</b> EMCS AFMT Version 1 (5709-032); EoS = 5/91. <i>AFMT</i> = <i>Advanced Function Management Tools</i> .  EMCS is replaced by Application Systems (AS) Project Management.							
<b>Note:</b> EML, 1.2.0 5799-BTB; (PRPQ P81005) was withdrawn and EoS 8/24/92. <i>EML</i> = <i>Elementary Math Library (Fortran)</i> Most EML function is included in the VS Fortran V2 library.							
<b>Note:</b> Enterprise View, 5758-BY1, EnterpriseWeb Calendar, 5758-BY0, EnterpriseWeb Mail, 5758-BY5, EnterpriseWeb Secure/VM, 5758-BY4, and EnterpriseWeb/VM, 5758-BYA, were withdrawn from marketing through the Software Vendor Marketing Program (SVMP) as of March 2000. Software provider Beyond Software was acquired by NEON Systems as of October 1999. EnterpriseWeb/VM is now available as Shadow Web Server for VM. Contact NEON Systems at 800-505-6366 or 281-634-8225 or visit their web site at <a href="http://www.neonsys.com">http://www.neonsys.com</a> for additional information.							
<b>Note:</b> EP 1.1.0, 5735-XXB; EoS = 11/90. EP 1.2.0, 5735-XXB; EoS = 12/92.							
<b>EP</b>	5735-XXB (EoS 10/4/04)	<b>1.4.0 Withdrawn 9/03/03</b>	na	na	na	na	na

Table 1 (Page 23 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
EP	5735-XXB (EoS 10/4/04)	<b>1.6.1 Withdrawn 9/03/03</b>	na	na	na	na	na
<b>Note:</b> EP 1.7.0, 5735-XXB; EoS = 12/92.							
EP	5735-XXB	<b>1.8.0 Withdrawn 9/03/03</b>	na	na	na	na	na
EP	5735-XXB	<b>1.9.0 Withdrawn 9/03/03</b>	na	na	na	na	na
EP	5735-XXB (EoS 9/30/95)	<b>1.10.0 Withdrawn 9/03/03</b>	na	na	na	na	na
<b>Note:</b> EP 1.10.0, 5735-XXB, was withdrawn from marketing 4/30/93. It was replaced by EP R11.							
EP	5735-XXB	<b>1.11.0 Withdrawn 9/06/00</b>	na	na	na	na	na
EP	5735-XXB	<b>1.12.0 Withdrawn 9/25/98</b>	na	na	na	na	na
EP	5735-XXB	<b>1.14.0</b>	na	na	na	na	na
<b>Note:</b> EP pre-reqs the appropriate levels of ACF/NCP and ACF/SSP. For Release 12 these are ACF/NCP V7 R1.0 and ACF/SSP V4 R1.0.							
EPDM	5695-101	<b>1.1.0</b>	na *	na *	na *	na *	na *
<b>Note:</b> EPDM = <i>Enterprise Performance Data Manager/MVS</i> * .... EPDM runs on MVS but can collect, store and report on VM data.							
<b>Note:</b> EREP 5654-260, Ver. 3 Release 4; EoS = 5/31/92.							
EREP	5654-260	<b>3.5.0 *</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<b>Note:</b> EREP Version 3 Release 5 supersedes all previous releases of EREP. * .... See APAR VM54504 (PTF UV56895) new function device support.							
<b>Note:</b> ESCE/VM 1.2.0, 5664-392: EoS 9/30/90 ESCE/VM 1.3.0, 5664-392: EoS 6/14/96							
<b>Note:</b> ESE/VM 1.2.0, 5664-391: EoS 9/30/90. ESE/VM 1.3.0, 5664-391: EoS 6/14/96.							
<b>Note:</b> ESCON Manager Release 1, 5688-008; EoS = 6/93 (EMEA EoS = 11/93).							
ESCON Manager	5688-008 (EoS 4/24/98)	<b>1.2.0 Withdrawn 6/27/97</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> ESSL 1.3.0, 5668-863; Withdrawn 9/30/97, EoS 3/30/91. ESSL 1.4.0, 5668-863 and ESSL - Scalar only 1.4.0, 5688-138; EoS = 11/24/92. ESSL Version 1 (5668-863) and ESSL - Scalar Version 1 (5688-138) were withdrawn from marketing 7/21/92.							



Table 1 (Page 24 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
ESSL/370	5688-226 (EoS 6/30/94)	<b>2.1.0 Withdrawn 1/28/94</b>	-	-	-	-	-
<p><b>Note:</b> @ .... ESSL Version 2 Release 1 was withdrawn from marketing 1/28/94. ESSL/370 Version 2 replaces ESSL Version 1 (5668-863) and ESSL - Scalar Version 1 (5688-138).</p>							
ESSL/370	5688-226 (EoS 3/31/02)	<b>2.2.0 Withdrawn 3/05/01</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> ESSL/370 V2 R2 is <b>VMSES/E</b> enabled. Full name for ESSL/370 is <i>IBM Engineering and Scientific Subroutine Library Vector and Scalar/370 Version 2</i></p> <p>* .... Support for VM/ESA 370 Feature R1.5 will be provided for the ESSL/370 Scalar Library. VM/ESA 370 Feature R1.0 is not a supported environment for ESSL Version 2 Release 2.0.</p>							
<p><b>Note:</b> Executive Decisions/VM 1.1.1, 5688-094; EoS = 10/16/93.</p>							
Executive Decisions/VM %	5688-094 (EoS 10/31/94)	<b>1.1.2 Withdrawn 6/16/93</b>	-	-	-	-	-
<p><b>Note:</b> % .... Replacement Product Information: IBM has selected two vendors; <i>Comshare</i> and <i>Intelligent Office Company, Ltd. (I.O.C.)</i>, to give current Executive Decisions users and future EIS users a wider choice of platforms and enhanced function. Agreements with these vendors also include the sharing of Executive Decisions design points by IBM, and the identification of migration paths from Executive Decisions to these vendor's products.</p> <p>Executive Decisions/VM Version 1 Release 1 was withdrawn from marketing 6/16/93.</p>							
<p><b>Note:</b> * .... expEDItE/VM 1.1.0, 5767-062; EoS = 6/30/93. 6/93 is a USA date. In &lt;&lt; EMEA &gt;&gt; : expEDItE/VM Version 1.0 (5767-062), was withdrawn from marketing 9/30/93, and will be EoS effective 3/31/94. IBM expEDItE/VM was withdrawn 11/92. It is replaced by IBM expEDItE Base/VM Version 4 (below) (version change to V4 R1 was to be consistent with the version and release level of IBM Information Exchange).</p>							
expEDItE Base/VM	5767-062 (EoS 4/30/99)	<b>4.1.0 Withdrawn 12/16/97</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> In EMEA expEDItE Base/VM is product number 5785-EET</p>							
Extended Facilities Product	5648-A09 (EoS 10/16/98)	<b>1.1.0 Withdrawn 12/29/97</b>	X	X	X	X	X
Extended Facilities Product	5648-A17	<b>2.1.0</b>	X	X	X	X	X
File Exchange/VM User Interface	5785-EEY \$	<b>1.1.0</b>	Tol	Tol	Tol	Tol	Tol
File Exchange/VM User Interface	5785-EEY	<b>1.2.0</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> The <i>IBM File Exchange/VM User Interface</i> replaces the user interface program for VM/CMS users of the IBM File Exchange Service which is currently available via the Service Delivery Centres (which will not be supported after 31 December 1994). \$... This is an EMEA only product.</p>							
Filemanager/VM	5799-FLT (EoS 1996)	<b>1.1.0 Withdrawn</b>	Tol	Tol	Tol	Tol	Tol

Table 1 (Page 25 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>FLSF</b>	5668-890 (EoS 4/26/97)	<b>1.1.0 Withdrawn 12/16/97</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> FLSF = <i>Font Library Service Facility</i> . FLSF is superseded by <b>AFP Font Collection, 5648-B33</b> .							
<b>Note:</b> FMS/VM 1.1.0, 5785-RAE; EoS = 6/92. End of Marketing was also 6/92. FMS/VM was an EMEA only product.							
<b>Note:</b> Formula Formatter (SMFF) 1.0.0, 5798-DPW; EoS 9/86. It was replaced by a Feature of DCF (5748-XX9).							
<b>Note:</b> FORTRAN H Opt 1.3.0, 5796-PKR; EoS 6/86.							
<b>Note:</b> FORTRAN IAD V1 R2, 5734-FO5, was withdrawn from marketing 12/18/92 (note: EoS was 5/86).							
<b>Note:</b> <b>FORTRAN:</b> see <i>VS FORTRAN</i> .							
<b>Note:</b> FPDIF 1.1.0, 5799-DRD; Is no longer available or supported. FPDIF = <i>Floating-Point Data Interchange Facility</i> , PRPQ # P88041							
<b>Note:</b> FSF (File Storage Facility) 1.1.3, 5798-DMY; Withdrawn 12/31/97, EoS 12/87.							
<b>Note:</b> FTP Version 2, 5664-315; EoS = 12/03/92. FTP is superseded by NetView FTP VM Version 1 (5684-048).							
<b>FTP PS/55 V2</b>	5799-PGX	<b>2.1.0</b>					
<b>Note:</b> Full name of the above is: <i>PS/55 File Transfer Program VM/CMS Version 2</i> . This product is available in Asia Pacific countries.							
<b>Note:</b> GAM/SP Release 2, 5668-978 ended service in 4/90.							
<b>GAM/SP</b>	5668-978 (EoS 4/24/98)	<b>1.3.0 Withdrawn 6/27/97</b>	-	-	-	-	-
<b>GAM/SP</b>	5668-978	<b>1.3.1 Withdrawn 6/27/97</b>	Svm XCTol * %	Svm XCTol * %	Svm XCTol * %	Svm XCTol * %	Svm XCTol * %
<b>Note:</b> % .... see APAR PN54236 - PTFs UN58851 (1.3.0) and UN58852 (1.3.1))  * .... For GAM Release 3 (5668-978) in the XA/ESA/XC environments see APAR PN13752 (HIPER - PTFs UN15585 (1.3.0) and UN15586 (1.3.1)). <i>GAM/SP Graphics Access Method/System Product.</i> <i>Svm</i> in the GAM/SP records indicates that only GTM (Graphics Task Monitor) requires a 370 mode virtual machine.							
<b>GASP</b>	5799-AXX (EoS 1/96)	<b>1.3.8</b>	-	-	-	-	-
<b>GASP</b>	5799-AXX (EoS 1/96)	<b>1.3.9</b>	-	-	-	-	-
<b>GASP</b>	5799-AXX	<b>1.3.10</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<b>Note:</b> GASP = <i>Graphics Attachment Support Program</i> Applications using GASP may be exploitive (i.e. GASP must reside below the 16M line but applications can call GASP from above the line).							
<b>Note:</b> Gateway Security Modifications 5799-XBA, PRPQ # P81070 is no longer available.							

Table 1 (Page 26 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>GDDM OS/2-Link</b>	5688-113 (EoS 10/31/94)	<b>1.0.0 \$</b>	na	na	na	na	na
<p><b>Note:</b> This product ships to the HOST but down-loads to and executes on OS/2.</p> <p>\$ .... GDDM-PCLK V1.1 and GDDM OS/2-Link V1.0 are now packaged and installed with the GDDM/VM Version 3 base. Both GDDM-PCLK Version 1.1 (5604-095) and GDDM-OS/2 Link Version 1.0 have had service extended to 10/31/94.</p>							
<b>GDDM-CSPF</b>	5688-013 (EoS 6/7/94)	<b>1.1.0 Withdrawn 2/01/94</b>					
<p><b>Note:</b> GDDM-CSPF was withdrawn from marketing 2/01/94.</p>							
<p><b>Note:</b> GDDM-GKS 1.1.0, 5668-802; EoS = 4/15/93.</p>							
<b>GDDM-GKS</b>	5668-802	<b>1.1.1 Withdrawn 5/30/97</b>	Exp	Exp	Exp	Exp	Exp
<b>GDDM-GKS</b>	5668-802	<b>1.1.2</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> GDDM-GKS 1.1.2 is only supported with GDDM/VM Version 3 Release 1 and Release 1.1.</p>							
<b>GDDM-GKS</b>	5668-802	<b>1.1.3</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> GDDM-GKS 1.1.3 is only supported with GDDM/VM Version 3 Release 2.</p>							
<p><b>Note:</b> GDDM-IMD 2.1.0, 5668-801; EoS = 4/15/93. IMD = <i>Interactive Map Definition</i>.</p>							
<b>GDDM-IMD</b>	5668-801	<b>2.1.1 Withdrawn 5/30/97</b>	Exp	Exp	Exp	Exp	Exp
<b>GDDM-IMD</b>	5668-801	<b>2.1.2</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> GDDM-IMD 2.1.2 is only supported with GDDM/VM Version 3 Release 1 and Release 1.1.</p>							
<b>GDDM-IMD</b>	5668-801	<b>2.1.3</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> GDDM-IMD 2.1.3 is only supported with GDDM/VM Version 3 Release 2.</p>							
<p><b>Note:</b> GDDM-IVU 1.1.0, 5668-723; EoS = 4/15/93. IVU = <i>Image View Utility</i>.</p>							
<b>GDDM-IVU</b>	5668-723	<b>1.1.1 Withdrawn 5/30/97</b>	Exp	Exp	Exp	Exp	Exp
<b>GDDM-IVU</b>	5668-723	<b>1.1.2</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> GDDM-IVU 1.1.2 is only supported with GDDM/VM Version 3 Release 1 and Release 1.1.</p>							
<b>GDDM-IVU</b>	5668-723	<b>1.1.3</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> GDDM-IVU 1.1.3 is only supported with GDDM/VM Version 3 Release 2.</p>							
<p><b>Note:</b> GDDM-PGF 2.1.0, 5668-812; EoS = 4/15/93. PGF = <i>Presentation Graphic Facility</i>.</p>							
<b>GDDM-PGF</b>	5668-812	<b>2.1.1 Withdrawn 5/30/97</b>	Exp	Exp	Exp	Exp	Exp
<b>GDDM-PGF</b>	5668-812	<b>2.1.2</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> GDDM-PGF 2.1.2 is only supported with GDDM/VM Version 3 Release 1 and Release 1.1.</p>							

Table 1 (Page 27 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>GDDM-PGF</b>	5668-812	<b>2.1.3</b>	Exp	Exp	Exp	Exp	Exp
<b>Note:</b> GDDM-PGF 2.1.3 is only supported with GDDM/VM Version 3 Release 2.							
<b>GDDM-REXX</b>	5664-336	<b>1.1.0 Withdrawn 5/30/97</b>	*	*	*	*	*
<b>Note:</b> * GDDM-REXX is now packaged and installed with the GDDM/VM Version 3 base.							
<b>Note:</b> GDDM/graPHIGS Version 1 (5668-792) EoS = 3/17/92 GDDM/graPHIGS V1 was withdrawn from marketing effective 12/17/91.							
<b>Note:</b> GDDM/graPHIGS Version 2: GDDM/graPHIGS 2.1.0, 5688-093; EoS = 12/31/91. GDDM/graPHIGS 2.2.1, 2.2.2 and 2.2.3 are all superseded by GDDM/GraPHIGS 2.2.4.							
<b>GDDM/graPHIGS</b>	5688-093 12/31/05	<b>2.2.4 Withdrawn 9/08/04</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> GDDM/graPHIGS V2 will be withdrawn from marketing effective 9/08/94. GDDM/VM Version 2, 5664-200; EoS = 4/15/93.							
<b>GDDM/VM</b>	5684-168 (EoS 3/31/97)	<b>3.1.0</b>	-	-	-	-	-
<b>GDDM/VM</b>	5684-168	<b>3.1.1</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> % .... See APAR PN39848 support for CMS 10 (opened 5/93).  The GDDM-PCLK and GDDM-OS/2 Link features are withdrawn from marketing, effective 6/4/96.  GDDM-REXX is now packaged and installed with the GDDM/VM Version 3 base.  GDDM-CSPF is not supported in the GDDM/VM V3 environment.							
<b>GDDM/VM</b>	5684-168	<b>3.2.0 \$ *</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> \$ .... GDDM/VM 3.2.0 is enabled for VMSES/E * .... See the Installation Bucket for GDDM/VM 3.2.0 for the latest installation requirements.							
<b>Note:</b> GDDM/VMXA 2.2.0, 5684-007; EoS = 4/15/93.							
<b>GDDM/VMXA</b>	5684-007	<b>2.3.0 Withdrawn 5/30/97</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> GDDM/VMXA V2 R3 supersedes GDDM/VM V2 R2 and GDDM/VMXA V2 R2.							
<b>Note:</b> GDQF Version 1, 5668-905; EoS = 12/31/91. GDQF Version 2 Release 1, 5688-169; EoS = 05/01/93.							

Table 1 (Page 28 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>GDQF</b>	5688-169	<b>2.2.0 Withdrawn 9/03/03</b>	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$
<p><b>Note:</b> \$ .... GDQF Version 2 needs the VS PASCAL Runtime Library present to exploit in the XA or ESA environments. Note that not all Utilities are supported in 31-bit mode. Please refer to product documentation for details.            GDQF = <i>Graphical Display and Query Facility</i>. GDQF was withdrawn from marketing effective 9/03/03.</p>							
<p><b>Note:</b> geoManager Version 1:            geoManager 1.1.2, 5685-105; EoS = 6/30/93            geoManager 1.1.3, 5685-105; EoS = 12/30/93            geoManager 1.1.4, 5685-105; EoS = 7/31/95            geoManager 1.1.5, 5685-105; EoS = 12/06/97.</p>							
<b>geoManager</b>	5685-105 (EoS 05/05/08)	<b>1.1.6 Withdrawn 03/05/07</b>	Exp \$	Exp \$	Exp \$	Exp \$	Exp \$
<p><b>Note:</b> \$ .... geoManager 1.1.x needs the PL/I Runtime Library (5668-911) present to exploit in the XA or ESA environments.</p>							
<p><b>Note:</b> GPG/GFIS Version 1, 5668-941; EoS = 6/18/91.</p>							
<p><b>Note:</b> Graphics Program Generator (GPG) Version 2:            GPG 2.2.4, 5688-050: EoS 12/92.            GPG 2.2.5, 5688-050: EoS 12/31/93            GPG 2.2.6, 5688-050: EoS 2/28/95            GPG 2.2.8, 5688-050: EoS 6/30/97</p>							
<b>GPG</b>	5688-050 (EoS 05/05/08)	<b>2.2.9 Withdrawn 03/05/07</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> GroupTalk 1.1.0, 5799-DDK; EoS = 12/31/91.            GroupTalk Convene 1.1.0, 5799-DDL: EoS = 12/31/91.</p>							
<b>High Level Assembler</b>	5696-234 (EoS 12/29/95)	<b>1.1.0 Withdrawn 3/24/95</b>	-	-	-	-	-
<b>High Level Assembler</b>	5696-234 (EoS 3/31/02)	<b>1.2.0 Withdrawn 9/25/98</b>	Tol	Tol	Tol	Tol	Tol
<b>High Level Assembler</b>	5696-234 (EoS 10/6/03)	<b>1.3.0 Withdrawn 9/25/00</b>	Tol	Tol	Tol	Tol	Tol
<b>High Level Assembler</b>	5696-234 (EoS 4/7/07)	<b>1.4.0 Withdrawn 5/25/04</b>	Tol	Tol	Tol	Tol	Tol
<b>High Level Assembler</b>	5696-234	<b>1.5.0 Withdrawn 7/11/08</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> Short name = HLASM. Full name = <i>IBM High Level Assembler/MVS &amp; VM &amp; VSE</i> .            HLASM 1.5 supports development of applications requiring 64-bit addressing. See announcement 204-122.</p>							
<b>High Level Assembler</b>	5696-234	<b>1.6.0</b>	-	Exp	Exp	Exp	Exp
<b>High Level Assembler ToolKit Feature</b>	Feature of 5696-234 (3/31/02)	<b>1.2.0 Withdrawn 9/25/98</b>	Tol	Tol	Tol	Tol	Tol

Table 1 (Page 29 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>High Level Assembler ToolKit Feature</b>	Feature of 5696-234 (EoS 10/6/03)	<b>1.3.0 Withdrawn 9/25/00</b>	Tol	Tol	Tol	Tol	Tol
<b>High Level Assembler ToolKit Feature</b>	Feature of 5696-234 (EoS 4/7/07)	<b>1.4.0 Withdrawn 5/25/04</b>	Tol	Tol	Tol	Tol	Tol
<b>High Level Assembler ToolKit Feature</b>	Feature of 5696-234	<b>1.5.0 Withdrawn 7/11/08</b>	Exp	Exp	Exp	Exp	Exp
<b>High Level Assembler ToolKit Feature</b>	Feature of 5696-234	<b>1.6.0</b>	-	Exp	Exp	Exp	Exp
<b>Note:</b> High Level Assembler Toolkit Feature is a separately priced feature o High Level Assembler. See announcement letters 295-498, dated 12/12/95, 298-271, dated 7/28/98, 200-217, dated 7/11/00, and 204-122, dated 6/08/04 for details.							
<b>High Level Assembler Linux for System z Feature</b>	Feature of 5696-234	<b>1.6.0</b>	-	Exp	Exp	Exp	Exp
<b>Note:</b> High Level Assembler Linux for System z Feature is a separately priced feature of the High Level Assembler and operates on standard processors (CPs). If you intend to execute High Level Assembler on Integrated Facility for Linux (IFL) rocessors, you should order PRPQs 5799-TCQ and 5799-TCR for each IFL. See announcement letter 208-145 (US), dated 06/24/08 for additional details.							
<b>Host Management Facilities</b>	5684-157 (EoS 6/30/94)	<b>1.1.0 Withdrawn 11/19/93</b>	-	-	-	-	-
<b>Host Management Facilities</b>	5684-157 * (EoS 04/05/10)	<b>1.1.1 @ Withdrawn 09/08/08</b>	Tol %	Tol %	Tol %	Tol %	-
<b>Note:</b> Full name of the above is: <i>Host Management</i> <i>As of Sept. 5, 2001, Feature number 5767 was withdrawn from marketing. End of Service for feature 5767 is Sept. 30, 2002.</i> <i>HMF is not available for ordering nor supported on z/VM V6.1. HMF V1.1.1 is replaced by 5698-J10, IBM Operations Manager for z/VM V1.3.0 announced in Software Announcement 208-133, dated June 10, 2008</i>							
<b>IBM Archive Manager for z/VM</b>	5697-J05	<b>1.1.0</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> IBM Archive Manager for z/VM (5697-J05) was announced on August 23, 2005 (205-196). Availability was August 26, 2005.							
<b>IBM Backup and Restore Manager for z/VM</b>	5697-J06 (EoS 04/30/08)	<b>1.1.0 Withdrawn 08/25/06</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> IBM Backup and Restore Manager for z/VM (5697-J06) was announced on April 22, 2005 (205-039). Availability was April 29, 2005.							
<b>IBM Backup and Restore Manager for z/VM</b>	5697-J06	<b>1.2.0</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> IBM Backup and Restore Manager for z/VM (5697-J06) was announced on August 25, 2006 (206-204). Availability was August 25, 2006.							
<b>Note:</b> IBM BASIC 1.1.x, 5668-996; EoS = 12/86.							

Table 1 (Page 30 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>IBM BASIC VM</b>	5668-996	<b>1.2.0 Withdrawn 9/06/06</b>	370A	370A	370A	370A	370A
<b>IBM C for VM/ESA</b>	5654-033	<b>3.1.0 @</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> IBM C for VM/ESA is a replacement for IBM C/370 Compiler (5688-187) and AD/Cycle C/370 (5688-216).</p> <p>Requires (IBM) Language Environment for MVS &amp; VM Rel. 5 (5688-198) or the Common Execution Library (CEL) that is shipped with VM/ESA V2 (5684-112) to execute.</p> <p>@ .... IBM C for VM/ESA is <b>VMSES/E enabled</b>.</p>							
<b>IBM C/C++ for z/VM</b>	5654-A22	<b>1.1.0 @ Withdrawn 09/08/08</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> @ .... IBM C/C++ for z/VM is <b>VMSES/E enabled</b>.</p>							
<b>IBM XL C/C++ for z/VM</b>	5654-A22	<b>1.2.0</b>	-	-	-	Exp XCTol	Exp XCTol
<b>IBM Cobol for MVS &amp; VM</b>	5688-197 (EoS 12/31/01)	<b>1.2.0 Withdrawn \$ 9/06/00</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> This product was formerly known as AD/Cycle Cobol/370. The product number, 5688-197, remains unchanged.</p> <p>\$ .... IBM Cobol for MVS &amp; VM is replaced by <b>IBM Cobol for OS/390 &amp; VM, 5648-A25</b>. See entry on</p>							
<b>IBM Debug Tool for z/OS and OS/390</b>	5688-194 (EoS 5/31/04)	<b>1.3.0 Withdrawn 3/31/03</b>	Exp *	Exp *	Exp *	Exp *	Exp *
<p><b>Note:</b> IBM Debug Tool for z/OS and OS/390 V1 R3 is the replacement product for Code/370 V1 R2. It supports VM/ESA and z/VM, with limitations. See IBM Announcement Letter 201-340, dated November 27, 2001 or the IBM Sales Manual entry for 5688-194, for additional information.</p>							
<b>IBM Debug Tool for z/VM V4.1</b>	5654-A23	<b>4.1.0 @</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> See IBM Announcement Letter 204-212, dated September 21, 2004 or the IBM Sales Manual entry for 5654-A23, for additional information.</p>							
<p><b>Note:</b> Debug Tool uses OS Simulation macros for I/O which necessitates the Debug Tool operating system interface module to be resident below the 16 MB line.</p>							
<b>IBM Operations Manager for z/VM</b>	5697-J10 (EoS 09/30/08)	<b>1.1.0 Withdrawn 02/24/06</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> IBM Operations Manager for z/VM (5697-J10) was announced on August 23, 2005 (205-195). Availability was August 26, 2005. It was withdrawn from marketing on February 24, 2006.</p>							
<b>IBM Operations Manager for z/VM</b>	5697-J10 (EoS 04/30/10)	<b>1.2.0 Withdrawn 06/09/08</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> IBM Operations Manager for z/VM 1.2 (5697-J10) was announced on February 21, 2006 (206-034). Availability was February 24, 2006.</p>							
<b>IBM Operations Manager for z/VM</b>	5697-J10	<b>1.3.0</b>	-	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> IBM Operations Manager for z/VM 1.3 (5697-J10) was announced on June 10, 2008 (208-133). Availability was June 13, 2008.</p>							

Table 1 (Page 31 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM					
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1	
<b>IBM PL/I for MVS &amp; VM</b>	5688-235	<b>1.1.1 Withdrawn 3/06/06</b>	Tol	Tol	Tol	Tol	Tol	
<b>Note:</b> 5688-235, PL/I for MVS and VM V1, consists of a PL/I compiler and a debugger. The compiler continues to be available as part of the existing PL/I for MVS and VM V1 VM Alternate Function Offering. The debugger is replaced by 5654-A23, Debug Tool for z/VM V4.1. Refer to Software Announcement 204-212 , dated September 21, 2004.								
<b>IBM PL/I Workstation Function for IBM PL/I</b>	Feature of 5688-235	<b>1.1.0</b>	Tol	Tol	Tol	Tol	Tol	
<b>Note:</b> IBM PL/I Workstation Function may be ordered as an MES for installed users of IBM PL/I for MVS & VM or IBM OS PL/I V2. The charge type selected for the base program must be a monthly license charge.								
<b>Note:</b> IBM PROLOG 1.1.0, 5706-236; EoS = 3/31/91. Needs 370ACCOM ON								
<b>IBM PROLOG</b>	5706-236 (EoS 6/30/96)	<b>1.2.2 Withdrawn 2/29/96</b>						
<b>Note:</b> IBM Prolog (5706-236) replaces VM/Prolog (5785-ABH) program offering. IBM Prolog is replaced by AD/Cycle Prolog/MVS & VM (5696-309).								
<b>Note:</b> IBM Prolog Language Workbench/VM 1.1.0, 5787-AAF; EoS = 6/30/92 and was withdrawn from marketing effective 12/18/92.								
<b>IBM Systems Director</b>	5648-DRZ	<b>6.1.0</b>	-	-	-	Exp XCTol	Exp XCTol	
<b>Note:</b> IBM Systems Director V6.1 (5648-DRZ) requires z/VM V5.4, or later, to have IBM Systems Director monitor and manage z/VM guests.								
<b>IBM Systems Director</b>	5648-DRZ	<b>6.1.1</b>	-	-	-	Exp XCTol	Exp XCTol	
<b>Note:</b> IBM Systems Director V6.1.1 (5648-DRZ) requires z/VM V5.4, or later, to have IBM Systems Director monitor and manage z/VM guests.								
<b>IBM Systems Director VMControl Image Manager for Linux on System z</b>	5648-I2S	<b>2.1.0</b>	-	-	-	Exp	Exp	
<b>Note:</b> IBM Systems Director VMControl Image Manager for Linux on System z requires z/VM V5.4, or later, to manage Linux images running as guest machines of z/VM.								
<b>IBM Tape Manager for z/VM</b>	5697-J08 (EoS 04/30/08)	<b>1.1.0 Withdrawn 02/24/06</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	
<b>Note:</b> IBM Tape Manager for z/VM (5697-J08) was announced on February 22, 2005 (205-036). Availability was April 29, 2005.								
<b>IBM Tape Manager for z/VM</b>	5697-J08	<b>1.2.0</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	
<b>Note:</b> IBM Tape Manager for z/VM (5697-J08) 1.2 was announced on February 21, 2006 (206-033). Availability was February 24, 2006.								



Table 1 (Page 32 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>IBM Tivoli OMEGAMON for VM</b>	5608-A56 (EoS 04/17/07)	<b>6.0 Withdrawn 10/20/06</b>	Tol *	-	-	-	-
<b>IBM Tivoli OMEGAMON for z/VM</b>	5608-C06 (EoS 09/30/08)	<b>6.3.1 Withdrawn 09/07/07</b>	-	Tol *	-	-	-
<b>IBM Tivoli OMEGAMON XE on z/VM and Linux V4.1.0</b>	5698-A36	<b>4.1.0 Withdrawn 4Q2007</b>	-	Exp	Exp	Exp	Exp
<b>Note:</b>							
<ul style="list-style-type: none"> <li>• IBM Tivoli OMEGAMON XE on z/VM and Linux V4.1.0 (5698-A36) was announced on October 10, 2006 (206-251). Availability was October 13, 2006.</li> <li>• Requires IBM Tivoli OMEGAMON XE on z/VM and Linux Fixpack 3 (4.1.0-TIV-KVL-FP0003)</li> <li>• Requires PTFs for APAR VM64299 for the Performance Toolkit for VM for IBM Tivoli OMEGAMON XE on z/VM and Linux to operate with z/VM V5.2 and V5.3.</li> </ul>							
<b>IBM Tivoli OMEGAMON XE on z/VM and Linux V4.1.1</b>	5698-A36	<b>4.1.1 Withdrawn 09/12/08</b>	-	Exp	Exp	Exp	Exp
<b>Note:</b>							
<ul style="list-style-type: none"> <li>• IBM Tivoli OMEGAMON XE on z/VM and Linux V4.1.1 (5698-A36) is replaced by V4.1.2 on September 12, 2008 as announced in z/VM V5.4 announcement 208-249 (US), dated August 5, 2008.</li> <li>• Requires PTFs for APAR VM64437 for the Performance Toolkit for VM for IBM Tivoli OMEGAMON XE on z/VM and Linux to operate with z/VM V5.2 and V5.3.</li> </ul>							
<b>IBM Tivoli OMEGAMON XE on z/VM and Linux V4.1.2</b>	5698-A36	<b>4.1.2</b>	-	-	Exp	Exp	Exp
<b>Note:</b>							
<ul style="list-style-type: none"> <li>• IBM Tivoli OMEGAMON XE on z/VM and Linux V4.1.2 (5698-A36) was announced on August 5, 2008 in the z/VM V5.4 announcement 208-249 (US). Availability is September 12, 2008.</li> <li>• Requires PTF for APAR VM64500 (planned to be available in 09/08) for the Performance Toolkit for VM for IBM Tivoli OMEGAMON XE on z/VM and Linux to operate with z/VM V5.3.</li> </ul>							
<b>IBM Tivoli zSecure Manager for RACF z/VM</b>	5655-T13	<b>1.8.1</b>	na	na	Exp	Exp	Exp
<b>Note:</b>							
IBM Tivoli zSecure Manager for RACF z/VM was available on September 14, 2007.							
<b>Note:</b> IBM VisualLift for MVS, VSE and VM V1 R1.0, 5648-109: Withdrawn: 9/2000, End of Service: 6/30/2002.							
<b>IBM VisualLift for MVS, VSE and VM</b>	5648-109 (EoS 3/31/03)	<b>1.1.1 Withdrawn 3/31/03</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol

Table 1 (Page 33 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>IBM VisualLift for MVS, VSE and VM</b>	5648-109 (EoS 3/31/03)	<b>1.1.2 Withdrawn 9/06/00</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> ICKDSF, 5747-DS1, is Stand Alone, while ICKDSF for VM, 5684-042, is a CMS program. They perform similar/same function, but the former is not Operating System dependent; and therefore is not contained in this Matrix.</p>							
<p><b>Note:</b> ICKDSF (for VM) 1.11.0, 5684-042; EoS = 6/28/91.                      ICKDSF (for VM) 1.12.0, 5684-042; EoS = 3/31/92.                      ICKDSF (for VM) 1.13.0, 5684-042; EoS = 6/30/93.                      ICKDSF (for VM) 1.14.0, 5684-042; EoS = 5/20/94.                      ICKDSF (for VM) 1.15.0, 5684-042; EoS = 9/30/95.</p>							
<b>ICKDSF for VM</b>	5684-042 (EoS 11/30/03)	<b>1.16.0 Withdrawn 11/22/02</b>	Tol	Tol	Tol	Tol	Tol
<b>ICKDSF for VM</b>	5684-042	<b>1.17.0</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> IFS 1.1.0, 5748-XXC; EoS 2/90.</p>							
<p><b>Note:</b> IGES Processor 1.1.0, 5668-904; EoS 2/89. IGES Processor 2.2.0 is superseded by IGES Processor 2.3.0.</p>							
<b>IGES Processor</b>	5688-047	<b>2.3.0 Withdrawn 8/27/97</b>					
<b>IGES Processor</b>	5648-001	<b>3.1.0 Withdrawn 9/3/03</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> Full name for IGES is: <i>Initial Graphics Exchange Specification Processor</i>. Version 3 was available 9/17/93.</p>							
<p><b>Note:</b> IHF 2.1.2, 5664-363; EoS = 11/90. IHF = <i>Image Handling Facility</i>.  IHF is still being marketed although it is past end of currency.</p>							
<p><b>Note:</b> IISR 1.1.0, 5688-199; EoS = 12/31/92. IISR was withdrawn from marketing 7/06/93. IISR = <i>IBM Integrated Information Storage and Retrieval</i>.</p>							
<p><b>Note:</b> Info Center/1 Version 1 Release 1, 5668-897; EoS = 12/31/92.  Info Center/1 is superseded by the Info Center/E feature of IBM Application System 2.2.0 (5688-108) and AS Version 3 (5648-018). The Info Center/E feature is supported in the same environments as AS 2.2.0 which includes VM/ESA.</p>							
<b>Info /Management</b>	5664-322	<b>3.1.0</b>	-	-	-	-	-
<b>Info /System</b>	5664-323	<b>3.1.0</b>	-	-	-	-	-
<p><b>Note:</b> * .... Info/Sys APAR VM48700 (PTF UV54857) is needed in VM/ESA R2 environment.</p>							
<b>Info VM/VSE</b>	5668-919 12/31/98)	<b>3.1.0</b>	na	na	na	na	na
<p><b>Note:</b> Info VM/VSE is a data tape to be used in conjunction with Info /System (5664-323). Central Programming support is NOT provided.</p>							
<b>INSPECT</b>	5658-995 (EoS 4/24/98)	<b>1.1.0 Withdrawn 6/30/97</b>	-	-	-	-	-

Table 1 (Page 34 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
<b>ISPC V2</b>	5688-092 (EoS 05/05/08)	<b>2.1.1 Withdrawn 03/05/07</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<b>Note:</b> ISPC = <i>Industry Standard Plotting Commands</i>							
<b>Note:</b> ISPF V2 for VM Release 2, 5664-282; EoS = 9/27/93. ISPF V2 for VM/XA Release 2, 5684-014; EoS = 1/18/93. ISPF V3 for VM 3.1.0, 5684-043; EoS = 9/27/93.							
<b>ISPF V3 for VM</b>	5684-043 \$	<b>3.2.0</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> See the Installation Bucket for ISPF for the latest information on installing ISPF V3 for VM. \$ ... End of Service for the SCLM component only: 4/24/98							
<b>Note:</b> ISPF/PDF V2 for VM Release 2, 5664-285; EoS = 9/27/93. ISPF/PDF V2 for VM/XA 2.2.0, 5684-015; EoS = 1/18/93. ISPF/PDF V3 for VM 3.1.0, 5684-123; EoS = 3/31/92.							
<b>ISPF/PDF V3 for VM</b>	5684-123 \$	<b>3.2.0</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> \$ ... End of Service for the SCLM component only: 4/24/98							
<b>Note:</b> KnowledgeTool 1.1.1, 5798-RXD; EoS = 12/18/91. KnowledgeTool Version 1 was withdrawn from marketing 9/18/91. It is replaced by KnowledgeTool Version 2 Release 2 (5685-010).							
<b>Note:</b> KnowledgeTool 2.1.x, 5685-010; EoS 10/90.							
<b>KnowledgeTool</b>	5685-010 (EoS 12/14/96)	<b>2.2.0 Withdrawn 2/14/96</b>					
<b>Note:</b> LanguageAccess 1.1.0, 5688-172; EoS = 6/30/92. LanguageAccess 1.1.1, 5688-172; EoS = 5/06/93. Full name of this product is <i>IBM SAA LanguageAccess</i> . LanguageAccess was withdrawn from marketing effective 1/06/93.							
<b>Note:</b> (IBM) Language Environment for MVS & VM: LE 1.4.0, 5688-198; EoS 1/31/01 LE 1.5.0, 5688-198; EoS 9/30/02 LE 1.6.0, 5688-198; EoS 9/30/02  LE 1.8.0 is shipped with z/VM V3.1, V4, and V5. In z/VM V4 LE is upgraded to the level shipped in z/OS Release 4 and shipped as a base component of z/VM. No other levels of LE are supported for VM.							
<b>Note:</b> LANRES/VM 1.1.0, 5799-DZR; EoS = 3/31/92. The above was PRPQ # P81088, it is replaced by the program product below.							
<b>Note:</b> LANRES/VM 1.1.0, 5684-142; EoS = 12/31/93. LANRES/VM 1.2.0, 5684-142; EoS = 6/30/96 LANRES/VM 1.2.1, 5684-142; EoS = 6/30/96 LANRES/VM 1.2.2, 5684-142; EoS = 6/30/96							
<b>LANRES/VM</b>	5684-142	<b>1.3.0 * Withdrawn 3/07/00</b>	Feature @	-	-	-	-
-							

Table 1 (Page 35 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
LANRES/VM	5684-142	1.3.1 * Withdrawn 3/07/00	-	-	-	-	-
<b>Note:</b> Alternatives for LANRES/VM are documented in the redbook titled <i>S/390 File and Print Serving</i> , order number SG24-5330, and available at website <a href="http://publib-b.boulder.ibm.com/Redbooks.nsf/RedbookAbstracts/sg245330.html?Open">publib-b.boulder.ibm.com/Redbooks.nsf/RedbookAbstracts/sg245330.html?Open</a> ,							
<b>Note:</b> LAN File Services/ESA 1.1.0, 5648-039; EoS 6/30/96.							
LAN File Services/ESA	5648-039 Withdrawn 3/07/00	Feature of 5654-030	-	-	-	-	-
<b>Note:</b> @ .... The LANRES/VM and LFS/ESA features were withdrawn from marketing as of 3/7/00. Alternatives for LANRES/VM are documented in " <i>S/390 File and Print Serving</i> ", order number SG24-5330.							
<b>Note:</b> LISP products are not found in this table because: LISP AE 1.1.0, 5664-334; LISP DE 1.1.0, 5664-335; and LISP/VM 1.2.3, 5798-DQZ are all now Vendor Products. LISP/VM, 5798-DQZ is withdrawn from marketing as of 12/31/97. No service or support is currently provided by IBM.							
<b>Note:</b> LLF Under VM/ESA R1.0 5799-EGW has been withdrawn and is no longer supported.  LLF = <i>Limited Lock Facility</i> .							
LLF VM/ESA PRPQ 1.1	5799-EGW	1.1.1	\$	\$	\$	\$	\$
<b>Note:</b> LLF = <i>Limited Lock Facility</i> , PRPQ # P04047. Supports TPF Version 3 Release 1 for LLF testing with the hardware or via simulation.  \$ .... LLF function is superseded by the Multi Path Lock Facility simulation capability in VM/ESA Release 2 and later. This provides a test environment for TPF customers to test their systems without requiring the additional Multi Path Lock Facility hardware.							
<b>Note:</b> Lotus 1-2-3/M 1.1.0, 5713-AGL; EoS = 9/92.							
Lotus 1-2-3/M	5713-AGL	1.2.0 Withdrawn					
Lotus 1-2-3/M	5713-AGL	1.2.1 Withdrawn					
<b>Note:</b> MAP (Manu. Auto. Proto.) 1.3.1, 5798-FBG; EoS = 11/90.							
<b>Note:</b> MPSX 1.1.7, 5740-XM3; EoS 6/89.							
<b>Note:</b> MPSX/370 Version 2 Release 1, 5668-739; EoS = 12/31/91.							
MPSX/370 V2	5668-739	2.2.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
MPSX/370 V2	5668-739	2.2.1	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> MPSX 2.2.0 was the level available in the USA. MPSX 2.2.1 was the level available in EMEA and AFE.							
MPSX/370 V2	5668-739	2.2.2	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
MSHF2	5688-091	1.1.0					
<b>Note:</b> MSHF2 = <i>Matrix Switch Host Facility 2</i>							
<b>Note:</b> MUMPS/VM 3.1.0, 5706-218; EoS = 12/91.							

Table 1 (Page 36 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>MUMPS/VM</b>	5706-218 (EoS 2/10/95)	<b>3.2.0 Withdrawn 2/10/95</b>	-	-	-	-	-
<b>Note:</b> MUSIC/SP 2.1.0, 5750-ACF; EoS = 12/90. MUSIC/SP 2.2.0, 5750-ACF; EoS = 12/31/91.							
<b>MUSIC/SP</b>	5750-ACF	<b>2.3.0</b>					
<b>MUSIC/SP</b>	5750-ACF	<b>2.4.0</b>					
<b>Note:</b> MUSIC/SP is published and licensed by McGill University Systems Inc..							
<b>Note:</b> NCPG 1.2.1 and 1.2.2, 5668-757; EoS = 10/30/93.							
<b>NCPG</b>	5668-757	<b>1.2.3 Withdrawn 8/27/97</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<b>Note:</b> NCPG/XL 1.1.1 and 1.1.2, 5688-030; EoS = 10/30/93.							
<b>NCPG/XL</b>	5688-030	<b>1.1.3 Withdrawn 8/27/97</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<b>NETCENTER Graphic Network Monitor</b>	5799-DQW	<b>1.1.0</b>					
<b>Note:</b> NETCENTER (PRPQ # P85133) allows VM to be a sub-host attached to an MVS host running NETCENTER Graphics Network Monitor Program Offering, 5793-AJX.							
<b>Note:</b> NetView 1.2.0, 5664-204; EoS = 12/90.							
<b>NetView</b>	5664-204 (EoS 11/15/96)	<b>1.3.0 Withdrawn 3/09/94</b>					
<b>Note:</b> .... NetView Version 1 was withdrawn from marketing 3/09/94. It is replaced by NetView Version 2 for VM/ESA (5756-051). * .... APAR # VM40639 (NetView PTFs: UV50979 (for Rel 312) and UV50978 (for Rel 311). --- available now. Also see NetView APAR #s: VM43897 and VM44265 (PTFs: UV51453 and UV51763 respectively).							
<b>Note:</b> NetView DM 1.1.0, 5684-017; EoS 6/90.							
<b>NetView DM</b>	5684-017 (EoS 10/1/97)	<b>1.2.0 Withdrawn 3/31/97</b>	Tol	Tol	Tol	Tol	Tol
<b>NetView FTP VM</b>	5684-048 (EoS 10/31/99)	<b>1.1.1 Withdrawn 3/31/97</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> NetView SolutionPac 1.1.0, 5759-025; EoS = 4/17/93. Full name of this product was: <i>IBM SolutionPac NetView Automated Network Operations/VM</i> . NetView SolutionPac was withdrawn from marketing 12/15/92.							
<b>NetView V2 for VM</b>	5684-111 (EoS 10/1/97)	<b>2.2.0 * Withdrawn 1/03/96</b>	-	-	-	-	-
<b>Note:</b> No future enhancements are planned for the NetView V2 for VM (5684-111) product.  * .... COS (common operational services) gateway function is available with APAR VM55147 (PTFs: UV57611-UV57613).							
<b>NetView V2 for VM/ESA</b>	5756-051 (EoS 5/31/94)	<b>2.2.0 Withdrawn 3/03/03</b>	-	-	-	-	-

Table 1 (Page 37 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
NetView V2 for VM/ESA	5756-051	<b>2.3.0 *</b> <b>Withdrawn</b> <b>3/03/03</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> NetView V2 R3 for VM/ESA co-reqs ACF/NCP Version 4 (5668-854) and VTAM Version 3 Release 3 for VM/ESA (5684-095), or later releases.</p> <p>* .... See APAR VM55427 for Pipeline automation function.</p>							
<p><b>Note:</b> NetView/Access 1.1.0, 5684-028: EoS 12/90.  NetView/Access 1.2.0, 5684-028: EoS 6/30/92  NetView/Access 1.3.0, 5684-028: EoS 4/30/96  NetView/Access 1.3.1, 5684-028: EoS 4/30/96</p>							
NetView/Access	5684-028	<b>1.3.2</b> <b>Withdrawn</b> <b>6/07/95</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> NetView Performance Monitor (NPM) Version 1:  NPM 1.2.0, 5684-001: EoS 6/88  NPM 1.3.0, 5684-001: EoS 8/28/92  NPM 1.5.0, 5684-001: EoS 6/30/94  NPM 1.5.1, 5684-001: EoS 6/30/94</p>							
NPM	5684-001 (EoS 4/24/98)	<b>1.6.0</b> <b>Withdrawn</b> <b>6/27/97</b>	Exp	Exp	Exp	Exp	Exp
NPM	5654-011 (EoS 4/24/98)	<b>2.1.0</b>	Exp	Exp	Exp	Exp	Exp
NPM	5654-011	<b>2.2.0</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> Compatibility: NPM Version 2 to NPM Version 1 communication is not supported.</p> <p>NPM V2 co-reqs: ACF/NCP Version 4 or later, VSE/VSAM Version 1 or later, and ACF/VTAM V3 R4 or later.</p>							
NPSI	5668-981 (EoS 9/30/95)	<b>1.4.3</b> <b>Withdrawn</b> <b>12/31/93</b>	na	na	na	na	na
<p><b>Note:</b> .... NPSI Version 1 Release 4.3 was withdrawn from marketing 12/31/93.</p>							
NPSI	5668-719 (EoS 9/30/95)	<b>2.1.0</b> <b>Withdrawn</b> <b>9/03/03</b>	na	na	na	na	na
<p><b>Note:</b> NPSI 3.1.0; EoS 9/89.  NPSI X.25 3.2.0, 5688-035; EoS = 12/31/91.  NPSI X.25 3.3.0, 5688-035; EoS = 12/31/92. NPSI X.25 V3 R3.0 was withdrawn from marketing 9/21/93.</p>							
NPSI X.25	5688-035 (EoS 9/30/95)	<b>3.4.0</b> <b>Withdrawn</b> <b>9/03/03</b>	na	na	na	na	na
NPSI X.25	5688-035 (EoS 9/30/95)	<b>3.5.0</b> <b>Withdrawn</b> <b>9/28/90</b>	na	na	na	na	na
NPSI X.25	5688-035 (EoS 9/30/95)	<b>3.6.0</b> <b>Withdrawn</b> <b>9/03/03</b>	na	na	na	na	na

Table 1 (Page 38 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
NPSI X.25	5688-035 (EoS 6/30/99)	<b>3.7.0 Withdrawn 6/30/95</b>	na	na	na	na	na
NPSI X.25	5688-035	<b>3.8.0 Withdrawn 9/25/98</b>	na	na	na	na	na
NPSI X.25	5688-035	<b>3.9.0</b>	na	na	na	na	na
<p><b>Note:</b> NPSI = NCP Packet Switching Interface.</p> <p>NPSI pre-reqs the appropriate levels of ACF/NCP and ACF/SSP. Refer to the announcement letters for complete details.</p>							
NRF	5668-963 (EoS 10/5/04)	<b>1.3.0 Withdrawn 9/3/03</b>					
NRF	5668-963 (EoS 12/30/92)	<b>1.4.0 Withdrawn 9/3/03</b>	na	na	na	na	na
<p><b>Note:</b> NRF 1.5.0, 5668-963; EoS = 12/92.</p>							
NRF	5668-963	<b>1.6.0 Withdrawn</b>	na	na	na	na	na
NRF	5668-963 (EoS 9/30/95)	<b>1.7.0 Withdrawn 9/06/00</b>	na	na	na	na	na
NRF	5668-963	<b>1.8.0 Withdrawn 9/06/00</b>	na	na	na	na	na
NRF	5668-963	<b>1.9.0</b>	na	na	na	na	na
<p><b>Note:</b> NRF = Network Routing Facility.</p> <p>NRF pre-reqs the appropriate levels of ACF/NCP and ACF/SSP. For Release 9 these are ACF/NCP V7 R1.0 and ACF/SSP V4 R1.0.</p>							
<p><b>Note:</b> NSF 1.2.0, 5685-003; EoS = 12/31/90.  NSF 1.3.0, 5685-003; EoS = 12/31/92.  NSF 1.4.0, 5685-003; EoS = 12/31/93.</p>							
NSF	5685-003	<b>1.5.0</b>	370A	370A	370A	370A	370A
<p><b>Note:</b> NSI 1.4.0, 5668-951; EoS 9/89.</p>							
NSI	5668-951 (EoS 3/31/02)	<b>1.5.0 Withdrawn 9/06/00</b>	na	na	na	na	na
<p><b>Note:</b> NSI 1.5.1, 5668-951; EoS = 6/30/92.</p>							
NSI	5668-951	<b>1.6.0 Withdrawn 9/06/00</b>	na	na	na	na	na
<p><b>Note:</b> NSI = Non-Sna Interconnect".  NSI 1.6.0 is expected to be the last release of NSI. It is recommended for use with 3745s and 3720s.</p>							
<p><b>Note:</b> NTO 1.1.x and 1.2.x; EoS 11/90.</p>							
NTO	5735-XX7 (EoS 3/31/02)	<b>1.4.0</b>	na	na	na	na	na

Table 1 (Page 39 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
NTO	5735-XX7	<b>1.5.1 Withdrawn 9/3/03</b>	na	na	na	na	na
<b>Note:</b> NTO 1.6.0, 5735-XX7; EoS = 12/92.							
NTO	5735-XX7	<b>1.7.0 Withdrawn 9/03/03</b>	na	na	na	na	na
NTO	5735-XX7 (EoS 9/30/95)	<b>1.8.0</b>	na	na	na	na	na
NTO	5735-XX7	<b>1.9.0</b>	na	na	na	na	na
NTO	5735-XX7	<b>1.10.0 Withdrawn 9/25/98</b>	na	na	na	na	na
NTO	5735-XX7	<b>1.11.0</b>	na	na	na	na	na
<b>Note:</b> NTO = <i>Network Terminal Option</i> .							
NTO pre-reqs the appropriate levels of ACF/NCP and ACF/SSP. For Release 10 these are ACF/NCP V7 R1.0 and ACF/SSP V4 R1.0.							
NTuneMON	5648-077 (EoS 10/28/96)	<b>1.1.0 Withdrawn 9/06/00</b>	Tol	Tol	Tol	Tol	Tol
NTuneMON	5648-077 (EoS 3/31/02)	<b>1.2.0 Withdrawn 09/06/00</b>	Tol	Tol	Tol	Tol	Tol
NTuneMON for MVS and VM	5648-141 (EoS 3/31/02)	<b>2.1.0 Withdrawn 3/29/96</b>	Tol	Tol	Tol	Tol	Tol
NTuneMON for MVS and VM	5648-141 (EoS 3/31/02)	<b>2.2.0 Withdrawn 11/29/96</b>	Tol	Tol	Tol	Tol	Tol
NTuneMON for MVS and VM	5648-141 (EoS 3/31/02)	<b>2.3.0 Withdrawn 9/26/97</b>	Tol	Tol	Tol	Tol	Tol
NTuneMON for MVS and VM	5648-141	<b>2.4.0 Withdrawn 10/30/98</b>	Tol	Tol	Tol	Tol	Tol
NTuneMON for MVS and VM	5648-141	<b>2.5.0 Withdrawn 9/24/99</b>	Tol	Tol	Tol	Tol	Tol
NTuneMON for MVS and VM	5648-141	<b>2.6.0 Withdrawn 8/25/00</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> NTuneMON replaces the SSP Version 3 NCPMON Feature.							
NTuneMON	5648-D72	<b>3.1.0 Withdrawn 7/27/01</b>	Tol	Tol	Tol	Tol	Tol



Table 1 (Page 40 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
NTuneMON	5648-D72	3.2.0	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> <b>Note:</b> The tuning feature of NTuneNCP, 5648-089, is now shipped with NTuneMon Version 3. Refer to IBM Announcement Letters 200-1629, dated June 13, 2000, and 201-167, dated June 12, 2001 for additional details.							
NTuneNCP	5648-089 % (EoS 3/31/02)	1.1.0 Withdrawn 9/06/00	na	na	na	na	na
<b>Note:</b> <b>Note:</b> The tuning feature of NTuneNCP, 5648-089, is now shipped with NTuneMon Version 3, ACF/NCP Version 7, Release 8.1 and ACF/SSP Version 4, Release 8.1. Refer to the following IBM Announcement Letters for additional details: 200-162, dated June 13, 2000 201-167, dated June 12, 2001 201-169, dated June 12, 2001							
ODPS/RMS	5799-CZK (EoS 10/16/98)	1.1.0 Withdrawn 10/31/97					
ODPS/RMS	5799-CZK (EoS 10/16/98)	1.2.0 Withdrawn 10/31/97					
<b>Note:</b> ODPS has all panels, messages, and Help in Japanese only.							
OfficeVision Enhanced Calendar/VM	5799-FFC	1.1.0	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> The above is PRPQ # PB0008. Provides CUA compliant interface and many enhancements. Pre-reqs. OV/VM Rel 2 with <ul style="list-style-type: none"> <li>• OV/VM PTF UN22061</li> <li>• OV/VM PTF UN44509 (new calendar API code)</li> </ul>							
OfficeVision Enhanced Mail Addressing	5799-FPL	1.1.0	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
OfficeVision Extensions/VM	5799-FBK (EoS 1/31/95)	1.1.0	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> OfficeVision Extensions/VM is PRPQ # P81218 available in the US and EMEA (in EMEA it is listed under product number = 5785-EER). Consists of applications and tools providing more than 20 functions. For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)							
OfficeVision ToolKit	5799-FLX	1.1.0 Withdrawn 1/15/98	Tol	Tol	Tol	Tol	Tol
OfficeVision ToolKit Vol. 2	5799-FQW	1.1.0 Withdrawn 1/15/98	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> OfficeVision/VM 1.1.0, 5684-084; EoS = 3/27/93 - 6/93							

Table 1 (Page 41 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
OfficeVision/VM	5684-084 + (EoS 5/31/97 @)	<b>1.2.0 Withdrawn 6/28/96</b>	-	-	-	-	-
<p><b>Note:</b> The OV/VM ESA Calendar Feature was available 2/94. It provides users of OV/VM with an optional full replacement for the OV/VM Release 2 calendar manager, with improved performance and capacity. This feature exploits 31-bit addressing, the CMS Shared File System, and VM Data Spaces.</p> <p>* .... See APAR PN32689 (PTF UN32597) for the VM/ESA ESA and VM/XA environments.                      % .... See APAR PN29985 (PTF UN35556) for new OV/VM function and some minor VM/ESA R2 environment compatibility items. Also see PN20088 (PTF UN27004).                      \$ ... See APAR PN40989 (PTF UN49261) for the VM/ESA R2.1 environment.                      + ... OfficeVision/VM only supports the environments where the VM components CP and CMS are at the same release level. @ ... Release 1 of the OfficeVision/VM ESA Calendar feature also ends service 5/97.                      The Online Books Feature of OfficeVision/VM became available 5/22/92 (this is read only softcopy documentation).                      A per user based fee structure was available 5/93 for OfficeVision/VM (7/01/93 in EMEA).</p>							
OfficeVision/VM	5684-084 + (EoS 4/30/99)	<b>1.3.0 Withdrawn 12/19/97</b>	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *
<p><b>Note:</b> + .... OfficeVision/VM only supports the environments where the VM components CP and CMS, are at the same</p>							
OfficeVision/VM	5684-084 + (EoS 10/06/03 %)	<b>1.4.0 Withdrawn 9/12/02</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<p><b>Note:</b> + .... OfficeVision/VM only supports the environments where the VM components, CP and CMS, are at the same.                      % The Calendar Feature of OV/VM R4 is also withdrawn from marketing and will end service October 6, 2003.</p>							
<p><b>Note:</b> OFSP/VM Version 1 Release 2, 5664-361; EoS = 03/31/93.                      OFSP/VM Version 1 was withdrawn from marketing effective 10/31/91.</p>							
OFSP/VM	5684-104 (EoS 10/16/98)	<b>2.1.0 Withdrawn 10/31/97</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> full name of the above is: <i>Office Support Program/VM Version 2.</i></p> <ul style="list-style-type: none"> <li>• OFSP has all panels, messages, and help in Japanese only.</li> <li>• Announced as part of the Office Vision/VM Asian Language Series.</li> </ul>							
<p><b>Note:</b> OGL/VM 1.1.0, 5664-293; EoS = 9/19/90.                      OGL/VM 1.2.0, 5664-293; EoS = 10/91.</p>							
OGL/370	5688-191	<b>1.1.0</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> OGL/370 replaces OGL/VM Release 2.                      OGL = <i>Overlay Generation Language.</i></p>							
Open Network Distribution Services/VM	5684-139 (EoS 9/01/95)	<b>1.1.0 Withdrawn 3/03/95</b>					
<p><b>Note:</b> IBM Open Network Distribution Services/VM (ONDS/VM) extends function from that provided by OSME/VM and X.400 MTF/VM.</p>							

Table 1 (Page 42 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
OPSS/VM	5785-DHG	<b>2.1.0 Withdrawn 10/92</b>					
<p><b>Note:</b> OPSS = <i>Online Project Support System</i>. This is an EMEA only program offering (only delivered with German Language).</p> <p>Withdrawn from marketing 10/92; OPSS is replaced by <i>AD/Cycle PrDM</i> (5648-005).</p>							
<p><b>Note:</b> OS PL/I C, L, &amp; ITF Version 2 Release 1, 5668-909; EoS = 12/90. OS PL/I C, L, &amp; ITF Version 2 Release 2, 5668-909; EoS = 12/91.</p>							
OS PL/I C, L, & ITF	5668-909 (EoS 12/31/03)	<b>2.3.0 Withdrawn 9/06/00</b>	Tol %	Tol %	Tol %	Tol %	Tol %
<p><b>Note:</b> % Requires PTF UN56803 for VM/ESA V2.</p>							
<p><b>Note:</b> OS PL/I Comp &amp; Lib Version 2 Release 1, 5668-910; EoS = 12/90. OS PL/I Comp &amp; Lib Version 2 Release 2, 5668-910; EoS = 12/91.</p>							
OS PL/I Comp & Lib	5668-910 (EoS 12/31/03)	<b>2.3.0 Withdrawn 9/06/00</b>	Tol %	Tol %	Tol %	Tol %	Tol %
<p><b>Note:</b> % Requires PTF UN56803 for VM/ESA V2.</p>							
<p><b>Note:</b> OS PL/I Library Version 2 Release 1, 5668-911; EoS = 12/90. OS PL/I Library Version 2 Release 2, 5668-911; EoS = 12/91.</p>							
OS PL/I Library	5668-911 (EoS 12/31/03)	<b>2.3.0 Withdrawn 9/06/00</b>	Tol %	Tol %	Tol %	Tol %	Tol %
<p><b>Note:</b> % Requires PTF UN56803 for VM/ESA V2.</p>							
OS VS COBOL C&L	5740-CB1 (EoS 6/30/94)	<b>1.2.4 Withdrawn 12/18/92</b>					
<p><b>Note:</b> * .... see information APARs II06252 and II06461.</p> <p>OS VS Cobol Compiler and Library is replaced by AD/Cycle COBOL/370 or VS COBOL II. The AD/Cycle COBOL/370 product (renamed IBM Cobol for MVS and VM) is the preferred migration target as it is IBM's strategic COBOL product for the System/370 &amp; System/390 platform within the AD/Cycle framework.</p> <p>OS VS COBOL C &amp; L (5740-CB1) and OS VS COBOL Library (5740-LM1) were withdrawn from marketing 12/18/92.</p> <p>There is an OS/VS Cobol Product Support offering for OS VS COBOL that extends support until 6/30/96 for a fee (see announcement letter 393-087).</p>							
OS VS COBOL Library	5740-LM1 (EoS 6/30/94)	<b>1.2.4 Withdrawn 12/18/92</b>					
<p><b>Note:</b> * .... see information APARs II06252 and II06461.</p>							
<p><b>Note:</b> OSI/CS 1.1.0, 5684-013; EoS = 6/91.</p>							
OSI/CS	5684-013	<b>1.1.1</b>					
<p><b>Note:</b> Refresh service for OSI/CS R1.1 was available 11/27/92.</p>							

Table 1 (Page 43 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
OSI/FS	5684-038	1.1.0					
<b>Note:</b> Refresh service for OSI/FS R1.0 was available 11/27/92.							
<b>Note:</b> OSI/MMS 1.1.0, 5684-107; EoS = 12/26/92.							
OSL for MVS, VM & AIX/370	5688-137 (EoS 4/3/05)	1.2.0 Withdrawn 1/14/04	Exp	Exp	Exp	Exp	Exp
<b>Note:</b> OSL = <i>Optimization Subroutine Library</i> .							
<b>Note:</b> OSME (Open System Message Exchange), 1.0.0, 5684-061; EoS = 6/28/91. OSME is replaced by OSI/CS and ONDS.							
<b>Note:</b> OSNS Version 1 Release 2, 5664-382; EoS = 4/30/93. OTSS Version 1 Release 2, 5664-382; EoS = 4/30/93. OSNS and OTSS were World Trade products ONLY. They are superseded by OSI/CS and OSI/FS. OSNS for VM and OTSS for VM were withdrawn from marketing 1/31/93.							
OV/VM Support for Lotus Notes Clients	5648-A20 (EoS 9/30/02)	1.1.0 Withdrawn 1/23/98	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
OV/VM Support for Lotus Notes Clients	5648-A20 (EoS 9/30/02)	1.2.0 Withdrawn 9/05/01	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
OV/VM To Notes Migration Tools	5639-B79 (EoS 10/6/03)	1.1.0 Withdrawn 9/12/02	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<b>Note:</b> Parallel FORTRAN PRPQ 1.0.0, 5799-CTX; WFM = 3/31/98, EoS = 9/91. See <i>CMS Parallel FORTRAN RPQ</i> .							
Pass-Through	5684-100	2.1.0 Withdrawn	-	-	-	-	-
Pass-Through	5684-100	2.1.1 %	370A *	370A *	370A *	370A *	370A *
<b>Note:</b> On 2/15/94 IBM announced a significant price reduction on Pass-Through Version 2. For TCP/IP Line driver support see APAR VM57537 (PTF UV90727), available 4/08/94. Full name for Pass-Through is: <i>VM/Pass-Through Facility</i> . Pass-Through V2 is a replacement for PVM (5748-RC1). % .... Pass-Through Release Version 2 Release 1.1 is <b>VMSES/E</b> enabled and includes CVIEW 2.1.3 (5664-296) as a component. SVM (Service Virtual Machine Runtime Library) is removed from the Pass-Through V2 R1.1 product and included in the VM/ESA product at the VM/ESA Release 2.1 level and later.  * .... Pass-Through 2.1.1 requires PTF UV60093 (APAR VM61373) to run on VM/ESA Version 2 Release 3 and Release 4 and z/VM Version 3 and Version 4 Release 1. For z/VM Version 4 Release 2, the PTF for APAR number VM61373 is required. This service is pre-applied when Pass-Through 2.1.1 is ordered through the SDO for z/VM V4 R2 (5739-A04).							
<b>Note:</b> PC/VM BOND 2.1.0, 6467-022; EoS 12/89.							
PES	5684-065	1.1.3					
<b>Note:</b> Full name of PES is: <i>IBM Product Engineering Support</i> .							
<b>Note:</b> <b>PL/I:</b> see also <i>OS PL/I</i> .							

Table 1 (Page 44 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>Performance Toolkit for VM</b>	Feature of 5741-A05 (EoS 9/30/07)	<b>FL510 Withdrawn 06/15/07</b>	Exp @	-	-	-	-
<b>Note:</b> The Performance Toolkit for VM replaces the RTM and PRF features of z/VM in V5.							
<b>Performance Toolkit for VM</b>	Feature of 5741-A05 (EoS 4/30/09)	<b>FL520 Withdrawn 06/15/07</b>	-	Exp @	-	-	-
<b>Note:</b> FL520 is a new function level required to operate on z/VM V5.2.							
<b>Performance Toolkit for VM FL530</b>	Feature of 5741-A05 (EoS 09/30/10)	<b>FL530 Withdrawn 09/08/08</b>	-	-	Exp	-	-
<b>Note:</b> Performance Toolkit for VM FL530 feature can only be licensed on z/VM V5.3 and is supported only on z/VM V5.3.							
<b>Performance Toolkit for VM FL540</b>	Feature of 5741-A05 (EoS 09/30/13)	<b>FL540</b>	-	-	-	Exp	-
<b>Note:</b> Performance Toolkit for VM FL540 feature can only be licensed on z/VM V5.4 and is supported only on z/VM V5.4.							
<b>Performance Toolkit for VM FL610</b>	Feature of 5741-A07 (EoS 04/30/13)	<b>FL610</b>	-	-	-	-	Exp
<b>Note:</b> Performance Toolkit for VM FL610 feature can only be licensed on z/VM V6.1 and is supported only on z/VM V6.1. VMPRF mode, which provided compatibility with the report file specifications of the VM Performance Reporting Facility (5684-073), is not supported by the Performance Toolkit for VM on z/VM V6.1.							
<b>PL/I Ckout Comp</b>	5734-PL2 (EoS 12/31/95)	<b>1.3.0 Withdrawn</b>					
<b>PL/I OPT C &amp; L</b>	5734-PL3 (EoS 12/31/95)	<b>1.5.1 Withdrawn</b>					
<b>PL/I OPT COMP</b>	5734-PL1 (EoS 12/31/95)	<b>1.5.1 Withdrawn</b>					
<b>PL/I Res. Lib</b>	5734-LM4 (EoS 12/31/95)	<b>1.5.1 Withdrawn 8/27/93</b>					
<b>Note:</b> The 5734-xxx series of PL/I products are all OS products.  .... The 5734-xxx series of PL/I products above were withdrawn from marketing 8/27/93.							
<b>PL/I Trans Lib</b>	5734-LM5 (EoS 4/4/04)	<b>1.5.1</b>					
<b>Note:</b> PMCP = <i>Project Management Control Program</i> , 5799-EDY PRPQ # P81091; has been Withdrawn, and was EoS 3/93.							

Table 1 (Page 45 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
<b>PMF/VM</b>	5664-310 (EoS 12/15/99)	<b>1.1.0 Withdrawn 12/16/97</b>	370A	370A	370A	370A	370A
<b>Note:</b> PMF = <i>Print Management Facility</i>							
<b>Note:</b> PostScript Interpreter 1.2.0, 5688-104; EoS = 12/31/89. PostScript Interpreter 1.3.0, 5688-104; EoS = 9/91. PostScript Interpreter 1.3.1, 5688-104; EoS = 7/93.							
<b>PostScript Interpreter</b>	5688-104 (EoS 12/31/95)	<b>1.3.2 Withdrawn 8/31/95</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<b>Note:</b> PPFA/VM 1.1.0, 5664-199; EoS = 10/91. PPFA/VM was Withdrawn from Marketing on 01/02/91.							
<b>PPFA/370</b>	5688-190	<b>1.1.0</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> PPFA/370 is a replacement for PPFA/VM (5664-199).							
<b>PMO Support/VM</b>	5654-006 (EoS 6/30/95)	<b>1.3.0</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> PMO = <i>Presentation Manager Office</i> .  The initial offering is being called Release 3 to be consistent with release levels of the other PMO programs. The combination of a Personal System/2 program and a host program provides a direct connection between Operating System/2 Version 2 workstations and OfficeVision/VM.							
<b>Note:</b> ProcessMaster 1.2.0, 5664-387, EoS 12/89.							
<b>ProcessMaster</b>	5664-387 (EoS 09/30/09)	<b>1.3.0 Withdrawn 11/05/08</b>	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %

Table 1 (Page 46 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4 %	V6.1 %
<b>ProcessMaster</b>	5664-387 (EoS 11/28/97)	<b>1.3.1 Withdrawn 3/17/97</b>	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %	Tol XCTol * %
<p><b>Note:</b> * .... requires PTF UL88873 -- available 3/01/91.</p> <p>Notes on Features:</p> <ul style="list-style-type: none"> <li>• If using Critique for grammar checking then the ProcessMaster Service machine must be 370 mode.</li> <li>• The following Features of ProcessMaster VM were withdrawn from marketing effective 4/26/93: <ul style="list-style-type: none"> <li>– CALS Application Feature</li> <li>– Workstation Edition Feature</li> <li>– OS/2 Workstation Driver Feature</li> </ul>                     All 3 above Features ended service on 8/26/93.                 </li> <li>• TEXTTAGGER Feature (optional) was withdrawn from marketing effective 4/21/92. It is replaced by <i>TextTagger/ESA</i>, 5648-010.</li> <li>• ProcessMaster pre-reqs BrowseMaster (5688-224) and VM Batch Facility (5684-137).</li> <li>• The full IBM trademark name is <i>Publishing Systems ProcessMaster</i>.</li> </ul>							
<p><b>Note:</b> PROFS Version 2 Release 1, 5664-309; EoS = 12/88.                      PROFS Version 2 Release 2, 5664-309; EoS = 3/31/93.                      PROFS 5664-309 includes PROFS ASF (Application Support Feature).</p>							
<p><b>Note:</b> <b>PROFS</b> .... OfficeVision/VM, IBM's strategic office systems solution, is supported in the VM/ESA environment. Please contact your Area Office Systems Specialist with concerns and for further assistance in migrating from PROFS to OV/VM in the VM/ESA environment.</p>							
<p><b>Note:</b> PROFS Extended Mail 1.1.0, 5798-FBJ; Withdrawn 12/31/97, EoS 12/31/93.</p>							
<p><b>Note:</b> PROFS Extended Services, 5785-EDY; EoS = 01/31/91.                      PROFS Extended Services was a Program Offering in EMEA.</p>							
<p><b>Note:</b> PROFS NMF 1.1.0, 5798-DRT; EoS = 3/31/91.</p>							
<p><b>Note:</b> PROFS RMS 1.1.0, 5798-FBB; EoS 9/89.                      PROFS RMS 1.2.0, 5798-FBB; EoS 9/92.                      RMS = <i>IBM Retention Management System</i></p> <p><b>PROFS RMS</b> is now just called <b>RMS</b> with the Release 3 level (see the RMS Rel 3 record for the environments supported).</p>							
<p><b>Note:</b> Prolog -- see IBM/Prolog (5706-236) which replaces VM/Prolog (5785-ABH).</p>							
<b>PSAF/VM</b>	5664-312 (EoS: 1/31/01)	<b>1.1.0 Withdrawn 12/16/97</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> PSAF = <i>Print Services Access Facility</i>.</p>							
<p><b>Note:</b> PSF/VM 1.2.0, 5664-198; EoS = 3/31/90.                      PSF Version 1 was withdrawn from marketing 1/31/93.                      PSF/VM 1.3.0, 5664-198; EoS = 11/30/93.</p>							
<b>PSF/VM</b>	5684-141 (EoS 6/30/95)	<b>2.1.0 Withdrawn 05/01/95</b>					
<p><b>Note:</b> % .... see APARs VM53564.                      \$ .... PSF Version 2 Release 1 now Tolerates the VM/ESA (ESA) R1 and later, XA and XC virtual machine environments.                      EXCEPT for 3800 and Group 3 non-SNA PDM's which require a 370 virtual machine environment.</p>							

Table 1 (Page 47 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4 %	V6.1 %
PSF/VM	5684-141	2.1.1	Tol XCTol %	Tol XCTol %	Tol XCTol %	Tol XCTol %	Tol XCTol %
<p><b>Note:</b> PSF = <i>Print Services Facility</i>.                      The Font products are not listed in this matrix, though they are supported with PSF/VM Version 2 (eg. 5688-021 = Barcode/Optical Character Recognition Fonts or PRPQ 5799-DGX = Postal Bar Codes).</p> <p>@ .... Font Feature withdrawn 5/95. For future Font support order IBM                      AFP FONT Collection for IBM Operating Systems (5648-113) listed in this matrix as AFP FONT Collection.</p>							
PTRS	5799-DNE	1.1.0					
<p><b>Note:</b> PTRS = <i>Problem Tracking &amp; Reporting System</i> , PRPQ # P81050.                      For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)</p>							
<p><b>Note:</b> PVM 1.3.0, 5748-RC1; EoS = 11/30/91.</p>							
PVM	5748-RC1 (EoS 9/14/95)	1.4.0 Withdrawn 5/16/95	-	-	-	-	-
<p><b>Note:</b> PVM is replaced by the <b>VM/Pass-Through Facility</b> (5684-100).</p>							
<p><b>Note:</b> PVMPCCF 5799-CRJ, PRPQ # P10024 is no longer available.</p>							
<p><b>Note:</b>                      QMF 2.2.0 &amp; 2.3.0, 5668-AAA; EoS 12/90.</p>							
QMF	5668-AAA (EoS 3/31/01)	2.4.0 Withdrawn 3/30/92					
<p><b>Note:</b> QMF Version 2 is replaced by QMF Version 3.</p>							
QMF	5706-255 (EoS 4/26/96)	3.1.0 Withdrawn 7/30/02					
QMF	5706-255 (EoS 3/31/01)	3.1.1 Withdrawn 7/30/02	Exp	Exp	Exp	Exp	Exp
QMF	5706-255 (EoS 3/31/01)	3.2.0 Withdrawn 7/30/02	Exp	Exp	Exp	Exp	Exp
QMF	5706-255 (EoS 9/30/03)	3.3.0 Withdrawn 9/30/03	Exp	Exp	Exp	Exp	Exp
QMF	Feature of 5648-A70 (EoS 9/30/02)	6.1.0 Withdrawn 9/05/01	Exp *	Exp *	Exp *	Exp *	Exp *
QMF	Feature of 5697-F42 (EoS 5/2/05)	7.1.0 Withdrawn 12/14/01	Exp *	Exp *	Exp *	Exp *	Exp *
QMF	Feature of 5697-F42	7.2.0 Withdrawn 3/28/03	Exp *	Exp *	Exp *	Exp *	Exp *



Table 1 (Page 48 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
QMF	Feature of 5697-F42	7.3.0	Exp *	Exp *	Exp *	Exp *	Exp *
<b>Note:</b> * ... Starting with DB2 for VSE and VM, Version 6, QMF is shipped as a priced feature of DB2.							
QMF for Windows	5697-D27 @ (EoS 9/30/03)	3.3.0 Withdrawn 7/30/02	na	na	na	na	na
<b>Note:</b> @.... QMF for Windows 3.3.0 is also a feature of QMF V3 R3 and supersedes the QMF/HPO Shuttle Client feature of QMF V3 R3. See IBM Announcement 297-435, dated 10/28/97, for details.							
QMF for Windows	Feature of 5697-F42	7.2.0 Withdrawn 3/28/03	na	na	na	na	na
QMF for Windows	Feature of 5697-F42	7.3.0	na	na	na	na	na
<b>Note:</b> QMF for Windows is a feature of QMF V7 R2.0. See IBM Announcement Letter 202-047, dated February 26, 2002 and 203-046, dated February 18, 2003 for additional information.							
QMF/HPO Shuttle Client	5706-255	3.2.0	na	na	na	na	na
QMF/HPO Shuttle Client	5706-255	3.3.0 @	na	na	na	na	na
<b>Note:</b> QMF/HPO Shuttle Client runs under Windows and communicates with DB2 and SQL/DS via DRDA. QMF/HPO Shuttle Client 3.3.0 is superseded by the QMF for Windows feature of QMF 3.3.0. See IBM Announcement 297-435, dated 10/28/97, for additional information.							
<b>Note:</b> RACF/VM 1.8.0, 5740-XXH; EoS = 6/92.							
<b>Note:</b> RACF/VM 1.8.2, 5740-XXH; EoS = 11/05/94 for VM/SP R5 and HPO R5 environments - this is an extension of what was previously noted. 6/92 was EoS for RACF/VM 1.8.2 in the VM/ESA environment.							
RACF/VM	5740-XXH % (EoS 10/31/99)	1.9.0 Withdrawn 4/26/96	-	-	-	-	-
<b>Note:</b> * .... PTFs: UV52463, UV53955, UV52471, UV53060, and UV53420; or the product refresh available 10/19/92. \$ .... PTFs listed in * (above) and PTF UV55653 (APAR VM52545).  RACF/VM 1.9.0 code is sensitive to the level of VM/ESA that it is running on. Please reference informational APAR II05253 for details or see the HONE document <i>Installing RACF/VM 1.9 with VM/ESA 1.1</i> (ID = E377943).  % .... RACF/VM 1.9.0 ended service effective 8/31/96 for VM/SP, VM/SP XA, VM/ESA 370 feature R1.0 and VM/ESA R2.0 and prior releases.							
RACF/VM	5740-XXH % (EoS 10/31/99)	1.9.2 Withdrawn 4/26/96	-	-	-	-	-
<b>Note:</b> RACF R9.2 contains C2/B1 security support for VM/ESA R2 and later environments. ('C2' and 'B1' are US Government defined levels of security). * .... For RACF LOGON BY support see RACF APAR #VM57305. \$ .... APAR VM59359 is required for VM/ESA V2  % .... End of Service for RACF/VM 1.9.0 is effective 8/31/96 for VM/SP, VM/SP XA, VM/ESA 370 feature R1.0 and VM/ESA R2.0 and prior releases.							

Table 1 (Page 49 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>RACF/VM</b>	5740-XXH (EoS 4/30/09)	<b>1.10.0 \$</b> <b>03/05/07</b>	-	-	-	-	-
<p><b>Note:</b></p> <p>\$ ... RACF/VM Release 10 requires APAR VM60792 for support of the G4 Enterprise Server. After 5/30/97 RACF/VM Release 10 is refreshed to include this support.</p> <p>@ .... APAR VM62598 is required for z/VM V3 and V4.</p> <p>The date for discontinuing service support for RACF for VM V1.10.0 (5740-XXH) has been extended to April 30, 2009, for z/VM V5.2 and this extension applies only to z/VM V5.2. The date remains May 5, 2008, for the Common Criteria Certification feature, formerly known as z/VM V5.1.</p>							
<b>RACF for z/VM</b>	Feature of 5741-A05 (EoS 9/30/07) (EoS 4/30/09)	<b>\$</b> <b>Withdrawn</b> <b>06/15/07</b>	XCTol	XCTol	-	-	-
<p><b>Note:</b></p> <ul style="list-style-type: none"> <li>\$ RACF for VM is now available as an optional priced feature of z/VM V4.3 and later. It is functionally equivalent to RACF/VM V1 R10.0 (5740-XXH). See IBM Announcement Letter 202-104, dated April 30, 2002 (V4.3) and 204-057, dated April 7, 2004 (V5.1) for additional details.</li> <li>RACF for z/VM feature of 5741-A05 has been withdrawn from marketing as announced in IBM Software Announcement 207-019 dated February 6, 2007 and replaced by the RACF Security Server feature with z/VM V5.3.</li> <li>The RACF for z/VM feature operating on z/VM V5.2 is planned to be discontinued from service effective April 30, 2009. See IBM Announcement Letter 205-168 dated July 27, 2005.</li> </ul>							
<b>RACF Security Server FL530</b>	Feature of 5741-A05 (EoS 09/30/10)	<b>FL530</b> <b>Withdrawn</b> <b>09/08/08</b>	-	-	Exp	-	-
<p><b>Note:</b></p> <p>RACF Security Server FL530 feature can only be licensed on z/VM V5.3 and is supported only on z/VM V5.3.</p>							
<b>RACF Security Server FL540</b>	Feature of 5741-A05 (EoS 09/30/13)	<b>FL540</b>	-	-	-	Exp	-
<p><b>Note:</b></p> <p>RACF Security Server FL540 feature can only be licensed on z/VM V5.4 and is supported only on z/VM V5.4.</p>							
<b>RACF Security Server FL610</b>	Feature of 5741-A07 (EoS 04/30/13)	<b>FL610</b>	-	-	-	-	Exp
<p><b>Note:</b></p> <p>RACF Security Server FL610 feature can only be licensed on z/VM V6.1 and is supported only on z/VM V6.1.</p>							
<b>ReaderWatch</b>	5799-EYW	<b>1.1.0</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<p><b>Note:</b> IBM ReaderWatch is PRPQ # P81213.</p> <p>For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)</p> <p>Pre-reqs for ReaderWatch: The WAKEUP and GETFMADR modules from VM/IPF (5665-318) or from the CMS Utilities Feature of VM/ESA.</p>							
<p><b>Note:</b> REXX/370 Compiler 1.1.0, 5695-013; EoS = 11/28/93. REXX/370 Library 1.1.0, 5695-014; EoS = 11/28/93.</p>							

Table 1 (Page 50 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
<b>REXX/370 Compiler</b>	5695-013 (EoS 5/7/95)	<b>1.2.0 Withdrawn 10/27/94</b>					
<b>REXX/370 Compiler</b>	5695-013 (EoS 4/3/05)	<b>1.3.0 Withdrawn 8/29/03</b>	Exp	Exp	Exp	Exp	Exp
<b>REXX Compiler for zSeries</b>	5695-013	<b>1.4.0</b>	Exp	Exp	Exp	Exp	Exp
<b>REXX/370 Library</b>	5695-014 (EoS 5/7/95)	<b>1.2.0 Withdrawn 10/27/94</b>					
<b>REXX/370 Library</b>	5695-014 (EoS 4/3/05)	<b>1.3.0 Withdrawn 8/29/03</b>	Exp	Exp	Exp	Exp	Exp
<b>REXX Library for zSeries</b>	5695-014	<b>1.4.0</b>	Exp	Exp	Exp	Exp	Exp
<b>Note: REXX</b> see also : <i>CMS REXX</i> .							
<b>REXXIUCV</b>	5785-LAT	<b>1.1.0</b>					
<b>REXXIUCV</b>	5785-LAT	<b>1.1.1</b>	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$	Exp XCTol \$
<b>Note: \$</b> .... REXXIUCV 1.1.1 loads below the 16 Meg boundary. <b>REXXIUCV is an EMEA only PRPQ.</b>							
<b>RMS</b>	5798-FBB (EoS 5/31/97)	<b>1.3.0 * Withdrawn 12/31/96</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<b>Note: *</b> .... RMS is replaced by the RMS facility in OfficeVision/VM R3. See IBM announcement letter 296-203, dated 6/11/96, for details.							
<b>Note:</b> Routing Table Generator 1.1.0, 5668-815; Withdrawn 12/31/97, EoS 9/30/91.							
<b>RPG/370</b>	5688-127	<b>1.1.0 Withdrawn 8/20/93</b>	Exp	Exp	Exp	Exp	Exp
<b>Note:</b> RPG/370 was withdrawn from marketing 8/20/93.  * .... APAR VM38519 (PTF UV40966, - which is superseded by UV54583 -) (this is an APAR to VSE/VSAM V1 R4 that RPG pre-reqs).  When RPG/370 is installed in saved segments, at least one of the saved segments must reside below the 16 Meg line.  Full name of above is: <i>IBM SAA RPG/370 V1</i> .							
<b>RPG II</b>	5746-RG1	<b>1.3.0</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> Full name of RPG II is DOS/VS RPG II							
<b>Note:</b> RSCS 1.3.0, 5748-XP1; EoS = 8/20/91. RSCS 2.2.0, 5664-188; EoS = 12/31/93.							

Table 1 (Page 51 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
RSCS	5664-188 (EoS 9/14/95)	<b>2.3.0 Withdrawn 7/01/92</b>					
<b>Note:</b> Full name for RSCS is <i>VM RSCS Vx</i> , where <i>x</i> = the version number. RSCS/VM Version 2 was withdrawn from marketing 7/92.							
RSCS	5684-096 (EoS 10/25/96)	<b>3.1.0 Withdrawn 10/31/95</b>	-	-	-	-	-
<b>Note:</b> IBM VM RSCS Data Interchange Manager Feature of RSCS Version 3 Release 1 supports transparent E-mail exchange between VM and SMTP users on TCP/IP networks. There is no additional charge for this feature.							
RSCS	5684-096 (EoS 1/31/01)	<b>3.1.1 Withdrawn % 3/24/98</b>	-	-	-	-	-
<b>Note:</b> % .... RSCS Version 3 Release 1.1 is a complete base refresh and is <b>VMSES/E</b> enabled. RSCS V3 R1.1 includes RSCS Data Interchange Manager feature as a part of the RSCS V3 R1.1 base.							
RSCS	5684-096 (EoS 10/31/09)	<b>3.2.0 Withdrawn 05/26/08</b>	Exp	Exp	Exp	Exp	-
<b>Note:</b> <ul style="list-style-type: none"> <li>* RSCS V3.2 is not supported on any release of VM prior to VM/ESA R2.1, including VM/SP, VM/XA SP, VM/SP HPO and VM/ESA 370 features.</li> <li>RSCS V3.2 will <b>not</b> run in a 370 mode virtual machine.</li> <li>RSCS V3.2 has been withdrawn from marketing effective May 26, 2008. Replacement products are the optional, priced features RSCS FL530 for V5.3 and RSCS FL540 for V5.4.</li> <li>RSCS V3.2 support is planned to be discontinued effective October 31, 2009 as announced in Discontinuance of Service announcement 908-180, dated August 5, 2008.</li> </ul>							
RSCS FL530	Feature of 5741-A05 (EoS 09/30/10)	<b>FL530 Withdrawn 09/08/08</b>	-	-	-	Exp	-
<b>Note:</b> <ul style="list-style-type: none"> <li>RSCS FL530 was withdrawn from marketing on September 8, 2008 and replaced with RSCS FL540 with z/VM V5.4.</li> </ul>							
RSCS FL540	Feature of 5741-A05 (EoS 09/30/13)	<b>FL540</b>	-	-	-	Exp	-
<b>Note:</b> RSCS FL540 feature can only be licensed on z/VM V5.4 and is only supported on z/VM V5.4.							
RSCS Networking FL610	Feature of 5741-A07 (EoS 04/30/13)	<b>FL610</b>	-	-	-	-	Exp
<b>Note:</b> RSCS Networking FL610 feature can only be licensed on z/VM V6.1 and is only supported on z/VM V6.1.							
<b>Note:</b> RTM/SF 1.2.0, 5798-DWD; EoS = 2/23/92. RTM/SF 1.3.0, 5798-DWD; EoS = 6/89. RTM/SF 1.4.0, 1.5.0, and 1.5.1; 5798-DWD; EoS = 12/31/93. RTM/ESA R5.0 and R5.1 were withdrawn from marketing 8/18/93.							
RTM/ESA	5798-DWD (EoS 11/8/03)	<b>1.5.2 Withdrawn 9/04/02</b>	-	-	-	-	-

Table 1 (Page 52 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>RTM/ESA</b>	5798-DWD (EoS 12/31/05)	<b>1.5.3 Withdrawn 8/27/04</b>	-	-	-	-	-
<p><b>Note:</b> * ... Apply latest service. See information APAR II06735:</p> <p>RTM/ESA is <b>VMSES/E</b> enabled for some environments. RTM/ESA 1.5.3 will be withdrawn from marketing effective August 27, 2004. For correct feature codes and ordering instructions, see the SALESMAN application on HONE.</p>							
<b>RTM</b>	Feature of 5739-A03 (EoS 9/30/06)	<b>FL410 Withdrawn 3/31/06</b>	Exp @	na	na	na	na
<p><b>Note:</b> Starting with z/VM Version 4, RTM/ESA is shipped as a priced feature of z/VM. See IBM Announcement letter 201-163, dated May 29, 2001, for complete details.</p> <p>The RTM optional feature for z/VM V4.4 has been withdrawn from marketing effective March 31, 2006. See IBM Announcement Letter 905-261 dated December 6, 2005.</p> <p>Starting with z/VM V5.1, the RTM feature of z/VM has been replaced by the Performance Toolkit for VM. See IBM Announcement Letter 204-057, dated April 7, 2004 and see entry on</p> <p>@ .... For z/VM V4 R3, RTM/ESA requires the PTF for APAR number GC05481. This service is pre-applied to RTM/ESA prior to shipment with z/VM V4 R3. See IBM Announcement Letter 202-104, dated April 30, 2002, for additional details.</p>							
<p><b>Note:</b> RXSQL 1.1.1, 5798-DXT; EoS 5/90. RXSQL is replaced with the RXSQL Feature of SQL/DS V3.1 .</p>							
<p><b>Note:</b> SAA Delivery Manager/VM 1.1.0, 5684-098; EoS = 1/31/93. SAA Delivery Manager/VM 1.2.0, 5684-098; EoS = 4/15/94. The Delivery Manager/VM product was withdrawn from marketing 12/20/93.</p>							
<p><b>Note:</b> SAA PrintManager 1.1.0, 5688-179; EoS = 4/19/94. SAA PrintManager Version 1 was withdrawn from marketing 12/21/93.</p>							
<p><b>Note:</b> SCENAD, 1.1.0, 5668-882; EoS = 4/01/91. SCENAD = <i>IBM Scientific Engineering Application Director.</i></p>							
<b>ScreenView</b>	Feature of 5684-112 (EoS 10/25/96)	<b>R1.1</b>					
<p><b>Note:</b> * .... ScreenView R1.1 pre-reqs OS2 V1.3. % .... ScreenView R1.1 is an optional feature of VM/ESA R2.2 and future releases.</p>							
<b>ScreenView</b>	Feature of 5684-112 (EoS 10/25/96)	<b>R2.0 Withdrawn 01/25/96</b>	-	-	-	-	-
<p><b>Note:</b> * .... ScreenView R2.0 pre-reqs OS2 V2. % .... ScreenView R2.0 is an optional feature of VM/ESA R2.2 and future releases.</p>							
<p><b>Note:</b> SDF II 1.1.0, 5664-307; EoS = 6/90. SDF II VM 1.2.0, 5664-307; EoS = 12/31/92.</p>							
<b>SDF II VM</b>	5664-307	<b>1.3.0 \$</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> \$ .... SDF II pre-reqs the appropriate level of ISPF for VM, for that particular VM environment. SDF = <i>Screen Definition Facility.</i></p>							
<b>SearchManager/370</b>	5684-143 (EoS 1/31/96)	<b>1.1.0 Withdrawn 2/25/94</b>					

Table 1 (Page 53 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
SearchManager/370	5684-143 (EoS 4/24/98)	1.2.0 @ Withdrawn 7/28/95					
SearchManager/370	5684-143	1.3.0 Withdrawn 12/14/09	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> .... SearchManager/370 is a replacement for STAIRS/CMS (5664-189).            @ .... SearchManager/370 Version 1 Release 2 is VMSES/E enabled.            A per user based fee structure is available for SearchManager/370.            IBM SearchManager/370 under VM V1.3.0 has no replacement.</p>							
<p><b>Note:</b> Selective File Filter 1.1.0, 5799-XBB, was withdrawn from marketing in 7/92 and ended service by YE1996.</p>							
Server Tasking Environment/VM	5799-EFR	1.1.0 Withdrawn 3/31/98	*	*	*	*	*
<p><b>Note:</b> The above PRPQ (P81089), STEVR/VM, provides multi-tasking and multiprocessing extensions to CMS (This is a NO_CHARGE PRPQ).            * .... With VM/ESA Release 2, Server Tasking Environment/VM support, previously available as a PRPQ (PRPQ P81089; 5799-EFR), is now integrated in the VM/ESA base with some additional enhancements.</p>							
Server Task Manager/370	5799-ELA	1.1.0	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> Server Task Manager/370 is PRPQ # P88652; Supports SUN RPC functions on the host.            Support/questions call 1-800-237-5511.            Pre-reqs: C/370 Library V1 R2 (5688-039) with PTF UL76659 and TCP/IP for VM Version 2.</p>							
<p><b>Note:</b> SGML Translator 1.1.0, 5684-025; EoS 5/22/90.</p>							
SGML Translator	5684-025	1.2.0					
<p><b>Note:</b> \$ .... PTF UN10104 enables XA Toleration in the VM/ESA (ESA) environment.</p>							
SGML Translator	5684-025 (EoS 11/28/97)	1.3.0 Withdrawn 3/17/97	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> SGML requires that CP and CMS be at the same level.</p>							
SLR	5665-397 (EoS 3/31/01)	3.3.x Withdrawn 12/22/98	na	na	na	na	na
<p><b>Note:</b> SLR = Service Level Reporter; runs on MVS.            SLR can post process log files from; the VM Monitor, VM Acctg, VM LOGREC, VM NetView, VM NPM, VM RACF, and VMPRF.            This processing is done in the MVS environment.</p>							
SnapShot for VM/ESA	5654-A03	1.1.0 @	X	X	X	X	X
<p><b>Note:</b> .... Full name = <b>IBM RAMAC SnapShot for VM/ESA</b>            @ .... SnapShot is also available for customers of the StorageTek ICEBERG 9200. You must submit an RPQ to IBM for each serial-numbered machine. Contact your IBM marketing representative for more information.</p>							
<p><b>Note:</b> SOEMI 1.1.0, 5664-201, was withdrawn from marketing as of 7/5/94 and ended service in 1995.</p>							
Software License Monitor (SLM)	5648-038 (EoS 10/31/99)	1.1.0 @ Withdrawn	Exp	Exp	Exp	Exp	Exp

Table 1 (Page 54 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>Software License Monitor (SLM)</b>	5648-038 (EoS 3/31/02)	<b>1.1.1 @ Withdrawn 3/05/01</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> Software License Monitor (SLM) is a NO CHARGE product in the USA and EMEA. There is a single enterprise charge of \$500.00 in Canada. For charges in other countries check with your local IBM Software marketing organization.</p> <p>@ ... SLM R1 is VMSES/E enabled.</p>							
<b>Solids to Prototype</b>	5799-DXN	<b>2.1.0</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> Version 2 supersedes Version 1, P81040 (5799-CZT). Version 2 is PRPQ # P81086. This PRPQ runs with CATIA.</p>							
<b>SQL MASTER/VM</b>	5684-136 (EoS)	<b>1.1.0 Withdrawn</b>					
<b>SQL MASTER/VM</b>	5684-136 (EoS)	<b>1.1.1 Withdrawn</b>					
<b>SQL MASTER/VM</b>	5684-136 (EoS 1/31/01)	<b>1.2.0 Withdrawn 4/20/00</b>	Exp	Exp	Exp	Exp	Exp
<p><b>Note:</b> SQL/DS 1.3.x, 5748-XXJ; EoS = 3/31/92.  SQL/DS 2.1.0, 5688-004; EoS = 3/31/92.  SQL/DS 2.2.0, 5688-004; EoS = 6/30/94.</p> <p>In order to migrate from versions of SQL/DS prior to Version 3, you must first migrate to Version 3. To facilitate this migration, a migration kit is being added to DB2 Server for VSE &amp; VM, Version 6 Release 1. Beginning June 25, 1999, all new purchases of DB2 Server for VSE &amp; VM will contain this migration kit.</p>							
<p><b>Note:</b> SQL/DS 3.1.0 and 3.2.0, 5688-103; EoS = 12/31/93.</p>							
<b>SQL/DS</b>	5688-103 (EoS 7/19/96)	<b>3.3.0 Withdrawn</b>					
<p><b>Note:</b> \$ .... VM Data Spaces Support Feature is available with SQL/DS V3.3. With this feature SQL/DS operates in XC mode on VM/ESA R1.1 and R2, and exploits VM Data Spaces.</p> <p>SQL/DS V3 Releases 1, 2, and 3 were withdrawn from marketing 9/01/93 (EMEA EoM = 10/01/93).  EMEA EoS for Releases 1 and 2 is 1/31/94.</p> <p>Miscellaneous Notes:</p> <ul style="list-style-type: none"> <li>• The <b>DataHub Support/VM Feature of SQL/DS V3</b> (Release 3 and Release 4) was available 7/93. This is the VM part of the SystemView Information Warehouse DataHub - a database management product set across SAA systems.</li> <li>• SAIV (SQL Application Interface for VSAM) is a feature of SQL/DS V2.2 but will no longer be available in SQL/DS Version 3.</li> <li>• The RXSQL feature of SQL/DS Version 3 replaces the RXSQL Program Offering (5798-DXT).</li> </ul>							
<b>SQL/DS</b>	5688-103 (EoS 4/26/97)	<b>3.4.0 Withdrawn</b>					
<p><b>Note:</b> SQL/DS will not support mixed CP and CMS releases, as supported by VM/ESA.</p>							
<b>SQL/DS for VSE &amp; VM (DB2 for VSE &amp; VM)</b>	5688-103 (EoS 01/31/01)	<b>3.5.0 Withdrawn 10/20/99</b>	-	-	-	-	-
<p><b>Note:</b> The Data Restore feature of SQL/DS for VSE &amp; VM Version 3 Release 5.0 became generally available 1/26/96. The Simplified Chinese feature will be available 2/23/96.</p> <p>SQL/DS will not support mixed CP and CMS releases, as supported by VM/ESA.</p>							
<p><b>Note:</b> STAIRS 1.1.x, EoS 6/30/90.</p>							

Table 1 (Page 55 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>STAIRS/CMS</b>	5664-189 EoS 10/21/94	<b>1.2.0 Withdrawn</b>					
<b>Note:</b> .... STAIRS/CMS is replaced by <b>SearchManager/370</b>							
<b>STANDALONE DASD Dump</b>	5799-DHL	<b>1.1.0</b>					
<p><b>Note:</b> Full name of the above is <i>STANDALONE DASD Dump/Restore</i>, PRPQ # P81048. This PRPQ provides standard DDR, equivalent to the DDR program which ships with VM/ESA R1.0 370 Feature, shipped on a 3.5 inch disk.</p> <p>This PRPQ requires a 9370, 9371, or a 9221 (370 mode) processor (there is NO charge for the PRPQ).</p>							
<b>Surfaces to Animation</b>	5799-DXP	<b>1.1.0</b>	Exp	Exp	Exp	Exp	Exp
<b>Note:</b> The above is PRPQ # P81085.							
<p><b>Note:</b> TCP/IP Version 1 Release 1, 5798-FAL; EoS = 9/27/91. TCP/IP Version 1 replaced VM Interface Program for TCP/IP (5798-DRG).</p> <p>TCP/IP Version 2 Release 1, 5735-FAL; EoS = 6/30/92.</p>							
<b>TCP/IP</b>	5735-FAL (EoS 4/24/98)	<b>2.2.0 Withdrawn 12/16/94</b>	-	-	-	-	-
<b>TCP/IP</b>	5735-FAL (EoS 10/30/99)	<b>2.3.0 @ Withdrawn 12/31/97</b>	-	-	-	-	-
<p><b>Note:</b> * .... Needs APAR PN34230 (- HIPER -) (see PTF UN35443 or UN35444) for the VM/ESA R2 environment.</p> <p>The VM Offload Feature, which reduces VM CPU load, is available with APAR PN35887 (5/07/93) and the IBM 3172-3 Interconnect Controller. To use the Offload Feature with a second level VM V=V or V=F see PTF UN42195</p> <p>\$ .... TCP/IP V2 R3 must be at RSU 9503 or higher.</p> <p>@ ..... TCP/IP V2 R3.0 and subsequent releases are <b>VMSES/E</b> enabled.</p>							
<b>TCP/IP</b>	5735-FAL (EoS 1/31/01)	<b>2.4.0 Withdrawn 11/12/99</b>	-	-	-	-	-
<b>TCP/IP</b>	Base function of 5741-A05 (EoS 9/30/07)	<b>FL510 Withdrawn 06/15/07</b>	Exp	-	-	-	-
<b>Note:</b> TCP/IP is part of the base z/VM V5 product. It is shipped with z/VM V5, pre-installed and enabled for customer use at no additional charge.							
<p><b>Note:</b></p> <p>TCP/IP FL510 has been withdrawn from marketing effective June 15, 2007. See IBM Announcement Letter 207-019 dated February 7, 2007.</p> <p>TCP/IP FL510 has been discontinued from service effective September 30, 2007. See IBM Announcement Letter 204-057 dated April 7, 2004.</p>							



Table 1 (Page 56 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4	V6.1
TCP/IP	Base function of 5741-A05 (EoS 4/30/09)	<b>FL520 Withdrawn 06/15/07</b>	-	Exp	-	-	-
<b>Note:</b> TCP/IP FL520 has been withdrawn from marketing effective June 15, 2007. See IBM Announcement Letter 207-019 dated February 7, 2007.							
TCP/IP	Base function of 5741-A05 (EoS 09/30/10)	<b>FL530 Withdrawn 09/08/08</b>	-	-	Exp	-	-
<b>Note:</b> <ul style="list-style-type: none"> <li>• TCP/IP is part of the base z/VM V5 product. It is shipped with z/VM V5, pre-installed and enabled for customer use at no additional charge.</li> <li>• TCP/IP FL530 was withdrawn from marketing effective September 8, 2008 See IBM Announcement Letter 208-249 dated August 5, 2008.</li> <li>• The TCP/IP feature of z/VM is release-dependent.</li> </ul>							
TCP/IP	Base function of 5741-A05 (EoS 09/30/13)	<b>FL540</b>	-	-	-	Exp	-
<b>Note:</b> <ul style="list-style-type: none"> <li>• TCP/IP is part of the base z/VM V5 product. It is shipped with z/VM V5, pre-installed and enabled for customer use at no additional charge.</li> <li>• The TCP/IP feature of z/VM is release-dependent.</li> </ul>							
TCP/IP	Base function of 5741-A07 (EoS 04/30/13)	<b>FL610</b>	-	-	-	-	Exp
<b>Note:</b> <ul style="list-style-type: none"> <li>• TCP/IP is part of the base z/VM V6 product. It is shipped with z/VM V6, pre-installed and enabled for customer use at no additional charge.</li> <li>• The TCP/IP feature of z/VM is release-dependent.</li> </ul>							
TeamKit/VM	5799-EYX	<b>1.1.0</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> TeamKit/VM is PRPQ # P81212. It is available in the U.S.A. and Canada.							
<b>Note:</b> Terse/VM 1.9.05, PRPQ #P04277 (5764-050), was withdrawn from marketing as of 9/30/97 and ended service in 2Q98.							
TextTagger/ESA	5648-010 * (EoS 12/31/95)	<b>1.1.0 Withdrawn 8/31/95</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<b>Note:</b> * .... See IBM Announcement letter 295-217 for information on a replacement product for TextTagger/ESA.							
<b>Note:</b> TIF Ver. 1 (5798-DLK) EoS 1/87. TIF Version 1 was withdrawn from marketing 1/31/93.							
TIF	5654-015 (EoS 1/31/01)	<b>2.1.4 Withdrawn 11/30/99</b>	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol	Tol XCTol
<b>Note:</b> TIRS BUILD 1.1.0, 5688-171; EoS - 3/31/92.							

Table 1 (Page 57 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>TIRS BUILD</b>	5688-171 (EoS 6/14/96)	<b>1.2.0 Withdrawn 2/14/96</b>	Exp	Exp	Exp	Exp	Exp
<b>Note:</b> Full name for this product is: AD/Cycle -- The Integrated Reasoning Shell Builder/370.							
<b>Note:</b> TIRS RUN 1.1.0, 5688-170; EoS = 3/31/92.							
<b>TIRS RUN</b>	5688-170 (EoS 6/14/96)	<b>1.2.0 Withdrawn 2/14/96</b>	Exp	Exp	Exp	Exp	Exp
<b>Note:</b> TIRS = <i>The Integrated Reasoning Shell</i> . Full name for this product is: AD/Cycle -- The Integrated Reasoning Shell Runtime/370.							
<b>Tivoli ADSTAR Distributed Storage Manager (ADSM)</b>	5697-VM3 (EoS 3/31/02)	<b>3.1.0 Withdrawn 10/27/00</b>	Tol *	Tol *	Tol *	Tol *	Tol *
<b>Note:</b> Tivoli ADSTAR Distributed Storage Manager is replaced by <b>Tivoli Storage Manager, S/390 Edition, Version 3 Release 7, 5697-TSO</b> .							
<b>Tivoli Storage Manager, S/390 Edition</b>	5697-TSO (EoS 3/31/02)	<b>3.7.0 Withdrawn 10/27/00</b>	Tol *	Tol *	Tol *	Tol *	Tol *
<b>Tivoli Storage Manager, S/390 Edition</b>	5697-TS9 (EoS 9/30/02)	<b>4.1.0 Withdrawn 8/03/01</b>	Tol *	Tol *	Tol *	Tol *	Tol *
<b>Tivoli Storage Manager, S/390 Edition</b>	5697-TS9 (EoS 4/8/06)	<b>4.2.0 Withdrawn 3/07/05</b>	Tol *	Tol *	Tol *	Tol *	Tol *
<b>Note:</b> * ... Tivoli Storage Manager function for VM is at the Tivoli Storage Manager V3.1.0 level. See IBM Announcement Letters 200-245 and 200-244, dated July 25, 2000, for additional information.  5697-TS9, IBM Tivoli Storage Manager, S/390 Edition, V4.2, was replaced by 5608-ISM, IBM Tivoli Storage Manager, V5.2 or later, or 5608-ISX, IBM Tivoli Storage Manager Extended Edition, V5.2 or later but they have also been withdrawn. When running in a Linux guest environment, IBM recommends Tivoli Storage Manager, V5.3 (5608-ISM) or Tivoli Storage Manager Extended Edition, V5.3 (5608-ISX) for key data protection activities of backup, archive, recovery, space management, and disaster planning.							
<b>Tivoli Storage Manager</b>	5608-ISM (EoS 4/30/07)	<b>5.2.0 Withdrawn 8/12/03</b>	Tol *	Tol *	Tol *	Tol *	Tol *
<b>Note:</b> When running in a Linux guest environment, IBM recommends Tivoli Storage Manager, V5.3 (5608-ISM) or Tivoli Storage Manager Extended Edition, V5.3 (5608-ISX) for key data protection activities of backup, archive, recovery, space management, and disaster planning.							
<b>Tivoli Storage Manager, Extended Edition</b>	5608-ISX (EoS 4/30/07)	<b>5.2.0 Withdrawn 8/12/03</b>	Tol *	Tol *	Tol *	Tol *	Tol *
<b>Note:</b> For additional information on products 5608-ISM and 5608-ISX, see IBM Announcement Letter 204-024, dated February 24, 2004. When running in a Linux guest environment, IBM recommends Tivoli Storage Manager, V5.3 (5608-ISM) or Tivoli Storage Manager Extended Edition, V5.3 (5608-ISX) for key data protection activities of backup, archive, recovery, space management, and disaster planning.							

Table 1 (Page 58 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>Tivoli Storage Manager Extended Edition for z/OS and z/VM V5.2</b>	5698-A11 (EoS 4/30/07)	<b>5.2.0 Withdrawn 3/06/06</b>	Tol *	Tol *	Tol *	Tol *	Tol *
<b>Note:</b> When running in a Linux guest environment, IBM recommends Tivoli Storage Manager, V5.3 (5608-ISM) or Tivoli Storage Manager Extended Edition, V5.3 (5608-ISX) for key data protection activities of backup, archive, recovery, space management, and disaster planning.							
<b>Tivoli Storage Manager for z/OS and z/VM V5.2</b>	5698-A13 (EoS 4/30/07)	<b>5.2.0 Withdrawn 3/06/06</b>	Tol *	Tol *	Tol *	Tol *	Tol *
<b>Note:</b> For additional information on products 5698-A11 and 5698-A13, see IBM Announcement Letter 203-203, dated August 12, 2003. When running in a Linux guest environment, IBM recommends Tivoli Storage Manager, V5.3 (5608-ISM) or Tivoli Storage Manager Extended Edition, V5.3 (5608-ISX) for key data protection activities of backup, archive, recovery, space management, and disaster planning.							
<b>Note:</b> TPNS 2.3.0, 5662-262; EoS 7/88. TPNS 2.4.0, 5662-262; EoS 10/31/92. TPNS 3.1.0, 5688-121; EoS 07/31/92. TPNS 3.2.0, 5688-121; EoS 10/31/93.							
<b>Note:</b> TPNS = <i>TeleProcessing Network Simulator</i> . Does not include support for the IBM 3705 communications controller.							
<b>TPNS</b>	5688-121 (EoS 1/31/95)	<b>3.3.0 Withdrawn 6/24/94</b>					
<b>TPNS</b>	5688-121 (EoS 9/3/96)	<b>3.4.0 Withdrawn 9/27/96</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>TPNS</b>	5688-121	<b>3.5.0</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> TQM Corporate PDB 1.1.0, 5764-052, was withdrawn from marketing as of 9/30/97 and ended service in 2Q98.							
<b>Translator Toolkit</b>	5799-EPK	<b>1.1.0</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>TSCF</b>	5688-139 (EoS 6/24/96)	<b>1.1.0</b>	na	na	na	na	na
<b>TSCF</b>	5688-139 (EoS 4/24/98)	<b>1.2.0</b>	na	na	na	na	na
<b>Note:</b> TSCF = <i>Target System Control Facility</i> . VM is supported as target system only -- host system must be on MVS.							
<b>Note:</b> The VALISYS family of products were withdrawn from marketing through the Software Vendor Marketing Program (SVMP) as of 4/1/97. Refer to IBM Announcement letter 997-035, dated February 11, 1997, for additional details.							
<b>VisualGen Host Services feature for VM</b>	5648-078 \$ (EoS 9/30/01)	<b>1.1.0 Withdrawn 6/26/98</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> \$ .... VisualGen Host Services feature for VM is replaced by VisualAge Generator for MVS, VSE and VM, 5648-B02. See entry on							
<b>Note:</b> VAST-2 1.1.0, 5798-RXQ; EoS = 06/29/90. VAST-2 1.2.0, 5798-RXQ; EoS = 10/02/92.							

Table 1 (Page 59 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>VAST-2</b>	5798-RXQ (EoS 4/24/98)	<b>1.2.1 Withdrawn 2/26/97</b>	Exp	Exp	Exp	Exp	Exp
<b>Note:</b> VAST-2 is a FORTRAN pre-compiler which helps in optimizing programs for vectorization and parallelization. Designed to compliment VS FORTRAN 2.5.0.							
<b>VisualAge COBOL Millennium Language Extensions for MVS &amp; VM</b>	5654-MLE (EoS 4/21/06)	<b>1.1.0 Withdrawn 9/06/00</b>	Exp	Exp	Exp	Exp	Exp
<b>VisualAge COBOL Millennium Language Extensions for OS/390 &amp; VM</b>	5648-MLE (EoS 9/30/02)	<b>1.1.0 Withdrawn 9/05/01</b>	Exp	Exp	Exp	Exp	Exp
<b>VisualAge Generator Server for MVS, VSE and VM</b>	5648-B02 (EoS 9/30/09)	<b>1.2.0 Withdrawn 09/08/08</b>	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<b>Note:</b> This product is a replacement for VisualGen Host Services feature for VM, 5648-078.							
<b>VisualAge PL/I Millennium Language Extensions for MVS &amp; VM</b>	5648-MLX	<b>1.1.0</b>	Exp *	Exp *	Exp *	Exp *	Exp *
<b>Note:</b> VM Batch Facility Version 1, 5664-364; EoS = 12/27/91.							
<b>VM Batch Facility</b>	5684-137 (EoS 9/2/94)	<b>2.1.0</b>					
<b>VM Batch Facility</b>	5684-137	<b>2.2.0</b>	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *	Tol XCTol *
<b>Note:</b> VM Batch Facility V2 R2 is <b>VMSES/E</b> enabled. VM Batch Facility V2 R2 co-reqs RSCS V2 R3 or V3 R1, ISPF V3 R2 and RACF V1 R9 to provide additional function. * .... GC05375/UG03810 provides 31 bit toleration.							
<b>Note:</b> VM Data Collector 1.0.0, 5798-DZF; EoS = 12/90. VM Data Collector will be withdrawn from marketing effective 7/05/94.							
<b>Note:</b> VM IPCS R5, 5748-SA1; EoS 12/88.							
<b>VM PWSCF</b>	5799-DHH	<b>1.1.2 Withdrawn 3/31/98</b>	\$	\$	\$	\$	\$
<b>Note:</b> PWSCF = <i>Personal Work-Station Communications Facility</i> . VM PWSCF is PRPQ # P81056. Service for the workstation function will be discontinued 04/18/92, superseded by VM PWSCS.  \$ The host code has been integrated into CP in VM/ESA Release 1.1 and thus P81056 is not required on VM/ESA R1.1 and beyond.							
<b>Note:</b> VM PWSCS 1.0 , 5684-138; EoS = 6/30/92. VM PWSCS 1.1 , 5684-138; EoS = 9/30/93.							

Table 1 (Page 60 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
VM PWSCS	5684-138 (EoS 3/16/95)	<b>1.2 Withdrawn 11/16/94</b>	na	na	na	na	na
<p><b>Note:</b> \$ .... VM PWSCF is used in conjunction with VM PWSCS for locally optimized VM-to-Workstation connections.</p> <p>PWSCS = <i>Programmable WorkStation Communication Services</i>.</p> <p>* APAR VM52836 is required for Micro Channel to Mainframe Channel support to VM/ESA 1.1. Supports CPI Communications over standard LAN protocols (TCP/IP, IPX/Novell, 802.2) for DOS, Windows, AIX PS/2 AIX V3, OS/2, and NetWare. Supports channel connectivity to VM/ESA and inter-operates with SNA LU6.2 connectivity to MVS/ESA and other SNA LU6.2 systems.</p>							
<p><b>Note:</b></p> <p>VM/DIRMAINT 1.2.0 5748-XE4 EoS: February 1990            VM/DIRMAINT 1.3.0 5748-XE4 EoS: September 1994            VM/DIRMAINT 1.4.0 5748-XE4 EoS: October 1996            VM/DIRMAINT 1.5.0 5748-XE4 EoS: December 2005</p>							
<p><b>Note:</b> VM/DSNX 1.2.0, 5684-009; EoS 6/90.</p>							
VM/DSNX	5684-009 (EoS 11/01/94)	<b>1.3.0 Withdrawn 5/11/94 @</b>					
<p><b>Note:</b> * .... see APAR VM42629 (PTF UV52056) --- available now.</p> <p>@ .... VM DSNX will be withdrawn from marketing effective 5/01/94.</p>							
<p><b>Note:</b> VM/ESA R2 FBA Limited Availability, 5799-EPE, PRPQ P81207, was withdrawn from availability with the general availability of VM/ESA V1 R2.2.</p>							
<p><b>Note:</b> VM/IPF 2.1.0, 5664-318; EoS 12/88.            VM/IPF 2.2.0, 5664-318; EoS 12/93.</p>							
VM/IPF	5664-318 (EoS 10/30/99)	<b>2.3.0 Withdrawn 12/31/97</b>					
<p><b>Note:</b> * .... see APAR PL60470 (PTF UL90401) and also see Informational APAR II05439.</p> <p>For support of VM/ESA ESA Feature order the CMS Utilities Feature of the VM/ESA product.</p>							
<p><b>Note:</b> VM/IS PF 1.5.1, 5664-283; EoS = 2/90.            VM/IS PF 1.6.0, 5664-283; EoS = 10/30/92. VM/IS PF 5664-283 was withdrawn from marketing 12/27/91.</p>							
<p><b>Note:</b> VM/ISF 1.1.0 and 1.2.0, 5664-376; EoS = 12/89.</p>							
VM/RTM	5796-PNA (EoS 10/30/99)	<b>1.1.8 Withdrawn % 12/31/97</b>					
<p><b>Note:</b> * .... APAR GC03762, PTF UG00219 -- available now.</p> <p>% .... see informational APARs II03117 and II04072.            VM/RTM is superseded by RTM/ESA for the VM/ESA ESA Feature environment.</p>							
<p><b>Note:</b> VM/SE Release 1.1, 5713-AAK; EoS = 11/88.            SE = <i>Software Engineering</i>.</p>							
<p><b>Note:</b> VM/SE Version 2 5706-200: EoS = 10/30/92.</p>							
<p><b>Note:</b> VM/SE Work Station Extension Program, 1.1.0, 5799-DBN (PRPQ # P85107); WFM = 3/31/98, EoS = 12/30/90.</p>							

Table 1 (Page 61 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
VM/VCNA	5735-RC5	<b>1.0.0 Withdrawn</b>					
<p><b>Note:</b> VM/VCNA is used only in conjunction with OS/VS1 or VSE. VM/VCNA = VM/VTAM Communication Network Applications .</p>							
<p><b>Note:</b> VM:Webgateway(TM), 5758-SLM, VM:Webgateway OfficeVision Interface, 5758-SLN, and VM:Backup(TM), 5758-SL2 were withdrawn from marketing through the Software Vendor Marketing Program (SVMP) as of March 2000. Software provider Sterling Software was acquired by Computer Associates Inc. as of April 2000. Contact Computer Associates Inc. at 800-225-5224 or 631-342-5224 or visit their website at <a href="http://www.ca.com">http://www.ca.com</a> for additional information.</p>							
<p><b>Note:</b> VMBACKUP MS 1.5.1, 5664-291; EoS = 9/91.</p>							
<p><b>Note:</b> VM MAP 1.1.4, 5664-191; EoS 4/89.</p>							
VMMAP	5664-191 (EoS 10/30/99)	<b>1.1.5 Withdrawn 12/31/97</b>					
<p><b>Note:</b> * .... APAR GC02765, PTF UG00221 --- available now.</p> <p>% .... Since VMMAP does not run on the VM/ESA ESA Feature; the reporting function is provided by VM/PRF in the VM/ESA (ESA) environments. VM/PRF does not include VMMAP type graphics. Graphics can be had with VM/PAF and VM/PRF. Limited graphics can also be displayed using RTM/ESA and HMF/VM.</p>							
VMPAF	5684-130 (EoS 05/05/08)	<b>1.1.0 Withdrawn 04/26/91</b>					
VMPAF	5684-130 (EoS 05/05/08)	<b>1.1.1 Withdrawn 12/18/92</b>					
VMPAF	5684-130 (EoS 05/05/08)	<b>1.1.2 Withdrawn 07/09/03</b>					
VMPAF	5684-130 (EoS 05/05/08)	<b>1.1.3 Withdrawn 03/05/07</b>	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *	Exp XCTol *
<p><b>Note:</b> VMPAF = VM/Performance Analysis Facility.</p>							
<p><b>Note:</b> VMPPF Version 1, 5664-179; EoS = 4/05/90. VMPPF Version 2 Release 1 and 2, 5684-090; EoS = 12/31/92. VMPPF Version 2 was withdrawn from marketing 8/19/92.</p>							
<p><b>Note:</b> VM/PRF 1.1.0, 5684-073; EoS = 2/23/92.</p>							
VMPRF	5684-073 (EoS 3/31/02)	<b>1.2.0 Withdrawn 2/23/01</b>	-	-	-	-	-

Table 1 (Page 62 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>VMPRF</b>	5684-073 (EoS 12/31/05)	<b>1.2.2 Withdrawn 8/27/04</b>	-	-	-	-	-
<p><b>Note:</b> * ... Apply latest service. See Information APAR II06339.                      VMPRF works with LE/370 (5688-198), it requires APAR VM59419 and LE/370 service at January 1995 level or later.                      VMPRF 1.2.2 was withdrawn from marketing effective with the withdrawal of marketing of z/VM V3.1 on August 27, 2004.</p>							
<p><b>Note:</b> Starting with z/VM Version 4, VMPRF is shipped as a priced feature of z/VM. See IBM Announcement letter 201-163, dated May 29, 2001, for complete details. See the PRF feature</p>							
<p><b>Note:</b> VMTAPE MS 1.4.1, 5664-292; EoS = 9/91.</p>							
<p><b>Note:</b> VM3812 1.1.3, 5798-DTE; EoS = 12/92. VM3812 V1 was withdrawn from marketing 11/04/92.</p>							
<b>VPCA</b>	5785-GCL (EoS 12/31/94)	<b>1.2.0</b>					
<p><b>Note:</b> Full name of the above is: <i>VTAM Protocol Conversion Application</i>. VPCA co-req's NetView DM (5684-017).</p>							
<p><b>Note:</b> VS COBOL II 1.2.0, 5668-958, 5688-023, and 5688-022; EoS 12/89.                      VS COBOL II 1.3.x, 5668-958, 5688-023, and 5688-022; EoS 3/26/94 --  <i>VS COBOL II C &amp; L (5688-023), VS COBOL II C, L, D (5668-958), and VS COBOL II Lib (5688-022)</i></p>							
<b>VS COBOL II C &amp; L</b>	5688-023 (EoS 3/31/01)	<b>1.4.0 Withdrawn 6/30/97</b>	Exp *	Exp *	Exp *	Exp *	Exp *
<b>VS COBOL II C, L, D</b>	5668-958 (EoS 3/31/01)	<b>1.4.0 Withdrawn</b>	Exp *	Exp *	Exp *	Exp *	Exp *
<b>VS COBOL II Lib</b>	5688-022 (EoS 3/31/01)	<b>1.4.0 Withdrawn 6/30/97</b>	Exp *	Exp *	Exp *	Exp *	Exp *
<p><b>Note:</b> VS COBOL II Release 4 contains cumulative service rolled into a maintenance release.</p> <p>* .... Release 4.0: see APAR PN33499 relating to VSAM file 31-bit support.</p>							
<p><b>Note:</b> <b>COBOL:</b> The AD/Cycle COBOL/370 product is IBM's strategic COBOL product for the System/370 and System/390 platform.</p>							
<p><b>Note:</b> VS FORTRAN 2.3.0, 5668-806; EoS 9/90.                      VS FORTRAN 2.4.0, 5668-806; EoS 6/92.</p>							
<b>VS FORTRAN C, L, IAD</b>	5668-806 (EoS 12/31/95)	<b>2.5.0 @ Withdrawn 8/27/93</b>	Exp XCEP \$ % *	Exp XCEP \$ % *	Exp XCEP \$ % *	Exp XCEP \$ % *	Exp XCEP \$ % *
<b>VS FORTRAN C, L, IAD</b>	5668-806	<b>2.6.0</b>	Exp XCEP \$ % *	Exp XCEP \$ % *	Exp XCEP \$ % *	Exp XCEP \$ % *	Exp XCEP \$ % *
<b>VS FORTRAN C &amp; L</b>	5688-087 (EoS 12/31/95)	<b>2.5.0 @ Withdrawn 8/27/93</b>	Exp XCEP \$ %	Exp XCEP \$ %	Exp XCEP \$ %	Exp XCEP \$ %	Exp XCEP \$ %

Table 1 (Page 63 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 * %	V5.4 %	V6.1 %
<b>VS FORTRAN C &amp; L</b>	5688-087	<b>2.6.0</b>	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %	Exp XCExp \$ %
<p><b>Note:</b> VS FORTRAN Version 2</p> <p>\$ .... Support of parallelism in VM/ESA requires <i>CMS Support for Parallel Fortran</i> (PRPQ #P81051, 5799-DGW).</p> <p>% .... Support of Extended Common allows dynamic allocation of multiple commons, each up to 2 Gigabytes. This was available 12/91 along with VM/ESA R1.1 support. Fortran applications using Extended Common can exploit VM Data Spaces.</p> <p>@ .... VS/FORTRAN Library Version 2 Release 5 Needs APAR PN24431 (PTF UN32858 or UN32859) for all VM environments.</p>							
<b>Note:</b> VS FORTRAN Comp/Lib 1.4.1, 5748-FO3; EoS = 7/26/91.							
<b>Note:</b> VS FORTRAN Interactive Debug (IAD) 1.2.x, 5668-903; WFM = 3/31/98, EoS = 7/26/91.							
<b>Note:</b> VS FORTRAN LIB 2.3.0, 5668-805; EoS 9/30/90. VS FORTRAN LIB 2.4.0, 5668-805; EoS 6/92.							
<b>VS FORTRAN LIB</b>	5668-805 (EoS 12/31/95)	<b>2.5.0 @ Withdrawn 8/27/93</b>	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %
<b>VS FORTRAN LIB</b>	5668-805	<b>2.6.0</b>	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %	Exp XCExp %
<p><b>Note:</b> @ .... VS/FORTRAN Library Version 2 Release 5 Needs APAR PN24431 (PTF UN32858 or UN32859) for all VM environments. Also see APAR PN24241 (PTF UN26001).</p> <p>% .... Fortran applications using Extended Common can exploit VM Data Spaces.</p>							
<b>Note:</b> VS FORTRAN Library 1.4.1, 5748-LM3; WFM = 3/31/98, EoS = 7/26/91.							
<b>Note:</b> VS PASCAL 1.1.0, 5668-767; EoS 6/89.							
<b>VS PASCAL</b>	5668-767	<b>1.2.0</b>	Tol *	Tol *	Tol *	Tol *	Tol *
<b>Note:</b> * .... APAR PL67868 (PTF UN23639) -- available now.							
<b>VS PASCAL LIB</b>	5668-717	<b>1.2.0</b>	Tol	Tol	Tol	Tol	Tol
<b>VSE/VSAM</b>	5746-AM2 (EoS 9/30/94)	<b>1.4.x Withdrawn 12/18/92</b>	-	-	-	-	-
<p><b>Note:</b> VSE/VSAM Version 1 was withdrawn from marketing 12/18/92</p> <p>For Maintenance related to VSE/VSAM on VM see Information APAR II05610 (last update 12/09/91).</p> <p>* .... VSE/VSAM Version 1 Release 4 recommended</p> <p>VM APAR - For the 370 Feature: VM45721 (GCS - UM17096)</p> <p>VM APAR - For the ESA Feature: VM45018 (GCS - UM17076)</p>							



Table 1 (Page 64 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
VSE/VSAM	5686-037 (EoS 1/31/01)	2.1.x	-	-	-	-	-
<p><b>Note:</b> For installation see VM50912 and VM51032 (PTF UV90719) New Install Procedures. For Maintenance related to VSE/VSAM on VM see Information APAR II05610 (last update was 02/26/92).</p> <p>* .... Recommended Service:</p> <ul style="list-style-type: none"> <li>Running on VM/ESA Release 1.0 (370 feature) <ul style="list-style-type: none"> <li>VM45095 (CMS)</li> <li>VM48554 (CMS)</li> <li>VM50836 (CMS)</li> <li>VM45721 (GCS)</li> <li>VM48577 (GCS)</li> </ul> </li> </ul>							
VSE/VSAM	5686-037 (EoS 1/31/01)	2.2.0	-	-	-	-	-
<p><b>Note:</b> VSE/VSAM Version 2 Release 2.0 pre-reqs VM/ESA R2.1, R2.2 or VM/ESA V2 R1. VSE/VSAM V2 R2 is <b>VMSES/E</b> enabled.</p>							
VSE/VSAM for VM	5686-081 (EoS 2/28/07)	6.1.0 Withdrawn 9/30/05	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol	Exp XCTol
<p><b>Note:</b> VTAM: see <i>ACF/VTAM</i> on pages 2 and 3.</p>							
<p><b>Note:</b> WDSF/VM 1.1.0, 5684-122; EoS = 3/31/94. Full name is: <i>IBM Workstation Data Save Facility/VM</i> WDSF/VM was withdrawn from marketing 10/29/93.</p> <p><b>WDSF/VM is replaced by ADSTAR Distributed Storage Manager (5648-020).</b></p>							
WLFS/VM	5684-120 (EoS)	1.1.0 Withdrawn	-	-	-	-	-
WLFS/VM	5684-120 (EoS 12/17/94)	1.1.1 @ Withdrawn 8/17/94	-	-	-	-	-
<p><b>Note:</b> WLFS/VM = <i>Workstation Local Area Network File Services/VM</i> WLFS/VM pre-reqs C/370 Library V2 (5688-188) @ .... WLSF/VM R1.1 is <b>VMSES/E</b> enabled.</p> <p>WLFS/VM NFS server and TCP/IP for VM NFS Feature CANNOT coexist on a single VM.</p>							
WOW Personal	5799-DQZ	1.1.0	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> WOW = <i>Window on the World</i>, PRPQ # P81076. For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)</p>							
WOW Public	5799-DRA	1.1.0	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> WOW = <i>Window on the World</i>, PRPQ # P81077. For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)</p>							
X.25 NPSI	5668-719	2.1.0 Withdrawn 9/03/03	na	na	na	na	na
<p><b>Note:</b> X.400 PROFS Connection 1.1.0, 5785-GCG; EoS = 12/31/91. X.400 PROFS Connection 1.2.0, 5785-GCG; EoS = 6/30/92.</p>							

Table 1 (Page 65 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>X.400 PROFS Connection</b>	5785-GCG (EoS 9/1/95)	<b>1.3.0 Withdrawn 3/03/95</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> X.400 PROFS Connection Release 3 replaced Release 2.							
<b>XCOL</b>	5799-EGZ	<b>1.1.0 Withdrawn</b>	Tol	Tol	Tol	Tol	Tol
<b>Note:</b> XCOL = <i>Xedit Column Editing</i> , PRPQ # P81095. For TECHNICAL ASSISTANCE (USA only): 1-800-237-5511 (specify product CUA2001)							
<b>XI</b>	5685-005 (EoS 3/31/02)	<b>1.2.0 Withdrawn 9/06/00</b>	na	na	na	na	na
<b>Note:</b> XI = <i>X.25 SNA Interconnection</i> , Version 1 Release 2 runs on the 3725 controller. XI (5685-005 Version 1 and 5685-035 Version 2) doesn't run under VM; it runs under NCP on the controller, not on the VM host system.							
<b>Note:</b> XI 2.1.0, 5685-035; EoS = 12/31/91. XI 2.2.0, 5685-035; EoS = 12/31/92. XI 2.3.0, 5685-035; EoS = 12/31/93.							
<b>Note:</b> XI = <i>X.25 SNA Interconnection</i> ; Version 2 runs on the 3720 & 3745 controller.							
<b>XI</b>	5685-035 (EoS 10/5/04)	<b>2.4.0 Withdrawn 9/03/03</b>	na	na	na	na	na
<b>XI</b>	5685-035 (EoS 10/5/04)	<b>2.4.1 Withdrawn 9/03/03</b>	na	na	na	na	na
<b>XI</b>	5685-035	<b>2.4.2</b>	na	na	na	na	na
<b>Note:</b> 3172 ICP 1.0.0, 5601-400; EoS = 12/30/91. 3172 ICP Version 1 could be upgraded to Version 2. 3172 ICP Version 2 is past end of currency: - 3172 ICP 2.0.0, 5601-433; EoS = 08/28/92. - 3172 ICP 2.1.0, 5601-433; EoS = 12/27/92. - 3172 ICP 2.2.0, 5601-433; EoS = 03/25/93. 3172 ICP Version 2 5601-433 will be withdrawn from marketing 7/08/94. It is replaced by Version 3 5621-425. 3172 ICP 3.1.0, 5621-425; EoS = 03/31/94.							
<b>3172 ICP</b>	5621-425	<b>3.2.0</b>	na	na	na	na	na
<b>3172 ICP</b>	5621-425	<b>3.3.0</b>	na	na	na	na	na
<b>3172 ICP</b>	5621-425	<b>3.4.0</b>	na	na	na	na	na
<b>3172 ICP</b>	5621-425	<b>3.5.0</b>	na	na	na	na	na
<b>Note:</b> 3172 ICP supports TCP/IP and SNA protocols and is the control program for the IBM 3172 Controller Models 2 and 3. (Note: the 3172 model 2 controller is withdrawn from marketing, effective 7/08/94.) .... 3172 ICP V3 co-reqs either TCP/IP V2 for VM (5735-FAL) or ACF/VTAM V3 R4 (5664-280 or 5684-095). ICP = <i>Interconnect Controller Program</i> . 3172 ICP V3 R2 supports the ESCON and the FDDI features of the 3172-003 controller. ESCON w/ TCP/IP will require the appropriate upgrade to TCP/IP V2 R2.							
<b>Note:</b> 3270 PC FTP 1.0.0 and 1.1.0, 5664-281; EoS = 11/88.							

Table 1 (Page 66 of 66). LP's Migration Matrix -- z/VM

Product	Program Number	V.R.M	z/VM				
			V5.1 * %	V5.2 * %	V5.3 *	V5.4	V6.1
<b>3270 PC FTP</b>	5664-281 (EoS 9/24/04)	<b>1.1.1 Withdrawn 9/24/04 @</b>	Tol	Tol	Tol	Tol	Tol
<p><b>Note:</b> For PROFS installations of the above see GC02326.</p> <p>3270 PC FTP is shipped as a sample program in V5.1 with no support.</p>							
<b>4700 AMG</b>	5668-934	<b>1.3.1</b>					
<p><b>Note:</b> AMG = Application Map Generator</p>							
<p><b>Note:</b> 5210 Printer Support Version 1 5798-DTA; EoS = 4/30/89. Withdrawal from marketing is effective 7/05/94.</p>							
<p><b>Note:</b> 6670 Use. Aids 1.1.3, 5798-DQF; Withdrawn 12/31/97, EoS 6/86.</p>							
<p><b>Note:</b> 6670 Utils. Preprocessor 1.1.0, 5798-DKB; EoS = yes.</p>							

---

# Index

## Numerics

5601-433	67	5627-ASS	16
5604-095	28	5627-ASU	16
5608-A56	34	5627-ATT	16
5608-C06	34	5627-BDG	16
5608-ISM	59	5627-CCC	16
5608-ISX	59	5627-CDA	16
5612-001	13	5627-CDM	16
5613-201	13	5627-CDS	16
5613-202	13	5627-COM	14, 16
5613-203	13	5627-DEV	16
5613-204	13	5627-DR2	16
5613-205	13	5627-DRA	16
5613-206	13	5627-DRS	16
5613-207	13	5627-ELD	16
5613-208	13	5627-ELF	16
5613-209	13	5627-ELG	16
5613-210	13	5627-ELW	16
5613-211	13	5627-FEA	14, 16
5613-212	13	5627-FEM	16
5613-213	13	5627-FIT	16
5613-214	13	5627-FRF	16
5613-215	13	5627-GEO	16
5613-216	13	5627-GII	16
5613-217	13	5627-GPS	16
5613-218	13	5627-IGC	16
5613-219	13	5627-IGI	16
5613-220	13	5627-IMD	16
5613-221	13	5627-KIN	16
5613-222	13	5627-LIB	16
5613-223	13	5627-LIC	16
5613-224	13	5627-MAA	16
5613-226	13	5627-NAS	16
5614-001	60	5627-NC3	16
5614-002	60	5627-NC5	16
5614-003	60	5627-NCB	16
5620-ADM	60	5627-NCR	16
5620-ADN	60	5627-NES	16
5620-ADP	60	5627-PA3	16
5620-ADQ	60	5627-PBG	16
5621-416	19	5627-ROC	16
5621-425	67	5627-ROS	16
5627-ANI	16	5627-SCH	16
5627-ANS	16	5627-SHE	16
		5627-SOE	14, 16
		5627-SOM	16

5627-SPA	16	5648-D72	41, 42
5627-SPM	16	5648-DRZ	33
5627-SPN	16	5648-I2S	33
5627-SUD	16	5648-MLE	61
5627-SWE	16	5648-MLX	61
5627-TU3	16	5654-006	47
5627-TUR	16	5654-007	7
5627-WF3	16	5654-009	3, 4
5627-xxx	13, 14, 15	5654-010	4
5635-001	12	5654-011	39
5635-002	12	5654-015	58
5635-003	12	5654-025	8
5635-004	12	5654-029	23
5635-005	12	5654-030	17
5635-006	12	5654-033	32
5635-007	12	5654-260	25
5635-008	12	5654-A02	7
5635-009	12	5654-A03	55
5635-010	12	5654-A17	17
5635-014	12	5654-A22	32
5635-110	12	5654-A23	32
5635-111	12	5654-MLE	61
5635-112	12	5655-T13	34
5639-B79	45	5658-995	35
5648-001	35	5662-262	60
5648-003	13	5664-179	63
5648-005	6	5664-185	4
5648-010	58	5664-188	52, 53
5648-018	8	5664-189	57
5648-020	7	5664-191	63
5648-038	55, 56	5664-198	48
5648-039	37	5664-199	47
5648-063	2, 3	5664-200	29
5648-077	41	5664-201	55
5648-078	60	5664-204	38
5648-089	42	5664-280	4
5648-092	8	5664-281	67, 68
5648-109	34, 35	5664-282	36
5648-113	7	5664-283	62
5648-141	41	5664-285	36
5648-158	20	5664-289	3
5648-A09	26	5664-291	63
5648-A17	26	5664-292	64
5648-A20	45	5664-293	43
5648-A25	17, 18	5664-296	19
5648-A70	20, 49	5664-307	54
5648-B02	61	5664-309	48
5648-B05	17	5664-310	47
5648-B33	7	5664-312	48

5664-315	27	5668-865	22
5664-318	62	5668-882	54
5664-322	35	5668-890	27
5664-323	35	5668-897	35
5664-325	22	5668-899	8
5664-327	24	5668-903	65
5664-329	17	5668-904	35
5664-334	37	5668-905	29
5664-335	37	5668-909	44
5664-336	29	5668-910	44
5664-361	43	5668-911	44
5664-363	35	5668-918	19
5664-364	61	5668-919	35
5664-365	7	5668-934	68
5664-366	7	5668-941	30
5664-370	24	5668-951	40
5664-374	17	5668-958	64
5664-376	62	5668-962	9
5664-382	45	5668-963	40
5664-387	47, 48	5668-978	27
5664-388	24	5668-981	39
5664-390	17	5668-996	32
5664-391	25	5668-997	17
5664-392	25	5668-AAA	49
5664-393	45	5684-001	39
5665-397	55	5684-007	29
5667-124	2	5684-009	62
5667-134	21	5684-011	17
5668-717	65	5684-013	44
5668-719	39, 66	5684-014	36
5668-723	28	5684-015	36
5668-738	2	5684-017	38
5668-739	37	5684-025	55
5668-754	2	5684-026	9
5668-757	38	5684-028	39
5668-767	65	5684-038	45
5668-788	24	5684-042	35
5668-795	17	5684-043	36
5668-801	28	5684-048	38
5668-802	28	5684-052	4
5668-805	65	5684-057	19, 20
5668-806	64	5684-058	20
5668-808	8	5684-059	20
5668-812	28, 29	5684-061	45
5668-813	19	5684-062	10
5668-814	19	5684-064	12
5668-815	52	5684-065	45
5668-854	2	5684-073	63, 64
5668-863	25	5684-084	42, 43

5684-090	63	5688-039	11
5684-091	24	5688-040	10
5684-095	4	5688-045	5
5684-096	53	5688-047	35
5684-098	54	5688-050	30
5684-099	4	5688-052	23
5684-100	45	5688-087	64, 65
5684-104	43	5688-091	37
5684-107	45	5688-092	36
5684-111	38	5688-093	29
5684-112	17	5688-094	26
5684-113	23	5688-103	56
5684-120	66	5688-104	47
5684-122	66	5688-108	8
5684-123	36	5688-113	28
5684-124	17	5688-121	60
5684-129	5	5688-127	52
5684-130	63	5688-132	18, 19
5684-134	22	5688-137	45
5684-136	56	5688-139	60
5684-137	61	5688-169	29, 30
5684-138	61, 62	5688-170	59
5684-139	43	5688-171	58, 59
5684-140	9	5688-172	36
5684-141	48, 49	5688-179	54
5684-142	36, 37	5688-187	11
5684-143	54, 55	5688-188	11
5684-157	31	5688-190	47
5684-160	12	5688-191	43
5684-164	24	5688-194	5, 18, 32
5684-168	29	5688-197	5, 32
5685-003	40	5688-198	5, 6, 36
5685-005	67	5688-199	35
5685-010	36	5688-216	5
5685-035	67	5688-224	10
5685-105	30	5688-226	26
5686-037	66	5688-228	8
5686-081	66	5688-229	8
5688-003	8	5688-231	2
5688-004	56	5688-235	6, 33
5688-008	25	5695-013	51, 52
5688-009	10	5695-014	51, 52
5688-013	28	5695-101	25
5688-015	10	5696-234	30, 31
5688-021	9	5696-309	6
5688-022	64	5696-703	21
5688-023	64	5696-737	5, 18
5688-030	38	5697-235	20
5688-035	39, 40	5697-D27	50

5697-F16	21	5746-RG1	52
5697-F42	20, 21, 49, 50	5746-SM2	24
5697-J05	31	5747-DS1	35
5697-J06	31	5748-AP1	64
5697-J08	33	5748-FO3	65
5697-J10	32	5748-LM3	65
5697-TS9	59	5748-RC1	49
5697-TSO	59	5748-XP1	52
5697-VM3	7, 59	5748-XX1	64
5698-A11	60	5748-XX9	22
5698-A13	60	5748-XXB	23
5698-A36	34	5748-XXJ	56
5706-053	6	5750-ACF	38
5706-113	23	5756-051	38, 39
5706-116	22	5758-BY0	24
5706-200	62	5758-BY1	24
5706-218	37, 38	5758-BY4	24
5706-236	33	5758-BY5	24
5706-255	49, 50	5758-BYA	24
5706-292	6, 7	5758-MT0	62
5706-295	6	5758-MT1	62
5709-019	12	5758-MT2	62
5709-025	6	5758-MT3	62
5709-027	6	5758-MT4	62
5709-031	24	5758-MT5	62
5709-032	24	5758-SL2	63
5713-AAK	62	5758-SL7	63
5713-AGL	37	5758-SL8	63
5717-002	12	5758-SLM	63
5734-LM4	46	5758-SLN	63
5734-LM5	46	5758-SLY	63
5734-PL1	46	5759-025	38
5734-PL2	46	5764-011	7
5734-PL3	46	5764-029	17
5735-FAL	57	5764-044	7
5735-RC5	63	5764-050	58
5735-XX7	40, 41	5764-052	60
5735-XX9	2	5767-001	8
5735-XXB	24, 25	5767-032	8
5739-A03	17, 54	5767-038	8
5740-CB1	44	5767-062	26
5740-LM1	44	5785-ABH	33
5740-M53	8	5785-DHG	44
5740-XXH	50, 51	5785-DJD	9
5741-A05	22, 23, 46, 51, 53, 57, 58	5785-EET	26
5741-A07	23, 46, 51, 53, 58	5785-EEY	26
5746-AM2	65	5785-GCG	66, 67
5746-CB1	23	5785-GCH	66
5746-LM4	23	5785-GCL	64



5785-HAH	22	5799-DXP	57
5785-LAT	52	5799-DZR	36
5785-MCB	24	5799-EDY	46
5785-RAC	17	5799-EFR	55
5785-RAE	27	5799-EGE	10
5787-AAF	33	5799-EGW	37
5796-PKR	27	5799-EGZ	67
5796-PNA	62	5799-ELA	55
5797-236	9	5799-ENT	18
5798-DKB	68	5799-EPE	62
5798-DLL	21	5799-EPK	60
5798-DMY	27	5799-EYW	51
5798-DPW	27	5799-EYX	58
5798-DQF	68	5799-FBB	13
5798-DQZ	37	5799-FBK	42
5798-DRT	48	5799-FDF	12
5798-DTE	64	5799-FFC	42
5798-DWD	53, 54	5799-FLP	9
5798-DYR	18	5799-FLT	26
5798-DZF	61	5799-FLX	42
5798-DZX	18	5799-FPL	42
5798-FAL	57	5799-FQW	42
5798-FAP	21	5799-PGX	27
5798-FBB	48, 52	5799-XBA	27
5798-FBG	37	5799-XBB	55
5798-FBJ	48	5799-XBC	2
5798-RXD	36	5799-XBE	37
5798-RXQ	60, 61		
5799-AXX	27	<b>D</b>	
5799-BTB	24	DataJoiner	20
5799-CRJ	49	DB2 WWW	21
5799-CTX	45		
5799-CZE	12		
5799-CZK	42		
5799-DBN	62		
5799-DDK	30		
5799-DDL	30		
5799-DFN	24		
5799-DGW	17		
5799-DHH	61		
5799-DHL	57		
5799-DKF	17		
5799-DKZ	17		
5799-DNE	49		
5799-DQW	38		
5799-DQZ	66		
5799-DRA	66		
5799-DRD	27		
5799-DXN	56		

(C) Copyright 2000, 2002, 2007, 2008.2009 by IBM Corporation. All rights reserved.

DSMTB2451W TABLE SPLIT ON PAGE 15.  
DSMTB2451W TABLE SPLIT ON PAGE 16.  
DSMBEG323I STARTING PASS 2 OF 3.  
DSMTB2451W TABLE SPLIT ON PAGE 15.  
DSMTB2451W TABLE SPLIT ON PAGE 16.  
DSMBEG323I STARTING PASS 3 OF 3.  
DSMTB2451W TABLE SPLIT ON PAGE 15.  
DSMTB2451W TABLE SPLIT ON PAGE 16.